

Alendronate Liquid Formulation



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/23/2020

 6.4
 10/16/2020
 28220-00017
 Date of first issue: 11/05/2014

SECTION 1. IDENTIFICATION

Product name : Alendronate Liquid Formulation

Manufacturer or supplier's details

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000 Emergency telephone : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Alendronate Liquid Formulation



Version **Revision Date:** SDS Number: Date of last issue: 03/23/2020 28220-00017 Date of first issue: 11/05/2014 6.4 10/16/2020

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Alendronate	121268-17-5	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

In the case of accident or if you feel unwell, seek medical General advice

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delaved

Suspected of damaging the unborn child.

Protection of first-aiders

In case of eye contact

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fiahtina

Hazardous combustion prod: :

Exposure to combustion products may be a hazard to health.

Carbon oxides Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Alendronate Liquid Formulation



Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use Advice on safe handling : Avo

Use only with adequate ventilation. Avoid inhalation of vapor or mist.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters



Alendronate Liquid Formulation



Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Alendronate	121268-17-5	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled

release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment,





Version 6.4

Revision Date: 10/16/2020

SDS Number: 28220-00017

Date of last issue: 03/23/2020 Date of first issue: 11/05/2014

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear

Odor : No data available

Odor Threshold : No data available

pH : 6.4 - 7.2

Melting point/freezing point : No data available

Initial boiling point and boiling

range

212 °F / 100 °C

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available



Alendronate Liquid Formulation

ORGANON

Version **Revision Date:** SDS Number: Date of last issue: 03/23/2020 10/16/2020 28220-00017 Date of first issue: 11/05/2014 6.4

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability Can react with strong oxidizing agents.

Possibility of hazardous reac- :

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Alendronate:

Acute oral toxicity LD50 (Rat): 552 - 626 mg/kg

LD50 (Mouse): 966 - 1,280 mg/kg

Acute inhalation toxicity Remarks: No data available

Acute dermal toxicity Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:

Alendronate:

Species Rabbit

Remarks Severe skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Public

r ORGANON

Alendronate Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

Components:

Alendronate:

Species : Rabbit

Result : Severe irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Alendronate:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Alendronate:

Genotoxicity in vitro : Test Type: Alkaline elution assay

Test system: rat hepatocytes

Result: negative

Test Type: Bacterial reverse mutation assay (AMES) Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Alendronate:

Species : Rat, male Application Route : Oral Exposure time : 2 Years

1 mg/kg body weight

3.75 mg/kg body weight



Alendronate Liquid Formulation



Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

Target Organs : Thyroid

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Alendronate:

Effects on fertility : Test Type: Fertility

Species: Rat, male and female

Application Route: Oral

Fertility: NOAEL: 5 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rat, female Application Route: Oral

Developmental Toxicity: LOAEL: 1 - 15 mg/kg body weight Symptoms: Reduced number of viable fetuses., Reduced

body weight, Skeletal malformations.

Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Test Type: Development Species: Rabbit, female Application Route: Oral

Developmental Toxicity: NOAEL: 40 mg/kg body weight

Result: No adverse effects.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Alendronate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.



Alendronate Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

Components:

Alendronate:

Target Organs : Bone, Stomach, Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Alendronate:

Species : Rat

NOAEL : 2.5 mg/kg

LOAEL : > 2.5 mg/kg

Application Route : Intravenous

Exposure time : 53 Weeks

Target Organs : Stomach

Species : Dog

LOAEL : 0.01 mg/kg Application Route : Intravenous

Exposure time : 3 y

Target Organs : Stomach, Bone, Kidney

Species : Dog
NOAEL : 2 mg/kg
LOAEL : 4 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Target Organs : Kidney

Aspiration toxicity

Not classified based on available information.

Components:

Alendronate:

Not applicable

Experience with human exposure

Product:

Inhalation : Symptoms: respiratory tract irritation
Skin contact : Symptoms: May cause, Skin irritation
Eye contact : Symptoms: May cause, Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance, musculoskeletal pain

Components:

Alendronate:

Inhalation : Symptoms: respiratory tract irritation
Skin contact : Symptoms: Severe irritation, skin blistering

Eye contact : Symptoms: Severe irritation



Alendronate Liquid Formulation



Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

Ingestion : Symptoms: Gastrointestinal disturbance, musculoskeletal pain

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Alendronate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 27 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 170 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 4 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 1.1 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

LOEC (Pimephales promelas (fathead minnow)): 1.9 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 4.7 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

Alendronate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 70.3 % Exposure time: 7 d

Stability in water : Degradation half life (DT50): 375 d

Method: OECD Test Guideline 111

Public

Alendronate Liquid Formulation



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/23/2020

 6.4
 10/16/2020
 28220-00017
 Date of first issue: 11/05/2014

Bioaccumulative potential

Components:

Alendronate:

Partition coefficient: n-

octanol/water

log Pow: -1.73

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

Alendronate Liquid Formulation



Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5 1,2-Benzisothiazol-3(2H)-one 1,1-dioxide, sodium salt 128-44-9

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -



Alendronate Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 03/23/2020 6.4 10/16/2020 28220-00017 Date of first issue: 11/05/2014

International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 10/16/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8