

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Betamethasone Cream Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Pharmaceutical

#### 1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.  
Shotton Lane  
NE23 3JU Cramlington NU - Great Britain

Telephone : 44 1 670 59 30 00

E-mail address of person responsible for the SDS : EHSSTEWARD@organon.com

#### 1.4 Emergency telephone number

215-631-6999

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

P201 Obtain special instructions before use.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

### Hazardous components which must be listed on the label:

betamethasone

### Additional Labelling

EUH208 Contains 4-Chloro-3-methylphenol. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Paraffin oil	8012-95-1 232-384-2	Asp. Tox. 1; H304 Aquatic Chronic 4; H413	$\geq 2.5 - < 10$
Hexadecan-1-ol. Ethoxylated	9004-95-9	Eye Irrit. 2; H319	$\geq 1 - < 10$
4-Chloro-3-methylphenol	59-50-7 200-431-6 604-014-00-3	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	$\geq 0.1 - < 0.25$
betamethasone	378-44-9 206-825-4	Acute Tox. 2; H330 Repr. 1B; H360D STOT RE 1; H372	$\geq 0.025 - < 0.1$

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

		(Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) Aquatic Chronic 1; H410	
		M-Factor (Chronic aquatic toxicity): 1,000	

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- May produce an allergic reaction.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate contain-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Do not breathe vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment.                                      |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations. |
| Advice on common storage                      | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Organic peroxides<br>Explosives<br>Gases                     |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Alcohols, C16-18	Workers	Inhalation	Long-term systemic effects	237.76 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	237.76 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	6.52 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	6.52 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	200 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	400 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	1.124 mg/cm <sup>2</sup>
	Workers	Skin contact	Acute local effects	1.124 mg/cm <sup>2</sup>
	Consumers	Inhalation	Long-term systemic effects	118.88 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute systemic effects	118.9 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	0.652 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute local effects	0.652 mg/m <sup>3</sup>
Consumers	Consumers	Skin contact	Long-term systemic effects	100 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	200 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.562 mg/cm <sup>2</sup>
	Consumers	Skin contact	Acute local effects	0.562 mg/cm <sup>2</sup>
	Consumers	Ingestion	Long-term systemic effects	75 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	75 mg/kg bw/day

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

Paraffin oil	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Short-term exposure	5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	5 mg/m <sup>3</sup>
4-Chloro-3-methylphenol	Workers	Inhalation	Long-term systemic effects	6.289 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	3.567 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.551 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	1.783 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.892 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Petrolatum	Oral (Secondary Poisoning)	9.33 mg/kg food
Alcohols, C16-18	Fresh water	0.13 mg/l
	Marine water	0.12 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	13.61 mg/kg dry weight (d.w.)
	Marine sediment	1.361 mg/kg dry weight (d.w.)
4-Chloro-3-methylphenol	Soil	100 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	86.7 mg/kg food
	Fresh water	0.015 mg/l
	Intermittent use/release	0.015 mg/l
	Marine water	0.002 mg/l
4-Chloro-3-methylphenol	Sewage treatment plant	2.286 mg/l
	Fresh water sediment	13.981 mg/kg dry weight (d.w.)
	Marine sediment	13.981 mg/kg dry weight (d.w.)
	Soil	6.399 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

### Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Eye protection : Wear safety glasses with side shields or goggles.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance : cream

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : 5

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : > 93.3 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

---

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Particle size	:	Not applicable
---------------	---	----------------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
---------------------	---	---

### 10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

### 10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion
--	---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

Eye contact

### Acute toxicity

Not classified based on available information.

### Components:

#### Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### Hexadecan-1-ol. Ethoxylated:

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

#### 4-Chloro-3-methylphenol:

Acute oral toxicity : LD50 (Mouse): 600 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 2.871 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgement  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

#### betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 4,500 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l  
Exposure time: 4 h

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Paraffin oil:

Species : Rabbit  
Result : No skin irritation

#### 4-Chloro-3-methylphenol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 1 to 4 hours of exposure

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

---

### betamethasone:

Species : Rabbit  
Result : Mild skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Paraffin oil:

Species : Rabbit  
Result : No eye irritation

#### Hexadecan-1-ol. Ethoxylated:

Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

#### 4-Chloro-3-methylphenol:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### betamethasone:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### 4-Chloro-3-methylphenol:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### betamethasone:

Exposure routes : Dermal  
Species : Guinea pig  
Result : Weak sensitizer

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **4-Chloro-3-methylphenol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

##### **betamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

May damage the unborn child.

#### Components:

##### **4-Chloro-3-methylphenol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

##### **betamethasone:**

Effects on foetal development : Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
Result: Fetotoxicity, Malformations were observed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

---

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
Result: Malformations were observed.

Species: Mouse  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### 4-Chloro-3-methylphenol:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

##### betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Paraffin oil:

Species : Rat, female  
LOAEL : 161 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### 4-Chloro-3-methylphenol:

Species : Rat  
NOAEL : 200 mg/kg  
LOAEL : 400 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

##### betamethasone:

Species : Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

---

LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 10 - 30 d  
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 8 Weeks  
Target Organs : thymus gland

Species : Mouse  
LOAEL : 0.1 %  
Application Route : Skin contact  
Exposure time : 8 Weeks  
Target Organs : thymus gland

Species : Dog  
LOAEL : 0.05 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Target Organs : Blood, thymus gland, Adrenal gland

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### betamethasone:

Inhalation : Target Organs: Adrenal gland  
Skin contact : Symptoms: Redness, pruritis, Irritation

---

## SECTION 12: Ecological information

### 12.1 Toxicity

### Components:

#### Paraffin oil:

Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EL50 (Acartia tonsa): > 100 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

aquatic invertebrates	Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials  NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
<b>Hexadecan-1-ol. Ethoxylated:</b>	
Toxicity to fish	: LC50 : > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 : > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 : > 10 - 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
<b>4-Chloro-3-methylphenol:</b>	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Chlorella pyrenoidosa (aglae)): 15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  EC10 (Chlorella pyrenoidosa (aglae)): 2.3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 : 22.86 mg/l Exposure time: 60 h
Toxicity to fish (Chronic toxicity)	: NOEC: 0.15 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.32 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### **betamethasone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC: 0.052 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

NOEC: 0.07 µg/l  
Exposure time: 219 d  
Species: Oryzias latipes (Japanese medaka)  
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

## 12.2 Persistence and degradability

### Components:

#### **Hexadecan-1-ol. Ethoxylated:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 99 %  
Exposure time: 19 d

#### **4-Chloro-3-methylphenol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 15 d



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version 6.0      Revision Date: 09.04.2021      SDS Number: 1842138-00010      Date of last issue: 10.10.2020  
Date of first issue: 19.07.2017

Method: OECD Test Guideline 301

### 12.3 Bioaccumulative potential

#### Components:

##### **Paraffin oil:**

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

##### **4-Chloro-3-methylphenol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 5.5 - 13

Partition coefficient: n-octanol/water : log Pow: 0.477

##### **betamethasone:**

Partition coefficient: n-octanol/water : log Pow: 2.11

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

---

### SECTION 14: Transport information

#### 14.1 UN number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

#### 14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (betamethasone)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (betamethasone)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (betamethasone)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (betamethasone)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (betamethasone)

#### 14.3 Transport hazard class(es)

ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

#### 14.4 Packing group

<b>ADN</b>		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
<b>ADR</b>		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
Tunnel restriction code	:	(-)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

---

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.

H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H335 : May cause respiratory irritation.

H360D : May damage the unborn child.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

H372 : Causes damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.  
H413 : May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Repr. : Reproductive toxicity  
Skin Corr. : Skin corrosion  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
6.0	09.04.2021	1842138-00010	Date of first issue: 19.07.2017

---

compile the Safety Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Repr. 1B	H360D
STOT RE 1	H372
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN