

Version 1.3	Revision Date: 10.10.2020		S Number: 60233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019			
1. PROD	1. PRODUCT AND COMPANY IDENTIFICATION						
Prod	luct name	:	Betamethasone	e Sodium Phosphate Formulation			
Man	ufacturer or supplier's o	leta	ils				
Com	ipany	:	Organon & Co.				
Addr	ress	:	30 Hudson Stre Jersey City, Ne	eet, 33nd floor w Jersey, U.S.A 07302			
Tele	phone	:	551-430-6000				
Eme	ergency telephone number	r:	215-631-6999				
E-ma	ail address	:	EHSSTEWARD	D@organon.com			
Reco	Recommended use of the chemical and restrictions on use						

al

Recommended use	:	Pharmaceutica

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification Reproductive toxicity	:	Category 1B
Specific target organ toxicity - repeated exposure	:	Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H360D May damage the unborn child. H372 Causes damage to organs (Pituitary gland, Immune sys- tem, muscle, thymus gland, Blood, Adrenal gland) through pro- longed or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.



Version 1.3	Revision Date: 10.10.2020	SDS Number: 3960233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019	
Precautionary statements		 Prevention: P203 Obtain, read and follow all safety instructions before P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. 		
		Response: P318 IF expose P391 Collect s	ed or concerned, get medical advice. pillage.	
		Storage: P405 Store loc	ked up.	
		Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste	

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form combustible dust concentrations in air during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance /	Mixture	:	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
betamethasone	378-44-9	>= 0.3 - < 1

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention.



Versior 1.3	Revision Date: 10.10.2020		0S Number: 60233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019		
an	ost important symptoms d effects, both acute and layed	:	exposure.			
Pr	otection of first-aiders	:	the skin. Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).			
No	otes to physician	:	Treat symptomatically and supportively.			
5. FIRE	FIGHTING MEASURES					
Su	itable extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical			
	isuitable extinguishing edia	:	None known.			
•	ecific hazards during fire- hting	:	Exposure to comb	oustion products may be a hazard to health.		
Ha uc	izardous combustion prod- ts	:	No hazardous cor	nbustion products are known		
Sp od	ecific extinguishing meth- s	:	cumstances and t Use water spray t Remove undamag so.	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		
	ecial protective equipment firefighters	:		e, wear self-contained breathing apparatus. ective equipment.		
6. ACC	6. ACCIDENTAL RELEASE MEASURES					
tiv	ersonal precautions, protec- e equipment and emer- ncy procedures	:	Follow safe handl	ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).		
Er	vironmental precautions	:	Avoid release to t Prevent further le	he environment. akage or spillage if safe to do so.		

······································
Prevent spreading over a wide area (e.g. by containment or oil
barriers).
Retain and dispose of contaminated wash water.

retain and dispose of containinated wash water.
Local authorities should be advised if significant spillages
cannot be contained.

Methods and materials for		Soak up with inert absorbent material.
containment and cleaning up		Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
		Dust deposits should not be allowed to accumulate on surfac-
		es, as these may form an explosive mixture if they are re-
		leased into the atmosphere in sufficient concentration.



Version 1.3	Revision Date: 10.10.2020	SDS Number: 3960233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019
		ment to keep m be pumped, sto Clean up remai bent. Local or nationa posal of this ma employed in the mine which reg Sections 13 and	provide dyking or other appropriate contain- laterial from spreading. If dyked material can be recovered material in appropriate container. ning materials from spill with suitable absor- al regulations may apply to releases and dis- laterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.
7. HANDL	ING AND STORAGE		
Tech	nical measures	causing an exp Provide adequa	v may accumulate and ignite suspended dust losion. ate precautions, such as electrical grounding r inert atmospheres.
Local	/Total ventilation		tilation is unavailable, use with local exhaust
Advic	e on safe handling	: Do not get on s Do not breathe Do not swallow Avoid contact w Wash skin thor Handle in accor practice, based sessment Keep container Minimize dust g Keep container Keep away fror Take precaution Do not eat, drin	mist or vapours. /ith eyes. oughly after handling. rdance with good industrial hygiene and safety on the results of the workplace exposure as-
Cond	itions for safe storage	: Keep in properl Store locked up Keep tightly clo	sed.
Mate	rials to avoid		ance with the particular national regulations. th the following product types: g agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
betamethasone	378-44-9	TWA	1 µg/m3 (OEB 4)	Internal		
	Further information: Skin					



ersion .3	Revision Date: 10.10.2020		DS Number:Date of last issue: 13.09.2019D60233-00004Date of first issue: 29.01.2019
			Wipe limit │ 10 µg/100 cm² │ Internal
Eng	gineering measures	:	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the poten- tial exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.
Per	sonal protective equipr	nent	
	spiratory protection Filter type nd protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type
	Material	:	Chemical-resistant gloves
	Remarks e protection	:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Ski	n and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Ηγς	giene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available



Vers 1.3	sion	Revision Date: 10.10.2020		S Number: 0233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019
	pН		:	No data available	
	Melting	point/freezing point	:	No data available	2
	Initial bo range	piling point and boiling	:	No data available	
	Flash p	oint	:	No data available	9
	Evapora	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	May form combu cessing, handling	stible dust concentrations in air during pro- g or other means.
	Flamma	ability (liquids)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	9
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	9
	Relative	e vapour density	:	No data available	9
	Relative	e density	:	No data available	9
	Density		:	No data available	9
	Solubilit Wate	ty(ies) er solubility	:	No data available	9
		n coefficient: n-	:	Not applicable	
	octanol/ Auto-igr	nition temperature	:	No data available	9
	Decomp	position temperature	:	No data available	9
	Viscosit Visc	y osity, kinematic	:	No data available	9
	Explosiv	ve properties	:	Not explosive	
	Oxidizin	ng properties	:	The substance or	r mixture is not classified as oxidizing.
	Molecul	ar weight	:	No data available	9
	Particle	size	:	Not applicable	

10. STABILITY AND REACTIVITY



rsion B	Revision Date: 10.10.2020		S Number: 60233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019
	ivity ical stability pility of hazardous reac-		Stable under nor May form combu cessing, handling	a reactivity hazard. mal conditions. Istible dust concentrations in air during pro- g or other means. trong oxidizing agents.
Condi	tions to avoid	:	Heat, flames and sparks. Avoid dust formation.	
	patible materials dous decomposition cts	:	Oxidizing agents	
тохіс	OLOGICAL INFORMAT	ION	I	
Inform expos	nation on likely routes of ure	:	Inhalation Skin contact Ingestion Eye contact	
	toxicity assified based on availa	ble i	nformation.	
Produ Acute	<u>ıct:</u> inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h : dust/mist
<u>Comp</u>	oonents:			
	nethasone:			
Acute	oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
			LD50 (Mouse): >	4,500 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 0.4 m Exposure time: 4	
-	corrosion/irritation assified based on availa	ble i	nformation.	
Comp	oonents:			
betan	nethasone:			
Speci	es t	:	Rabbit Mild skin irritation	

Not classified based on available information.

Components:

betamethasone:



ersion 3	Revision Date: 10.10.2020		Number:)233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019
Speci Resul			Rabbit No eye irritation	
Resp	iratory or skin sensit	isation		
	sensitisation assified based on ava	ilable in	formation.	
-	iratory sensitisation assified based on ava	ilable in	formation.	
Com	oonents:			
betan	nethasone:			
Expos Speci Resul		: (Dermal Guinea pig Weak sensitizer	
	cell mutagenicity assified based on ava	ilable in	formation.	
<u>Com</u>	<u>oonents:</u>			
betan	nethasone:			
Geno	toxicity in vitro		Fest Type: Bact Result: negative	erial reverse mutation assay (AMES)
			Fest Type: In vi Result: negative	tro mammalian cell gene mutation test
			Fest Type: Chro Result: positive	omosome aberration test in vitro
Geno	toxicity in vivo		Fest Type: Man cytogenetic ass Species: Mouse Application Rou Result: equivoc	te: Oral
	cell mutagenicity - ssment		Veight of evide cell mutagen.	nce does not support classification as a germ
	nogenicity assified based on ava	ilable in	formation.	
-	oductive toxicity lamage the unborn ch	ild.		
Comp	oonents:			
	nethasone: s on foetal develop-		Species: Rabbit Application Rou	te: Intramuscular



Version 1.3	Revision Date: 10.10.2020		S Number: 60233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019
				Toxicity: LOAEL: 0.05 mg/kg body weight icity, Malformations were observed.
			Developmental	ite: Subcutaneous Toxicity: LOAEL: 0.42 mg/kg body weight nations were observed.
			Developmental	e ute: Intramuscular Toxicity: LOAEL: 1 mg/kg body weight nations were observed.
Repro sessr	oductive toxicity - As- nent	:	Clear evidence animal experim	of adverse effects on development, based on ents.
	Γ - single exposure lassified based on avai	ilable	information.	
	F - repeated exposure es damage to organs (arv gland. Immur	ne system, muscle, thymus gland, Blood, Ad-
	gland) through prolong			
Com	ponents:			
betar	nethasone:			
Targe	et Organs	:	Pituitary gland, Adrenal gland	Immune system, muscle, thymus gland, Blood,
Asse	ssment	:		e to organs through prolonged or repeated
Repe	ated dose toxicity			
Com	ponents:			
betar	nethasone:			
Spec		:	Rabbit	
LOAE Appli	L cation Route	:	0.05 % Skin contact	
Expo	sure time	:	10 - 30 d	
Targe	et Organs	:	Pituitary gland,	Immune system, muscle

Species LÖAEL Application Route Exposure time Target Organs

LUAEL	•	0.05 /0
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland
Species	:	Mouse
LÕAEL	:	0.1 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland

: Rat

: 0.05 %



Ver 1.3	sion	Revision Date: 10.10.2020		0S Number: 60233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019			
	Species LOAEL Application Route Exposure time Target Organs		:	Dog 0.05 mg/kg Oral 28 d Blood, thymus gland, Adrenal gland				
	Aspiration toxicity Not classified based on available information. Experience with human exposure							
	<u>Compo</u>	-						
	betame Inhalati Skin co		:	Target Organs: A Symptoms: Redn	drenal gland ess, pruritis, Irritation			
12.	ECOLO	GICAL INFORMATION	N					
	Ecotox	ticity						
	Compo	onents:						
	Toxicity	ethasone: / to daphnia and other invertebrates	:	EC50 (Americam) Exposure time: 96				
	Toxicity plants	∕ to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD T				
				mg/l Exposure time: 72 Method: OECD T				
	Toxicity icity)	/ to fish (Chronic tox-	:					
				NOEC: 0.07 µg/l Exposure time: 2 [·] Species: Oryzias Method: OECD T	19 d latipes (Japanese medaka) est Guideline 229			
		<i>t</i> to daphnia and other invertebrates (Chron- ity)	:	NOEC: 8 mg/l Exposure time: 2 Species: Daphnia	1 d a magna (Water flea)			



ersion 3	Revision Date: 10.10.2020		0S Number: 60233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019
			Method: OECD T	est Guideline 211
M-Fac toxicit	ctor (Chronic aquatic y)	:	1,000	
	stence and degradabi ta available	lity		
Bioac	cumulative potential			
Comp	oonents:			
Partiti	nethasone: on coefficient: n- bl/water	:	log Pow: 2.11	
	ity in soil ta available			
	adverse effects ta available			
3. DISPO	SAL CONSIDERATION	NS		
Diana	a al mathada			
Waste	sal methods from residues minated packaging	:	Empty containers dling site for recy	ordance with local regulations. should be taken to an approved waste han- cling or disposal. pecified: Dispose of as unused product.
4. TRANS	SPORT INFORMATION	I		
Intern	ational Regulations			
·		:	UN 3082 ENVIRONMENT/ N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Class			(betamethasone	1
Labels	ng group s	:	(betamethasone 9 III 9	
Labels IATA-	DGR		9 9	
Label: IATA- UN/ID	DGR		9 111 9 UN 3082	nazardous substance, liquid, n.o.s.
Labels IATA- UN/ID Prope Class	DGR No. r shipping name		9 III 9 UN 3082 Environmentally I (betamethasone 9	nazardous substance, liquid, n.o.s.
Labels IATA- UN/ID Prope Class Packii	DGR No. r shipping name ng group		9 III 9 UN 3082 Environmentally I (betamethasone 9 III	nazardous substance, liquid, n.o.s.
Labels IATA- UN/ID Prope Class Packin Labels	DGR No. r shipping name ng group s ng instruction (cargo		9 III 9 UN 3082 Environmentally I (betamethasone 9	nazardous substance, liquid, n.o.s.



Vers 1.3	sion	Revision Date: 10.10.2020		DS Number: 60233-00004	Date of last issue: 13.09.2019 Date of first issue: 29.01.2019
	ger aire Enviroi	craft) nmentally hazardous	:	yes	
	IMDG- UN nui Proper		:	UN 3082 ENVIRONMENT/ N.O.S. (betamethasone)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
	Class		:	9	
	Packin	g group	:	III	
	Labels		:	9	
	EmS C	Code	:	F-A, S-F	
	Marine	pollutant	:	yes	

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;



Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
1.3	10.10.2020	3960233-00004	Date of first issue: 29.01.2019

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN