

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

### SECTION 1. IDENTIFICATION

Product name : Betamethasone / Clotrimazole Cream Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Organon & Co.  
Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302  
Telephone : 551-430-6000  
Emergency telephone : 215-631-6999  
E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)  
- repeated exposure  
Specific target organ toxicity : Category 2 (Liver, Kidney, Adrenal gland)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H360Df May damage the unborn child. Suspected of damaging fertility.  
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.  
H373 May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

---

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formula- tion



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Petrolatum	No data available	8009-03-8	$\geq 10 - < 30$ *
Propylene glycol	1,2-Propanediol	57-55-6	$\geq 5 - < 10$ *
White mineral oil (petroleum)	Paraffinum liquidum	8042-47-5	$\geq 5 - < 10$ *
clotrimazole	No data available	23593-75-1	$\geq 1 - < 5$ *
Betamethasone	No data available	378-44-9	$\geq 0.01 - < 0.1$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

---

In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage the unborn child. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m <sup>3</sup>	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (Mist)	5 mg/m <sup>3</sup>	CA QC OEL
		STEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWA	5 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
 Date of first issue: 12/14/2015

		(Inhalable particulate matter)		
Propylene glycol	57-55-6	TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL
		TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (Mist)	5 mg/m <sup>3</sup>	CA QC OEL
		STEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type  
 Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
 Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

---

Hygiene measures : disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	cream
Color	:	white to off-white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

---

# Betamethasone / Clotrimazole Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

---

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
 Method: OECD Test Guideline 402  
 Assessment: The substance or mixture has no acute dermal toxicity  
 Remarks: Based on data from similar materials

**Propylene glycol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

**clotrimazole:**

Acute oral toxicity : LD50 (Rat): 708 mg/kg  
 LD50 (Mouse): 761 mg/kg  
 LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

**Betamethasone:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
 LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l



**Betamethasone / Clotrimazole Cream Formulation**

Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

Exposure time: 4 h

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**White mineral oil (petroleum):**

Species : Rabbit  
Result : No skin irritation

**clotrimazole:**

Species : Rabbit  
Result : No skin irritation

**Betamethasone:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Propylene glycol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**White mineral oil (petroleum):**

Species : Rabbit

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

Result : No eye irritation

### **clotrimazole:**

Species : Rabbit  
Result : Mild eye irritation

### **Betamethasone:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Components:**

#### **Petrolatum:**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

#### **Propylene glycol:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### **White mineral oil (petroleum):**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### **Betamethasone:**

Routes of exposure : Dermal  
Species : Guinea pig  
Result : Weak sensitizer

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Petrolatum:**

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formula- tion



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### clotrimazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Mammalian spermatogonial chromosome aberra-

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

tion test (in vivo)  
Species: Hamster  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Betamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Petrolatum:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **Propylene glycol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

### **clotrimazole:**

Species : Rat  
Application Route : Oral  
Exposure time : 78 weeks  
Result : negative

### **Reproductive toxicity**

May damage the unborn child. Suspected of damaging fertility.

### **Components:**

#### **Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

#### **Propylene glycol:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **clotrimazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral

# Betamethasone / Clotrimazole Cream Formulation

Version 6.5	Revision Date: 04/09/2021	SDS Number: 412894-00015	Date of last issue: 10/10/2020 Date of first issue: 12/14/2015
----------------	------------------------------	-----------------------------	---

- Fertility: LOAEL: 50 mg/kg body weight  
Result: Effects on fertility.
- Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryo-fetal toxicity., No teratogenic effects.
- Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 50 mg/kg body weight  
Result: Embryo-fetal toxicity., No teratogenic effects.
- Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 200 mg/kg body weight  
Result: No effects on fetal development.
- Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 180 mg/kg body weight  
Result: No effects on fetal development.
- Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.
- Betamethasone:**
- Effects on fetal development : Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
Result: Fetotoxicity., Malformations were observed.
- Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
Result: Malformations were observed.
- Species: Mouse  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Malformations were observed.
- Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

# Betamethasone / Clotrimazole Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

---

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

**Components:****clotrimazole:**

Target Organs	:	Liver, Kidney, Adrenal gland
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

**Betamethasone:**

Target Organs	:	Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Petrolatum:**

Species	:	Rat
NOAEL	:	5,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 y

**Propylene glycol:**

Species	:	Rat, male
NOAEL	:	1,700 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 y

**White mineral oil (petroleum):**

Species	:	Rat
LOAEL	:	160 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Species	:	Rat
LOAEL	:	>= 1 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 412

# Betamethasone / Clotrimazole Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

---

**clotrimazole:**

Species : Rabbit  
 LOAEL : 5 - 40 mg/kg  
 Application Route : Skin contact  
 Exposure time : 3 Weeks  
 Target Organs : Skin  
 Symptoms : Edema, Fissuring, Necrosis, Redness

Species : Rat  
 LOAEL : 10 mg/kg  
 Application Route : Oral  
 Exposure time : 18 Months  
 Target Organs : Liver, Kidney, Adrenal gland

Species : Dog  
 LOAEL : 25 mg/kg  
 Application Route : Oral  
 Exposure time : 6 - 12 Months  
 Target Organs : Adrenal gland  
 Symptoms : Salivation, Lachrymation, Vomiting

**Betamethasone:**

Species : Rabbit  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 10 - 30 d  
 Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 8 Weeks  
 Target Organs : thymus gland

Species : Mouse  
 LOAEL : 0.1 %  
 Application Route : Skin contact  
 Exposure time : 8 Weeks  
 Target Organs : thymus gland

Species : Dog  
 LOAEL : 0.05 mg/kg  
 Application Route : Oral  
 Exposure time : 28 d  
 Target Organs : Blood, thymus gland, Adrenal gland

**Aspiration toxicity**

Not classified based on available information.



# Betamethasone / Clotrimazole Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

---

## Experience with human exposure

### Components:

#### **clotrimazole:**

Skin contact : Symptoms: Rash, Itching, Blistering, Edema, Redness  
 Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea

#### **Betamethasone:**

Inhalation : Target Organs: Adrenal gland  
 Skin contact : Symptoms: Redness, pruritis, Irritation

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Petrolatum:**

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
 Exposure time: 96 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 203  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
 Exposure time: 48 h  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
 Exposure time: 21 d  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

#### **Propylene glycol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

# Betamethasone / Clotrimazole Cream Formulation

Version 6.5	Revision Date: 04/09/2021	SDS Number: 412894-00015	Date of last issue: 10/10/2020 Date of first issue: 12/14/2015
----------------	------------------------------	-----------------------------	---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

### White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 21 d

### clotrimazole:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

# Betamethasone / Clotrimazole Cream Formulation

Version 6.5	Revision Date: 04/09/2021	SDS Number: 412894-00015	Date of last issue: 10/10/2020 Date of first issue: 12/14/2015
----------------	------------------------------	-----------------------------	---

**Betamethasone:**

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l  
Exposure time: 219 d  
Method: OECD Test Guideline 229
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Persistence and degradability****Components:****Petrolatum:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Propylene glycol:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**White mineral oil (petroleum):**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

### clotrimazole:

Stability in water : Hydrolysis: 50 %(242 d)

### Bioaccumulative potential

#### Components:

#### Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07

#### Betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(clotrimazole, betamethasone)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(clotrimazole, Betamethasone)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

---

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version 6.5      Revision Date: 04/09/2021      SDS Number: 412894-00015      Date of last issue: 10/10/2020  
Date of first issue: 12/14/2015

---

Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(clotrimazole, Betamethasone)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(clotrimazole, Betamethasone)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(clotrimazole, Betamethasone)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA ON OEL : Ontario Table of Occupational Exposure Limits made under

---

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

CA QC OEL : the Occupational Health and Safety Act.  
: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

ACGIH / TWA : 8-hour, time-weighted average

CA AB OEL / TWA : 8-hour Occupational exposure limit

CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

CA QC OEL / TWAEV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/09/2021  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a

# SAFETY DATA SHEET



## Betamethasone / Clotrimazole Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
6.5	04/09/2021	412894-00015	Date of first issue: 12/14/2015

---

guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8