

Betamethasone / Salicylic Acid Lotion Formulation

Version 3.5 Revision Date: 09.04.2021 SDS Number: 1832974-00012 Date of last issue: 10.10.2020
Date of first issue: 13.07.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Betamethasone / Salicylic Acid Lotion Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H360D May damage the unborn child.

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 3.5 | Revision Date: 09.04.2021 | SDS Number: 1832974-00012 | Date of last issue: 10.10.2020 Date of first issue: 13.07.2017 |
|----------------|------------------------------|------------------------------|---|

H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
 P233 Keep container tightly closed.
 P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P260 Do not breathe mist or vapours.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P281 Use personal protective equipment as required.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Betamethasone / Salicylic Acid Lotion Formulation

Version 3.5 Revision Date: 09.04.2021 SDS Number: 1832974-00012 Date of last issue: 10.10.2020
Date of first issue: 13.07.2017

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|------------------|-----------|-----------------------|
| Propan-2-ol | 67-63-0 | >= 30 -< 60 |
| salicylic acid | 69-72-7 | >= 1 -< 3 |
| Sodium hydroxide | 1310-73-2 | >= 0.5 -< 1 |
| betamethasone | 378-44-9 | >= 0.01 -< 0.3 |

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.

SAFETY DATA SHEET



Betamethasone / Salicylic Acid Lotion Formulation



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : •2YE

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

SAFETY DATA SHEET



Betamethasone / Salicylic Acid Lotion Formulation



Version 3.5 Revision Date: 09.04.2021 SDS Number: 1832974-00012 Date of last issue: 10.10.2020
Date of first issue: 13.07.2017

- ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling** : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage** : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid** : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable gases
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Poisonous gases
Explosives

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|---------|----------------------------------|--|-------|
|------------|---------|----------------------------------|--|-------|

SAFETY DATA SHEET



Betamethasone / Salicylic Acid Lotion Formulation

Version 3.5 Revision Date: 09.04.2021 SDS Number: 1832974-00012 Date of last issue: 10.10.2020
 Date of first issue: 13.07.2017

| | | | | |
|---------------------------|-----------|------------|------------------------------------|----------|
| Propan-2-ol | 67-63-0 | TWA | 400 ppm 983 mg/m ³ | AU OEL |
| | | STEL | 500 ppm 1,230 mg/m ³ | AU OEL |
| | | TWA | 200 ppm | ACGIH |
| | | STEL | 400 ppm | ACGIH |
| salicylic acid | 69-72-7 | TWA | 100 µg/m ³ (OEB 2) | Internal |
| Further information: DSEN | | | | |
| | | Wipe limit | 100 µg/100 cm ² | Internal |
| Sodium hydroxide | 1310-73-2 | Peak limit | 2 mg/m ³ | AU OEL |
| | | C | 2 mg/m ³ | ACGIH |
| betamethasone | 378-44-9 | TWA | 1 µg/m ³ (OEB 4) | Internal |
| Further information: Skin | | | | |
| | | Wipe limit | 10 µg/100 cm ² | Internal |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|-------------|---------|--------------------|---------------------|----------------------------------|---------------------------|--------------|
| Propan-2-ol | 67-63-0 | Acetone | Urine | End of shift at end of work-week | 40 mg/l | ACGIH BEI |

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops. Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

SAFETY DATA SHEET



Betamethasone / Salicylic Acid Lotion Formulation



Version 3.5 Revision Date: 09.04.2021 SDS Number: 1832974-00012 Date of last issue: 10.10.2020
Date of first issue: 13.07.2017

Skin and body protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
: Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : lotion

Colour : colourless, translucent

Odour : No data available

Odour Threshold : No data available

pH : 4.6 - 5.3

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 21.4 - 22.2 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n- : No data available

SAFETY DATA SHEET



Betamethasone / Salicylic Acid Lotion Formulation



Version 3.5 Revision Date: 09.04.2021 SDS Number: 1832974-00012 Date of last issue: 10.10.2020
Date of first issue: 13.07.2017

octanol/water
Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Highly flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Betamethasone / Salicylic Acid Lotion Formulation

Version 3.5 Revision Date: 09.04.2021 SDS Number: 1832974-00012 Date of last issue: 10.10.2020
Date of first issue: 13.07.2017

Components:**Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 25 mg/l
Exposure time: 6 h
Test atmosphere: vapour
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

salicylic acid:

Acute oral toxicity : LD50 (Mouse): 480 mg/kg
LD50 (Rat): 891 mg/kg
LD50 (Rabbit): 1,300 mg/kg
Acute inhalation toxicity : LC50 (Rat): 0.9 mg/l
Exposure time: 1 h
Acute dermal toxicity : LD50 (Rat): 2,000 mg/kg
LD50 (Rabbit): 10,000 mg/kg

Sodium hydroxide:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 4,500 mg/kg
Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Causes skin irritation.

Components:**Propan-2-ol:**

Species : Rabbit
Result : No skin irritation

salicylic acid:

Result : Skin irritation

Sodium hydroxide:

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Result : Corrosive after 3 minutes or less of exposure

betamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Propan-2-ol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

salicylic acid:

Species : Rabbit
Remarks : Severe eye irritation

Sodium hydroxide:

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

betamethasone:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Propan-2-ol:**

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

salicylic acid:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : negative

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Sodium hydroxide:

Test Type : Human repeat insult patch test (HRIPT)
 Exposure routes : Skin contact
 Result : negative

betamethasone:

Exposure routes : Dermal
 Species : Guinea pig
 Result : Weak sensitizer

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

salicylic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid exchange
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Test Type: Sister chromatid exchange analysis in spermatogonia
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Result: negative

Test Type: Chromosome aberration test in vitro
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Oral
Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 104 weeks
Method : OECD Test Guideline 451
Result : negative

salicylic acid:

Species : Mouse
Application Route : Skin contact
Exposure time : 1 Years
NOAEL : 2 mg/cm²
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

salicylic acid:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 3.5 | Revision Date: 09.04.2021 | SDS Number: 1832974-00012 | Date of last issue: 10.10.2020 Date of first issue: 13.07.2017 |
|----------------|------------------------------|------------------------------|---|

Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 380 mg/kg body weight
Result: Maternal toxicity observed., Embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 80 mg/kg body weight
Result: No effects on foetal development

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

betamethasone:

Effects on foetal development : Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight
Result: Fetotoxicity, Malformations were observed.

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight
Result: Malformations were observed.

Species: Mouse
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Components:

betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Repeated dose toxicity

Components:

Propan-2-ol:

| | | |
|-------------------|---|---------------------|
| Species | : | Rat |
| NOAEL | : | 12.5 mg/l |
| Application Route | : | inhalation (vapour) |
| Exposure time | : | 104 Weeks |

salicylic acid:

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| NOAEL | : | 50 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 2 yr |

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| LOAEL | : | 500 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 3 d |
| Target Organs | : | Liver |

betamethasone:

| | | |
|-------------------|---|--|
| Species | : | Rabbit |
| LOAEL | : | 0.05 % |
| Application Route | : | Skin contact |
| Exposure time | : | 10 - 30 d |
| Target Organs | : | Pituitary gland, Immune system, muscle |

| | | |
|-------------------|---|--------------|
| Species | : | Rat |
| LOAEL | : | 0.05 % |
| Application Route | : | Skin contact |
| Exposure time | : | 8 Weeks |
| Target Organs | : | thymus gland |

| | | |
|-------------------|---|--------------|
| Species | : | Mouse |
| LOAEL | : | 0.1 % |
| Application Route | : | Skin contact |
| Exposure time | : | 8 Weeks |
| Target Organs | : | thymus gland |

| | | |
|-------------------|---|------------------------------------|
| Species | : | Dog |
| LOAEL | : | 0.05 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 28 d |
| Target Organs | : | Blood, thymus gland, Adrenal gland |

Aspiration toxicity

Not classified based on available information.

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Experience with human exposure

Components:

salicylic acid:

| | | |
|--------------|---|---|
| Skin contact | : | Symptoms: Skin irritation |
| Eye contact | : | Symptoms: Severe irritation |
| Ingestion | : | Symptoms: Gastrointestinal discomfort, hearing loss, Dizziness, electrolyte imbalance |

betamethasone:

| | | |
|--------------|---|---|
| Inhalation | : | Target Organs: Adrenal gland |
| Skin contact | : | Symptoms: Redness, pruritis, Irritation |

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propan-2-ol:

| | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h |
| Toxicity to microorganisms | : | EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h |

salicylic acid:

| | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 1,380 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 870 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d |

betamethasone:

| | | |
|---|---|--|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Americamysis): > 50 mg/l Exposure time: 96 h |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l Exposure time: 72 h |

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l

Exposure time: 219 d

Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

Components:

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

salicylic acid:

Partition coefficient: n-octanol/water : log Pow: 2.25

betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

Mobility in soil

No data available

Other adverse effects

No data available

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 1219
Proper shipping name : ISOPROPANOL SOLUTION
Class : 3
Packing group : II
Labels : 3

IATA-DGR

UN/ID No. : UN 1219
Proper shipping name : Isopropanol solution
Class : 3
Packing group : II
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 364
Packing instruction (passenger aircraft) : 353

IMDG-Code

UN number : UN 1219
Proper shipping name : ISOPROPANOL SOLUTION
(betamethasone)
Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number : UN 1219
Proper shipping name : ISOPROPANOL SOLUTION
Class : 3
Packing group : II

SAFETY DATA SHEET



Betamethasone / Salicylic Acid Lotion Formulation



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

Labels : 3
Hazchem Code : •2YE

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 09.04.2021
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
ACGIH / C : Ceiling limit
AU OEL / TWA : Exposure standard - time weighted average
AU OEL / STEL : Exposure standard - short term exposure limit
AU OEL / Peak limit : Exposure standard - peak

Betamethasone / Salicylic Acid Lotion Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 10.10.2020 |
| 3.5 | 09.04.2021 | 1832974-00012 | Date of first issue: 13.07.2017 |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN