

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Betamethasone / Salicylic Acid Ointment Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Pharmaceutical

#### 1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.  
30 Hudson Street, 33rd floor  
07302 Jersey City, New Jersey, U.S.A

Telephone : 551-430-6000

E-mail address of person responsible for the SDS : EHSSTEWARD@organon.com

#### 1.4 Emergency telephone number

215-631-6999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1	H318: Causes serious eye damage.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.  
H360D May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

Precautionary statements :

### Prevention:

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

salicylic acid  
betamethasone

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Paraffin oil	8012-95-1 232-384-2	Asp. Tox. 1; H304 Aquatic Chronic 4; H413	10
salicylic acid	69-72-7 200-712-3 607-732-00-5	Acute Tox. 4; H302 Acute Tox. 2; H330 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318	3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

betamethasone	378-44-9 206-825-4	Repr. 2; H361d	0,064
		Acute Tox. 2; H330 Repr. 1B; H360D STOT RE 1; H372 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Ad- renal gland) Aquatic Chronic 1; H410	
		M-Factor (Chronic aquatic toxicity): 1.000	
		specific concentra- tion limit STOT RE 1; H372 >= 0,01 % Repr. 1B; H360D >= 0,01 %	

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

---

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Petrolatum	8009-03-8	TWA (Vapour)	50 mg/m <sup>3</sup>	FOR-2011-12-06-1358
		TWA (Mist and particles)	1 mg/m <sup>3</sup>	FOR-2011-12-06-1358
Paraffin oil	8012-95-1	TWA (Vapour)	50 mg/m <sup>3</sup>	FOR-2011-12-06-1358
		TWA (Mist and particles)	1 mg/m <sup>3</sup>	FOR-2011-12-06-1358
salicylic acid	69-72-7	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Paraffin oil	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Short-term exposure	5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	5 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Petrolatum	Oral (Secondary Poisoning)	9,33 mg/kg food

## 8.2 Exposure controls

### Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

### Personal protective equipment

- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to NS EN 14387
- Filter type : Combined particulates and organic vapour type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : ointment
- Colour : white, translucent
- Odour : No data available
- Odour Threshold : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

---

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature  
Decomposition temperature : No data available

pH : 4,6 - 5,3

Viscosity  
Viscosity, kinematic : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics  
Particle size : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

##### Acute toxicity

Not classified based on available information.

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

##### Components:

##### **Paraffin oil:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

---

toxicity

### salicylic acid:

Acute oral toxicity : LD50 (Mouse): 480 mg/kg  
LD50 (Rat): 891 mg/kg  
LD50 (Rabbit): 1.300 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,9 mg/l  
Exposure time: 1 h

Acute dermal toxicity : LD50 (Rat): 2.000 mg/kg  
LD50 (Rabbit): 10.000 mg/kg

### betamethasone:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
LD50 (Mouse): > 4.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,4 mg/l  
Exposure time: 4 h

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Paraffin oil:

Species : Rabbit  
Result : No skin irritation

#### salicylic acid:

Result : Skin irritation

#### betamethasone:

Species : Rabbit  
Result : Mild skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Paraffin oil:

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

---

### salicylic acid:

Species : Rabbit  
Remarks : Severe eye irritation

### betamethasone:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### salicylic acid:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : negative

#### betamethasone:

Exposure routes : Dermal  
Species : Guinea pig  
Result : Weak sensitizer

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### salicylic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid exchange  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Sister chromatid exchange analysis in spermatogonia  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

#### betamethasone:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal
- Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### salicylic acid:

- Species : Mouse  
Application Route : Skin contact  
Exposure time : 1 Years  
NOAEL : 2 mg/cm<sup>2</sup>  
Result : negative

### Reproductive toxicity

May damage the unborn child.

### Components:

#### salicylic acid:

- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 380 mg/kg body weight  
Result: Maternal toxicity observed., Embryo-foetal toxicity
- Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 80 mg/kg body weight  
Result: No effects on foetal development

- Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

#### betamethasone:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

Effects on foetal development : Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 0,05 mg/kg body weight  
Result: Fetotoxicity, Malformations were observed.

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0,42 mg/kg body weight  
Result: Malformations were observed.

Species: Mouse  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Components:

#### betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Paraffin oil:

Species : Rat, female  
LOAEL : 161 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### salicylic acid:

Species : Rat  
NOAEL : 50 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 3 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

---

Target Organs : Liver

### **betamethasone:**

Species : Rabbit  
LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 10 - 30 d  
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 8 Weeks  
Target Organs : thymus gland

Species : Mouse  
LOAEL : 0.1 %  
Application Route : Skin contact  
Exposure time : 8 Weeks  
Target Organs : thymus gland

Species : Dog  
LOAEL : 0,05 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Target Organs : Blood, thymus gland, Adrenal gland

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### **Paraffin oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

### Experience with human exposure

#### Components:

##### **salicylic acid:**

Skin contact : Symptoms: Skin irritation  
Eye contact : Symptoms: Severe irritation  
Ingestion : Symptoms: Gastrointestinal discomfort, hearing loss, Dizziness, electrolyte imbalance

##### **betamethasone:**

Inhalation : Target Organs: Adrenal gland  
Skin contact : Symptoms: Redness, pruritis, Irritation

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **Paraffin oil:**

Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

##### **salicylic acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.380 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 870 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### betamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC: 0,052 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

NOEC: 0,07 µg/l  
Exposure time: 219 d  
Species: Oryzias latipes (Japanese medaka)  
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1.000

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

#### Components:

##### Paraffin oil:

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

##### salicylic acid:

Partition coefficient: n- : log Pow: 2,25



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

octanol/water

### betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2,11

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3077

ADR : UN 3077

RID : UN 3077

IMDG : UN 3077

IATA : UN 3077

### 14.2 UN proper shipping name

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version 3.7      Revision Date: 09.04.2021      SDS Number: 1884766-00012      Date of last issue: 10.10.2020  
Date of first issue: 21.08.2017

---

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(betamethasone)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(betamethasone)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(betamethasone)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(betamethasone)

**IATA** : Environmentally hazardous substance, solid, n.o.s.  
(betamethasone)

### 14.3 Transport hazard class(es)

**ADN** : 9

**ADR** : 9

**RID** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo) : 956

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

aircraft)  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL HAZARDS	Quantity 1 100 t	Quantity 2 200 t
----	-----------------------	---------------------	---------------------

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.  
H312 : Harmful in contact with skin.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H330 : Fatal if inhaled.  
H360D : May damage the unborn child.  
H361d : Suspected of damaging the unborn child.  
H372 : Causes damage to organs through prolonged or repeated exposure.  
H410 : Very toxic to aquatic life with long lasting effects.  
H413 : May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Repr. : Reproductive toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Betamethasone / Salicylic Acid Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

Skin Irrit. : Skin irritation  
STOT RE : Specific target organ toxicity - repeated exposure  
FOR-2011-12-06-1358 : Norway. Occupational Exposure limits  
FOR-2011-12-06-1358 / TWA : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Eye Dam. 1	H318
Repr. 1B	H360D
STOT RE 1	H372
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Betamethasone / Salicylic Acid Ointment For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.7	09.04.2021	1884766-00012	Date of first issue: 21.08.2017

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN