

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number : 215-631-6999

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
H401 Toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Petrolatum	8009-03-8	>= 10 - < 20	
Propylene glycol	57-55-6	>= 10 - < 20	2-234
Paraffin oil	8012-95-1	>= 2.5 - < 10	
Hexadecan-1-ol. Ethoxylated	9004-95-9	>= 1 - < 2.5	
Benzyl alcohol	100-51-6	>= 1 - < 10	3-1011
clotrimazole	23593-75-1	>= 1 - < 2.5	
Gentamicin	1403-66-3	>= 0.1 - < 0.25	
betamethasone	378-44-9	>= 0.025 - < 0.1	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

- | | | |
|---|---|---|
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |
-

5. FIREFIGHTING MEASURES

- | | | |
|---|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |
-

6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version 8.0	Revision Date: 2021/04/09	SDS Number: 610543-00014	Date of last issue: 2020/10/10 Date of first issue: 2016/04/29
----------------	------------------------------	-----------------------------	---

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	OEL-M (Mist)	3 mg/m ³	JP OEL JSOH
	Further information: Substance whose OEL is set based on non-carcinogenic health effects. See III, Group 1: carcinogenic to humans			
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Paraffin oil	8012-95-1	OEL-M (Mist)	3 mg/m ³	JP OEL JSOH
	Further information: Group 1: carcinogenic to humans			
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m ³ (OEB 2)	Internal
Benzyl alcohol	100-51-6	OEL-C	25 mg/m ³	JP OEL JSOH
	Further information: Skin sensitizing agent; Group 2 substances which probably induce allergic reactions in humans.			
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Density and / or relative density
Relative density : No data available

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:
Petrolatum:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Propylene glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Hexadecan-1-ol, Ethoxylated:

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

clotrimazole:

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Acute oral toxicity : LD50 (Rat): 708 mg/kg
LD50 (Mouse): 761 mg/kg
LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous
LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular
LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 4,500 mg/kg
Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Components:

Petrolatum:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Propylene glycol:

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Paraffin oil:

Species	: Rabbit
Result	: No skin irritation

Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

clotrimazole:

Species	: Rabbit
Result	: No skin irritation

Gentamicin:

Species	: Rabbit
Result	: Mild skin irritation

betamethasone:

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Petrolatum:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Propylene glycol:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Paraffin oil:

Species	: Rabbit
Result	: No eye irritation

Hexadecan-1-ol. Ethoxylated:

Result	: Irritation to eyes, reversing within 21 days
--------	--

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit
 Result : Irritation to eyes, reversing within 21 days
 Method : OECD Test Guideline 405

clotrimazole:

Species : Rabbit
 Result : Mild eye irritation

Gentamicin:

Species : Rabbit
 Result : Mild eye irritation

betamethasone:

Species : Rabbit
 Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Petrolatum:

Test Type : Buehler Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Result : negative
 Remarks : Based on data from similar materials

Propylene glycol:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Result : negative

Benzyl alcohol:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Gentamicin:

Remarks : No data available

betamethasone:

Exposure routes : Dermal
Species : Guinea pig
Result : Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:**Petrolatum:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

clotrimazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Oral Result: negative
		Test Type: Mammalian spermatogonial chromosome aberration test (in vivo) Species: Hamster Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
Gentamicin:		
Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative
betamethasone:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Oral Result: equivocal
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Carcinogenicity

Not classified based on available information.

Components:**Petrolatum:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Propylene glycol:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

clotrimazole:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	78 weeks
Result	:	negative

Gentamicin:

Carcinogenicity - Assessment	:	No data available
------------------------------	---	-------------------

Reproductive toxicity

May damage the unborn child.

Components:**Petrolatum:**

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Skin contact Result: negative

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version 8.0	Revision Date: 2021/04/09	SDS Number: 610543-00014	Date of last issue: 2020/10/10 Date of first issue: 2016/04/29
----------------	------------------------------	-----------------------------	---

Remarks: Based on data from similar materials

Propylene glycol:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

clotrimazole:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Fertility: LOAEL: 50 mg/kg body weight
Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 50 mg/kg body weight
Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: NOAEL: 200 mg/kg body weight
Result: No effects on foetal development

Test Type: Embryo-foetal development

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Reproductive toxicity - Assessment	: Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 180 mg/kg body weight Result: No effects on foetal development
Gentamicin:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Fertility: NOAEL: 20 mg/kg body weight Result: No significant adverse effects were reported
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Developmental Toxicity: NOAEL: 3.6 mg/kg body weight Result: No embryo-foetal toxicity
	Test Type: Embryo-foetal development Species: Rat Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 75 mg/kg body weight Result: Embryo-foetal toxicity
	Test Type: Embryo-foetal development Species: Mouse Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: foetal mortality, No malformations were observed.
	Test Type: Embryo-foetal development Species: Rat Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: foetal mortality, No malformations were observed.
Reproductive toxicity - Assessment	: Positive evidence of adverse effects on development from human epidemiological studies.
betamethasone:	
Effects on foetal development	: Species: Rabbit Application Route: Intramuscular Developmental Toxicity: LOAEL: 0.05 mg/kg body weight Result: Fetotoxicity, Malformations were observed.
	Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 0.42 mg/kg body weight Result: Malformations were observed.

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Species: Mouse
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Components:

clotrimazole:

Target Organs : Liver, Kidney, Adrenal gland
Assessment : May cause damage to organs through prolonged or repeated exposure.

Gentamicin:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Petrolatum:

Species : Rat
NOAEL : 5,000 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

Propylene glycol:

Species : Rat, male
NOAEL : 1,700 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Paraffin oil:

Species	: Rat, female
LOAEL	: 161 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

clotrimazole:

Species	: Rabbit
LOAEL	: 5 - 40 mg/kg
Application Route	: Skin contact
Exposure time	: 3 Weeks
Target Organs	: Skin
Symptoms	: Oedema, Fissuring, Necrosis, Redness

Species	: Rat
LOAEL	: 10 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Liver, Kidney, Adrenal gland

Species	: Dog
LOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 6 - 12 Months
Target Organs	: Adrenal gland
Symptoms	: Salivation, Lachrymation, Vomiting

Gentamicin:

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Intramuscular
Exposure time	: 12 Months
Target Organs	: Kidney
Symptoms	: Vomiting, Salivation

Species	: Monkey
LOAEL	: 50 mg/kg
Application Route	: Subcutaneous
Exposure time	: 3 Weeks
Target Organs	: Kidney, inner ear

Species	: Monkey
LOAEL	: 6 mg/kg
Application Route	: Intramuscular

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Exposure time : 3 Weeks
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 10 mg/kg
Application Route : Intramuscular
Exposure time : 52 Weeks
Target Organs : Kidney, Blood

Species : Rat
NOAEL : 12.5 mg/kg
LOAEL : 50 mg/kg
Application Route : Intramuscular
Exposure time : 13 Weeks
Target Organs : Kidney

betamethasone:
Species : Rabbit
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 10 - 30 d
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Mouse
LOAEL : 0.1 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Dog
LOAEL : 0.05 mg/kg
Application Route : Oral
Exposure time : 28 d
Target Organs : Blood, thymus gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Experience with human exposure**Components:****clotrimazole:**

Skin contact	:	Symptoms: Rash, Itching, Blistering, Oedema, Redness
Ingestion	:	Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea

Gentamicin:

Ingestion	:	Target Organs: Kidney
		Target Organs: inner ear
		Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

betamethasone:

Inhalation	:	Target Organs: Adrenal gland
Skin contact	:	Symptoms: Redness, pruritis, Irritation

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Petrolatum:**

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Propylene glycol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d
- Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Paraffin oil:

- Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa): > 100 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials
- NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Hexadecan-1-ol. Ethoxylated:

- Toxicity to fish : LC50: > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50: > 1 - 10 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50: > 10 - 100 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Benzyl alcohol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

clotrimazole:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l
Exposure time: 72 h
- NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to microorganisms : EC50: > 10,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Gentamicin:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- LC50 (Americamysis): 30 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 100
- M-Factor (Chronic aquatic toxicity) : 1
- Toxicity to microorganisms : EC50: 288.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

betamethasone:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l
Exposure time: 32 d

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Method: OECD Test Guideline 210

NOEC (*Oryzias latipes* (Japanese medaka)): 0.07 µg/l

Exposure time: 219 d

Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

Persistence and degradability
Components:
Petrolatum:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Propylene glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Hexadecan-1-ol. Ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 99 %
Exposure time: 19 d

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

clotrimazole:

Stability in water : Hydrolysis: 50 %(242 d)

Gentamicin:

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Paraffin oil:

Partition coefficient: n-octanol/water : log Pow: > 4
Remarks: Calculation

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(betamethasone, clotrimazole)
Class : 9
Packing group : III
Labels : 9

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(betamethasone, clotrimazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(betamethasone, clotrimazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106
alpha-Alkyl(C=9-11)-omega-hydroxypoly(oxyethylene) (It is limited that a number-average molecular weight of the polymer is less than 1,000.)	188
alpha-Alkyl(C=12-15)-omega-hydroxypoly(oxyethylene) (It is limited that a number-average molecular weight of the polymer is less than 1,000.)	189
[alpha-(Alkyl(C=16-18))-omega-hydroxypoly(oxyethane-1,2-diyl) or alpha-(alkenyl(C=16-18))-omega-hydroxypoly(oxyethane-1,2-diyl)]	250

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 8.0 Revision Date: 2021/04/09 SDS Number: 610543-00014 Date of last issue: 2020/10/10
Date of first issue: 2016/04/29

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Mineral oil	168	>=20 - <30

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Number
Mineral oil	168

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)
Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)
Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
8.0	2021/04/09	610543-00014	Date of first issue: 2016/04/29

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN