

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Manufacturer or supplier's details

Company name of supplier : Organon & Co.
Address : Avenida 16 de Septiembre No. 301
Xaltocan - Xochimilco Mexico 16090
Telephone : 52 55 57284444
Emergency telephone : 215-631-6999
E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use


Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 1A
Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Kidney, Adrenal gland)

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H360Df May damage the unborn child. Suspected of damaging fertility.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
H373 May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	>= 10 -< 20
Paraffin oil	8012-95-1	>= 5 -< 10
Hexadecan-1-ol. Ethoxylated	9004-95-9	>= 1 -< 5
clotrimazole	23593-75-1	>= 1 -< 5
Benzyl alcohol	100-51-6	>= 1 -< 5
Gentamicin	1403-66-3	>= 0.1 -< 1
Betamethasone	378-44-9	>= 0.01 -< 0.1

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child. Suspected of damaging fertility.
Causes damage to organs through prolonged or repeated

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

Protection of first-aiders : exposure.
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	VLE-PPT (Mist)	5 mg/m ³	NOM-010-STPS-2014
		TWA (Inhalable particulate)	5 mg/m ³	ACGIH

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

Paraffin oil	8012-95-1	matter) VLE-PPT (Mist)	5 mg/m ³	NOM-010- STPS-2014
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m ³ (OEB 2)	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

Petrolatum:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Paraffin oil:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

toxicity

Hexadecan-1-ol. Ethoxylated:

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

clotrimazole:

Acute oral toxicity : LD50 (Rat): 708 mg/kg

LD50 (Mouse): 761 mg/kg

LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403**Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: IntravenousLD50 (Rat): 371 - 384 mg/kg
Application Route: IntramuscularLDLo (Monkey): 30 mg/kg
Application Route: Intravenous**Betamethasone:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 4,500 mg/kg

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Components:

Petrolatum:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Paraffin oil:

Species : Rabbit
Result : No skin irritation

clotrimazole:

Species : Rabbit
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Gentamicin:

Species : Rabbit
Result : Mild skin irritation

Betamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Petrolatum:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Paraffin oil:

Species : Rabbit

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

Result : No eye irritation

Hexadecan-1-ol. Ethoxylated:

Result : Irritation to eyes, reversing within 21 days
Remarks : Based on data from similar materials

clotrimazole:

Species : Rabbit
Result : Mild eye irritation

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Gentamicin:

Species : Rabbit
Result : Mild eye irritation

Betamethasone:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Petrolatum:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Benzyl alcohol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

Gentamicin:

Remarks : No data available

Betamethasone:

Routes of exposure : Dermal
Species : Guinea pig
Result : Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

Petrolatum:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

clotrimazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: in vitro micronucleus test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative

Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)
Species: Hamster
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Benzyl alcohol:

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version 5.5	Revision Date: 09.04.2021	SDS Number: 610545-00014	Date of last issue: 10.10.2020 Date of first issue: 29.04.2016
----------------	------------------------------	-----------------------------	---

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative
- Gentamicin:**
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Test Type: Chromosome aberration test in vitro
Result: equivocal
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intravenous injection
Result: negative
- Betamethasone:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Test Type: Chromosome aberration test in vitro
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Oral
Result: equivocal
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Petrolatum:

- Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

clotrimazole:

Species : Rat
 Application Route : Oral
 Exposure time : 78 weeks
 Result : negative

Benzyl alcohol:

Species : Mouse
 Application Route : Ingestion
 Exposure time : 103 weeks
 Method : OECD Test Guideline 451
 Result : negative

Gentamicin:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:**Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Skin contact
 Result: negative
 Remarks: Based on data from similar materials

clotrimazole:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Oral
 Fertility: LOAEL: 50 mg/kg body weight
 Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 100 mg/kg body weight
 Result: Embryo-fetal toxicity., No teratogenic effects.

Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

Developmental Toxicity: NOAEL: 50 mg/kg body weight
Result: Embryo-fetal toxicity., No teratogenic effects.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: NOAEL: 200 mg/kg body weight
Result: No effects on fetal development.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 180 mg/kg body weight
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Intraperitoneal

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version 5.5	Revision Date: 09.04.2021	SDS Number: 610545-00014	Date of last issue: 10.10.2020 Date of first issue: 29.04.2016
----------------	------------------------------	-----------------------------	---

Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Fetal mortality., No malformations were observed.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 50 mg/kg body weight
Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Betamethasone:

Effects on fetal development : Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight
Result: Fetotoxicity., Malformations were observed.

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight
Result: Malformations were observed.

Species: Mouse
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

Components:

clotrimazole:

Target Organs : Liver, Kidney, Adrenal gland
Assessment : May cause damage to organs through prolonged or repeated exposure.

Gentamicin:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

Betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland

Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Petrolatum:**

Species : Rat

NOAEL : 5,000 mg/kg

Application Route : Ingestion

Exposure time : 2 y

Paraffin oil:

Species : Rat, female

LOAEL : 161 mg/kg

Application Route : Ingestion

Exposure time : 90 Days

clotrimazole:

Species : Rabbit

LOAEL : 5 - 40 mg/kg

Application Route : Skin contact

Exposure time : 3 Weeks

Target Organs : Skin

Symptoms : Edema, Fissuring, Necrosis, Redness

Species : Rat

LOAEL : 10 mg/kg

Application Route : Oral

Exposure time : 18 Months

Target Organs : Liver, Kidney, Adrenal gland

Species : Dog

LOAEL : 25 mg/kg

Application Route : Oral

Exposure time : 6 - 12 Months

Target Organs : Adrenal gland

Symptoms : Salivation, Lachrymation, Vomiting

Benzyl alcohol:

Species : Rat

NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

Gentamicin:

Species : Dog
 LOAEL : 3 mg/kg
 Application Route : Intramuscular
 Exposure time : 12 Months
 Target Organs : Kidney
 Symptoms : Vomiting, Salivation

Species : Monkey
 LOAEL : 50 mg/kg
 Application Route : Subcutaneous
 Exposure time : 3 Weeks
 Target Organs : Kidney, inner ear

Species : Monkey
 LOAEL : 6 mg/kg
 Application Route : Intramuscular
 Exposure time : 3 Weeks
 Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
 NOAEL : 5 mg/kg
 LOAEL : 10 mg/kg
 Application Route : Intramuscular
 Exposure time : 52 Weeks
 Target Organs : Kidney, Blood

Species : Rat
 NOAEL : 12.5 mg/kg
 LOAEL : 50 mg/kg
 Application Route : Intramuscular
 Exposure time : 13 Weeks
 Target Organs : Kidney

Betamethasone:

Species : Rabbit
 LOAEL : 0.05 %
 Application Route : Skin contact
 Exposure time : 10 - 30 d
 Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
 LOAEL : 0.05 %
 Application Route : Skin contact
 Exposure time : 8 Weeks
 Target Organs : thymus gland

Species : Mouse
 LOAEL : 0.1 %
 Application Route : Skin contact
 Exposure time : 8 Weeks
 Target Organs : thymus gland

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

Species	:	Dog
LOAEL	:	0.05 mg/kg
Application Route	:	Oral
Exposure time	:	28 d
Target Organs	:	Blood, thymus gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

clotrimazole:

Skin contact	:	Symptoms: Rash, Itching, Blistering, Edema, Redness
Ingestion	:	Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea

Gentamicin:

Ingestion	:	Target Organs: Kidney Target Organs: inner ear Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness
-----------	---	---

Betamethasone:

Inhalation	:	Target Organs: Adrenal gland
Skin contact	:	Symptoms: Redness, pruritis, Irritation

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Petrolatum:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
---	---	---

Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
----------------------------------	---	---

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
 Exposure time: 21 d
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Paraffin oil:

Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l
 Exposure time: 96 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa): > 100 mg/l
 Exposure time: 48 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Hexadecan-1-ol. Ethoxylated:

Toxicity to fish : LC50: > 1 - 10 mg/l
 Exposure time: 96 h
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50: > 1 - 10 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50: > 10 - 100 mg/l
 Exposure time: 72 h
 Remarks: Based on data from similar materials

clotrimazole:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l
 Exposure time: 48 h

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 10,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l

Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation

Version 5.5	Revision Date: 09.04.2021	SDS Number: 610545-00014	Date of last issue: 10.10.2020 Date of first issue: 29.04.2016
----------------	------------------------------	-----------------------------	---

- plants
- Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50: 288.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
- Betamethasone:**
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.
- NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
- NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l
Exposure time: 219 d
Method: OECD Test Guideline 229
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

**Clotrimazole / Gentamicin / Betamethasone
(0.05%) Formulation**

Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

Persistence and degradability**Components:****Petrolatum:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Hexadecan-1-ol. Ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 99 %
Exposure time: 19 d

clotrimazole:

Stability in water : Hydrolysis: 50 %(242 d)

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Gentamicin:

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Paraffin oil:**

Partition coefficient: n-octanol/water : log Pow: > 4
Remarks: Calculation

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

Betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version 5.5 Revision Date: 09.04.2021 SDS Number: 610545-00014 Date of last issue: 10.10.2020
Date of first issue: 29.04.2016

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(betamethasone, clotrimazole)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Betamethasone, clotrimazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Betamethasone, clotrimazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

NOM-002-SCT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Betamethasone, clotrimazole)
Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

SAFETY DATA SHEET



Clotrimazole / Gentamicin / Betamethasone (0.05%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
5.5	09.04.2021	610545-00014	Date of first issue: 29.04.2016

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09.04.2021

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8