

# **Desloratadine Liquid Formulation**

♣ ORGANON

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Desloratadine Liquid Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : JL Raya Pandaan KM. 48

Pandaan, Jawa Timur - Indonesia

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

## 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Desloratadine	100643-71-8	>= 0.025 -< 0.25

# 4. FIRST AID MEASURES

In case of eye contact

If swallowed

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

: If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms : None known.

# Public





Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

and effects, both acute and

delayed

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.



# **Desloratadine Liquid Formulation**



Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

#### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Desloratadine	100643-71-8	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Particulates type

Remarks : Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Sk

Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear

Odour : sweet

Odour Threshold : No data available

# **Desloratadine Liquid Formulation**



Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

## 10. STABILITY AND REACTIVITY



# **Desloratadine Liquid Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 2019/09/13 2020/10/01 771469-00008 Date of first issue: 2016/06/23 1.7

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion Eye contact

## **Acute toxicity**

Not classified based on available information.

## **Components:**

#### **Desloratadine:**

Acute oral toxicity LD50 (Rat): > 549 mg/kg

LD50 (Mouse): 353 mg/kg

LD50 (Monkey): > 250 mg/kg

Symptoms: Vomiting

Remarks: No mortality observed at this dose.

## Skin corrosion/irritation

Not classified based on available information.

## Components:

## **Desloratadine:**

**Species** Rabbit

Result No skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

## **Components:**

## **Desloratadine:**

**Species** Rabbit

Severe eye irritation Remarks

# Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.



r ORGANON

# **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/09/13

 1.7
 2020/10/01
 771469-00008
 Date of first issue: 2016/06/23

#### Components:

**Desloratadine:** 

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

**Desloratadine:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

**Desloratadine:** 

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat Application Route : Oral

LOAEL : 10 mg/kg body weight

Result : equivocal Target Organs : Liver

Remarks : Based on data from similar materials

The mechanism or mode of action may not be relevant in hu-

mans.

Reproductive toxicity

Not classified based on available information.

**Components:** 

Desloratadine:

Effects on fertility : Test Type: Fertility





♣ ORGANON

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

> Species: Rat, male Application Route: Oral

Fertility: LOAEL: 12 mg/kg body weight

Symptoms: Reduced fertility

Result: positive

Remarks: The mechanism or mode of action may not be rele-

vant in humans.

Test Type: Fertility Species: Rat, female

Fertility: NOAEL: 3 mg/kg body weight Symptoms: No effects on fertility

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 30 mg/kg body weight

Result: No teratogenic effects

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 9 mg/kg body weight Symptoms: Preimplantation loss, Reduced body weight

Result: Specific developmental abnormalities

Remarks: The mechanism or mode of action may not be rele-

vant in humans.

Test Type: Two-generation study

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 18 mg/kg body weight

Result: No adverse effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal experi-

ments.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

## **Components:**

#### **Desloratadine:**

Species : Rat
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 3 Months



# **Desloratadine Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

Target Organs : Kidney

Remarks : Significant toxicity observed in testing

The mechanism or mode of action may not be relevant in hu-

mans.

Species : Monkey
NOAEL : 6 mg/kg
LOAEL : 12 mg/kg
Application Route : Oral
Exposure time : 3 Months

Target Organs : Central nervous system Symptoms : Gastrointestinal disturbance

Species : Monkey
NOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 17 Months

Remarks : No significant adverse effects were reported

Species : Monkey
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 3 Months

Symptoms : Gastrointestinal disturbance, Fatigue

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Desloratadine:

Inhalation : Remarks: May cause respiratory tract irritation.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness,

sore throat, painful menstration

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Components:** 

**Desloratadine:** 

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.2 mg/l

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 48 h Method: FDA 4.08

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 1.6

mg/l



# **Desloratadine Liquid Formulation**

♣ ORGANON

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.36

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.12 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.48 mg/l Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Natural microorganism): 53.7 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

## Persistence and degradability

#### **Components:**

**Desloratadine:** 

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 67.4 % Exposure time: 28 d

Method: OECD Test Guideline 314

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d Method: FDA 3.11

Stability in water : Hydrolysis: < 10 % at50 °C(5 d)

Method: FDA 3.09

## **Bioaccumulative potential**

#### **Components:**

**Desloratadine:** 

Partition coefficient: n- : log Pow: 1.24

octanol/water Method: OECD Test Guideline 107



# **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/09/13

 1.7
 2020/10/01
 771469-00008
 Date of first issue: 2016/06/23

#### Mobility in soil

#### Components:

**Desloratadine:** 

Distribution among environ- : log Koc: 3.00

mental compartments Method: OECD Test Guideline 106

#### Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

## International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/09/13

 1.7
 2020/10/01
 771469-00008
 Date of first issue: 2016/06/23

Restricted substances : Not applicable

Regulation of the Minister of Trade No. 44 of 2009 on Procurement, Distribution and Supervision of Hazardous Materials

Type of Hazardous Materials Restricted to Import, : Not applicable

Distribution and Supervision

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 16. OTHER INFORMATION

#### **Further information**

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

## Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-



# **Desloratadine Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.7 2020/10/01 771469-00008 Date of first issue: 2016/06/23

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN