

# SAFETY DATA SHEET



## Desloratadine Liquid Formulation



Version 1.10      Revision Date: 01.10.2020      SDS Number: 771474-00011      Date of last issue: 13.09.2019  
Date of first issue: 23.06.2016

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Desloratadine Liquid Formulation

#### Manufacturer or supplier's details

Company name of supplier : Organon & Co.  
Address : Avenida 16 de Septiembre No. 301  
Xaltocan - Xochimilco Mexico 16090  
Telephone : 52 55 57284444  
Emergency telephone : 215-631-6999  
E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Desloratadine	100643-71-8	< 0.1

---

### SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

---

## Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
1.10	01.10.2020	771474-00011	Date of first issue: 23.06.2016

---

		Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety

## Desloratadine Liquid Formulation

Version 1.10      Revision Date: 01.10.2020      SDS Number: 771474-00011      Date of last issue: 13.09.2019  
Date of first issue: 23.06.2016

- practice, based on the results of the workplace exposure assessment
- Hygiene measures : Take care to prevent spills, waste and minimize release to the environment.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
: When using do not eat, drink or smoke.  
: Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labeled containers.  
: Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
: Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Desloratadine	100643-71-8	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
: Minimize workplace exposure concentrations.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Remarks : Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:  
: Safety glasses
- Skin and body protection : Skin should be washed after contact.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : clear
- Odor : sweet
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling : No data available

# SAFETY DATA SHEET



## Desloratadine Liquid Formulation



Version 1.10      Revision Date: 01.10.2020      SDS Number: 771474-00011      Date of last issue: 13.09.2019  
Date of first issue: 23.06.2016

---

range

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

## Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
1.10	01.10.2020	771474-00011	Date of first issue: 23.06.2016

---

Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Desloratadine:**

Acute oral toxicity : LD50 (Rat): > 549 mg/kg  
LD50 (Mouse): 353 mg/kg  
LD50 (Monkey): > 250 mg/kg  
Symptoms: Vomiting  
Remarks: No mortality observed at this dose.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Desloratadine:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Desloratadine:**

Species : Rabbit  
Remarks : Severe eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

## Desloratadine Liquid Formulation

Version 1.10      Revision Date: 01.10.2020      SDS Number: 771474-00011      Date of last issue: 13.09.2019  
Date of first issue: 23.06.2016

---

**Components:****Desloratadine:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Desloratadine:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Desloratadine:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : Oral  
LOAEL : 10 mg/kg body weight  
Result : equivocal  
Target Organs : Liver  
Remarks : Based on data from similar materials

The mechanism or mode of action may not be relevant in humans.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Desloratadine:**

Effects on fertility : Test Type: Fertility

## Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
1.10	01.10.2020	771474-00011	Date of first issue: 23.06.2016

---

Species: Rat, male  
 Application Route: Oral  
 Fertility: LOAEL: 12 mg/kg body weight  
 Symptoms: Reduced fertility  
 Result: positive  
 Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Fertility  
 Species: Rat, female  
 Fertility: NOAEL: 3 mg/kg body weight  
 Symptoms: No effects on fertility.  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 30 mg/kg body weight  
 Result: No teratogenic effects.

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 9 mg/kg body weight  
 Symptoms: Preimplantation loss., Reduced body weight  
 Result: Specific developmental abnormalities.  
 Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Two-generation study  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 18 mg/kg body weight  
 Result: No adverse effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Desloratadine:**

Species	:	Rat
LOAEL	:	30 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months

# SAFETY DATA SHEET



## Desloratadine Liquid Formulation



Version 1.10      Revision Date: 01.10.2020      SDS Number: 771474-00011      Date of last issue: 13.09.2019  
Date of first issue: 23.06.2016

---

Target Organs : Kidney  
Remarks : Significant toxicity observed in testing  
The mechanism or mode of action may not be relevant in humans.

Species : Monkey  
NOAEL : 6 mg/kg  
LOAEL : 12 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Central nervous system  
Symptoms : Gastrointestinal disturbance

Species : Monkey  
NOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 17 Months  
Remarks : No significant adverse effects were reported

Species : Monkey  
NOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Symptoms : Gastrointestinal disturbance, Fatigue

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **Desloratadine:**

Inhalation : Remarks: May cause respiratory tract irritation.  
Eye contact : Symptoms: Eye irritation  
Ingestion : Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness, sore throat, painful menstration

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Desloratadine:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.2 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 9.6 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: FDA 4.08

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.6  
plants : mg/l

---



## Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
1.10	01.10.2020	771474-00011	Date of first issue: 23.06.2016

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.36 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.12 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Natural microorganism): 53.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Desloratadine:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 67.4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: FDA 3.11

Stability in water : Hydrolysis: < 10 % at 50 °C (5 d)  
Method: FDA 3.09

**Bioaccumulative potential****Components:****Desloratadine:**

Partition coefficient: n-octanol/water : log Pow: 1.24  
Method: OECD Test Guideline 107

## Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
1.10	01.10.2020	771474-00011	Date of first issue: 23.06.2016

---

### Mobility in soil

#### Components:

#### Desloratadine:

Distribution among environmental compartments : log Koc: 3.00  
Method: OECD Test Guideline 106

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

#### NOM-002-SCT

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

---

## Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
1.10	01.10.2020	771474-00011	Date of first issue: 23.06.2016

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 01.10.2020

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8