

Desloratadine Liquid Formulation

Version 1.13 Revision Date: 06.04.2024 SDS Number: 771477-00014 Date of last issue: 30.09.2023
Date of first issue: 23.06.2016

Section 1: Identification

Product identifier : Desloratadine Liquid Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : Organon & Co.
Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302
Telephone : +1-551-430-6000
Emergency telephone number : +1-215-631-6999
E-mail address : EHSSTEWARD@organon.com

Section 2: Hazard identification**Classification of the substance or mixture**

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Desloratadine	100643-71-8	>= 0.025 -< 0.1

Section 4: First-aid measures**Description of necessary first-aid measures**

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.13	06.04.2024	771477-00014	Date of first issue: 23.06.2016

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures**Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Special protective actions for fire-fighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil

Desloratadine Liquid Formulation

Version 1.13	Revision Date: 06.04.2024	SDS Number: 771477-00014	Date of last issue: 30.09.2023 Date of first issue: 23.06.2016
-----------------	------------------------------	-----------------------------	---

barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation : Use only with adequate ventilation.
Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection**Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

SAFETY DATA SHEET



Desloratadine Liquid Formulation



Version 1.13 Revision Date: 06.04.2024 SDS Number: 771477-00014 Date of last issue: 30.09.2023
Date of first issue: 23.06.2016

		(Form of exposure)	ters / Permissible concentration	
Desloratadine	100643-71-8	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal

Appropriate engineering control measures : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Individual protection measures, such as personal protective equipment (PPE)

- Eye/face protection : Wear the following personal protective equipment:
Safety glasses
- Skin protection : Skin should be washed after contact.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Remarks : Wash hands before breaks and at the end of workday.

Section 9: Physical and chemical properties

- Appearance : liquid
- Colour : clear
- Odour : sweet
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.13	06.04.2024	771477-00014	Date of first issue: 23.06.2016

Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Desloratadine Liquid Formulation

Version
1.13Revision Date:
06.04.2024SDS Number:
771477-00014Date of last issue: 30.09.2023
Date of first issue: 23.06.2016

Components:**Desloratadine:**

Acute oral toxicity : LD50 (Rat): > 549 mg/kg
LD50 (Mouse): 353 mg/kg
LD50 (Monkey): > 250 mg/kg
Symptoms: Vomiting
Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.

Components:**Desloratadine:**

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Desloratadine:**

Species : Rabbit
Remarks : Severe eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Desloratadine:**

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Desloratadine:**

Desloratadine Liquid Formulation

Version 1.13 Revision Date: 06.04.2024 SDS Number: 771477-00014 Date of last issue: 30.09.2023
Date of first issue: 23.06.2016

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Desloratadine:**

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : Oral
LOAEL : 10 mg/kg body weight
Result : equivocal
Target Organs : Liver
Remarks : Based on data from similar materials
The mechanism or mode of action may not be relevant in humans.

Reproductive toxicity

Not classified based on available information.

Components:**Desloratadine:**

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 12 mg/kg body weight
Symptoms: Reduced fertility
Result: positive
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Fertility
Species: Rat, female
Fertility: NOAEL: 3 mg/kg body weight
Symptoms: No effects on fertility

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.13	06.04.2024	771477-00014	Date of first issue: 23.06.2016

Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 30 mg/kg body weight
Result: No teratogenic effects

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 9 mg/kg body weight
Symptoms: Preimplantation loss, Reduced body weight
Result: Specific developmental abnormalities
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Two-generation study
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 18 mg/kg body weight
Result: No adverse effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Desloratadine:**

Species : Rat
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Kidney
Remarks : Significant toxicity observed in testing
The mechanism or mode of action may not be relevant in humans.

Species : Monkey
NOAEL : 6 mg/kg
LOAEL : 12 mg/kg
Application Route : Oral
Exposure time : 3 Months

Desloratadine Liquid Formulation

Version 1.13 Revision Date: 06.04.2024 SDS Number: 771477-00014 Date of last issue: 30.09.2023
Date of first issue: 23.06.2016

Target Organs : Central nervous system
Symptoms : Gastrointestinal disturbance

Species : Monkey
NOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 17 Months
Remarks : No significant adverse effects were reported

Species : Monkey
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 3 Months
Symptoms : Gastrointestinal disturbance, Fatigue

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Desloratadine:**

Inhalation : Remarks: May cause respiratory tract irritation.
Eye contact : Symptoms: Eye irritation
Ingestion : Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness, sore throat, painful menstration

Section 12: Ecological information**Toxicity****Components:****Desloratadine:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.2 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 9.6 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.6
plants : mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.36
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
1.13	06.04.2024	771477-00014	30.09.2023
			Date of first issue: 23.06.2016

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.12 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Natural microorganism): 53.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Desloratadine:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 67.4 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: FDA 3.11

Stability in water : Hydrolysis: < 10 % at 50 °C(5 d)
Method: FDA 3.09

Bioaccumulative potential**Components:****Desloratadine:**

Partition coefficient: n-octanol/water : log Pow: 1.24
Method: OECD Test Guideline 107

Mobility in soil**Components:****Desloratadine:**

Distribution among environ- : log Koc: 3.00

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.13	06.04.2024	771477-00014	Date of first issue: 23.06.2016

mental compartments Method: OECD Test Guideline 106

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
1.13	06.04.2024	771477-00014	30.09.2023
			Date of first issue: 23.06.2016

Special precautions for user

Not applicable

Section 15: Regulatory information**Safety, health and environmental regulations specific for the product in question**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD
compile the Safety Data eChem Portal search results and European Chemicals Agen-
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

SAFETY DATA SHEET



Desloratadine Liquid Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.13	06.04.2024	771477-00014	Date of first issue: 23.06.2016

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN