

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

### SECTION 1. IDENTIFICATION

#### Manufacturer or supplier's details

Company : Organon & Co.  
Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302  
Telephone : 1-551-430-6000  
Emergency telephone : 1-215-631-6999  
E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Serious eye damage/eye irritation : Category 1  
Carcinogenicity (Inhalation) : Category 2  
Reproductive toxicity : Category 2  
Short-term (acute) aquatic hazard : Category 3  
Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.  
H351 Suspected of causing cancer if inhaled.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H412 Harmful to aquatic life with long lasting effects.

## Desloratadine Solid Formulation

Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 20 -< 30
Starch, oxidized	65996-62-5	>= 10 -< 20
Desloratadine	100643-71-8	>= 3 -< 5
Talc	14807-96-6	>= 1 -< 5
Titanium dioxide	13463-67-7	>= 1 -< 5

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.  
Suspected of causing cancer if inhaled.  
Suspected of damaging fertility. Suspected of damaging the unborn child.  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides  
Oxides of phosphorus
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	CMP	10 mg/m <sup>3</sup>	AR OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

Starch, oxidized	65996-62-5	CMP (inhalable dust)	0,5 mg/m <sup>3</sup>	AR OEL
Further information: Sensitization				
		TWA (inhalable dust)	0,5 mg/m <sup>3</sup>	ACGIH
Desloratadine	100643-71-8	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Talc	14807-96-6	CMP (Respirable fraction)	2 mg/m <sup>3</sup>	AR OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
Titanium dioxide	13463-67-7	CMP	10 mg/m <sup>3</sup>	AR OEL
Further information: A4 - Not classifiable as a human carcinogen				

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

---

Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
---------------------	---	--

**Components:****Cellulose:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg

**Desloratadine:**

Acute oral toxicity	:	LD50 (Rat): > 549 mg/kg
---------------------	---	-------------------------

---

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

---

LD50 (Mouse): 353 mg/kg

LD50 (Monkey): &gt; 250 mg/kg

Symptoms: Vomiting

Remarks: No mortality observed at this dose.

**Talc:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Remarks: Based on data from similar materials

**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): &gt; 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Desloratadine:**

Species : Rabbit  
Result : No skin irritation

**Talc:**

Species : Rabbit  
Result : No skin irritation

**Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Desloratadine:**

Species : Rabbit  
Remarks : Severe eye irritation

**Talc:**

Species : Rabbit  
Result : No eye irritation



## Desloratadine Solid Formulation

Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

### **Titanium dioxide:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Components:**

#### **Desloratadine:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : negative

#### **Talc:**

Routes of exposure : Skin contact  
Species : Humans  
Result : negative

#### **Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Desloratadine:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

---

Test Type: Chromosomal aberration  
 Test system: Human lymphocytes  
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Cell type: Bone marrow  
 Application Route: Oral  
 Result: negative

**Talc:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
 Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
 Species: Mouse  
 Result: negative

**Carcinogenicity**

Suspected of causing cancer if inhaled.

**Components:****Cellulose:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 72 weeks  
 Result : negative

**Desloratadine:**

Species : Mouse  
 Application Route : Oral  
 Exposure time : 2 Years  
 Result : negative

Species : Rat  
 Application Route : Oral  
 LOAEL : 10 mg/kg body weight  
 Result : equivocal  
 Target Organs : Liver  
 Remarks : Based on data from similar materials

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

---

The mechanism or mode of action may not be relevant in humans.

**Talc:**

Species : Mouse  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 Years  
 Result : negative

**Titanium dioxide:**

Species : Rat  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 Years  
 Method : OECD Test Guideline 453  
 Result : positive  
 Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**Desloratadine:**

Effects on fertility : Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: LOAEL: 12 mg/kg body weight  
 Symptoms: Reduced fertility  
 Result: positive  
 Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Fertility  
 Species: Rat, female  
 Fertility: NOAEL: 3 mg/kg body weight  
 Symptoms: No effects on fertility.  
 Result: negative

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

---

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Result: No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 9 mg/kg body weight  
Symptoms: Preimplantation loss., Reduced body weight  
Result: Specific developmental abnormalities.  
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 18 mg/kg body weight  
Result: No adverse effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### Talc:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### Cellulose:

Species : Rat  
NOAEL : >= 9.000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### Starch, oxidized:

Species : Rat  
NOAEL : 22.500 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

---

**Desloratadine:**

Species : Rat  
 LOAEL : 30 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : Kidney  
 Remarks : Significant toxicity observed in testing  
 The mechanism or mode of action may not be relevant in humans.

Species : Monkey  
 NOAEL : 6 mg/kg  
 LOAEL : 12 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : Central nervous system  
 Symptoms : Gastrointestinal disturbance

Species : Monkey  
 NOAEL : 40 mg/kg  
 Application Route : Oral  
 Exposure time : 17 Months  
 Remarks : No significant adverse effects were reported

Species : Monkey  
 NOAEL : 6 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Symptoms : Gastrointestinal disturbance, Fatigue

**Titanium dioxide:**

Species : Rat  
 NOAEL : 24.000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 28 Days

Species : Rat  
 NOAEL : 10 mg/m<sup>3</sup>  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 y

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Desloratadine:**

Inhalation : Remarks: May cause respiratory tract irritation.  
 Eye contact : Symptoms: Eye irritation  
 Ingestion : Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness,

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

sore throat, painful menstration

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
 Exposure time: 48 h  
 Remarks: Based on data from similar materials

**Desloratadine:**

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 9,2 mg/l  
 Exposure time: 96 h  
 Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 9,6 mg/l  
 Exposure time: 48 h  
 Method: FDA 4.08

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 1,6 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0,36 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0,12 mg/l  
 Exposure time: 32 d  
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0,48 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Natural microorganism): 53,7 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

**Talc:**

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): > 100.000 mg/l  
 Exposure time: 24 h

## Desloratadine Solid Formulation

Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

**Titanium dioxide:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Cellulose:**

- Biodegradability : Result: Readily biodegradable.

**Desloratadine:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 67,4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314
- Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: FDA 3.11
- Stability in water : Hydrolysis: < 10 % at 50 °C(5 d)  
Method: FDA 3.09

**Bioaccumulative potential****Components:****Desloratadine:**

- Partition coefficient: n-octanol/water : log Pow: 1,24  
Method: OECD Test Guideline 107

**Mobility in soil****Components:****Desloratadine:**

- Distribution among environmental compartments : log Koc: 3,00  
Method: OECD Test Guideline 106

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version 6.1      Revision Date: 06.04.2024      SDS Number: 50985-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry : Not applicable

Control of precursors and essential chemicals for the preparation of drugs : Not applicable

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 06.04.2024  
Date format : dd.mm.yyyy

---



## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	06.04.2024	50985-00021	Date of first issue: 23.01.2015

---

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8