

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Desloratadine Solid Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Pharmaceutical

#### 1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.  
30 Hudson Street, 33rd floor  
07302 Jersey City, New Jersey, U.S.A

Telephone : 551-430-6000

E-mail address of person responsible for the SDS : EHSSTEWARD@organon.com

#### 1.4 Emergency telephone number

215-631-6999

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|  |  |
|--|--|
| Serious eye damage, Category 1                 | H318: Causes serious eye damage.   |
| Reproductive toxicity, Category 2              | H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child. |
| Long-term (chronic) aquatic hazard, Category 3 | H412: Harmful to aquatic life with long lasting effects.                         |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

### Storage:

P405 Store locked up.

Hazardous components which must be listed on the label:

Desloratadine

### Additional Labelling

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification  | Concentration<br>(% w/w) |
|---------------|---|---|--------------------------|
| Desloratadine | 100643-71-8   | Acute Tox. 4; H302<br>Eye Dam. 1; H318<br>Repr. 2; H361fd<br>Aquatic Chronic 2;<br>H411 | >= 3 - < 10              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

---

For explanation of abbreviations see section 16.

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye damage.  
Suspected of damaging fertility. Suspected of damaging the unborn child.
- Contact with dust can cause mechanical irritation or drying of the skin.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

---

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Oxides of phosphorus

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and dis-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

---

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                         |   |   |
|-------------------------|---|---|
| Technical measures      | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  |
| Local/Total ventilation | : | Use only with adequate ventilation.   |
| Advice on safe handling | : | Do not breathe dust.<br>Do not swallow.<br>Do not get in eyes.<br>Avoid prolonged or repeated contact with skin.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations. |
| Advice on common storage                      | : | Do not store with the following product types:<br>Strong oxidizing agents   |

### 7.3 Specific end use(s)

- |                 |   |                   |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

| Components       | CAS-No.   | Value type (Form of exposure) | Control parameters           | Basis               |
|------------------|---|-------------------------------|------------------------------|---------------------|
| Starch, oxidized | 65996-62-5  | TWA (inhalable dust)          | 3 mg/m <sup>3</sup>          | FOR-2011-12-06-1358 |
|                  | Further information: The limit value for flour dust is established as inhalable dust, Substances considered to evoke allergies when coming into touch with the eyes or airways or evoking allergies after coming into contact with the skin |                               |                              |                     |
| Desloratadine    | 100643-71-8   | TWA                           | 20 µg/m <sup>3</sup> (OEB 3) | Internal            |
|                  |   | Wipe limit                    | 200 µg/100 cm <sup>2</sup>   | Internal            |
| Talc             | 14807-96-6  | TWA (respirable dust)         | 2 mg/m <sup>3</sup>          | FOR-2011-12-06-1358 |
|                  |   | TWA (total dust)              | 6 mg/m <sup>3</sup>          | FOR-2011-12-06-1358 |
| Titanium dioxide | 13463-67-7  | TWA                           | 5 mg/m <sup>3</sup>          | FOR-2011-12-06-1358 |

#### 8.2 Exposure controls

##### Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

##### Personal protective equipment

Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield  
Equipment should conform to NS EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure poten-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

Respiratory protection : tial.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).  
: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to NS EN 143

Filter type : Particulates type (P)

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state                                   | : powder  |
| Colour   | : white   |
| Odour  | : No data available   |
| Odour Threshold                                  | : No data available   |
| Melting point/freezing point                     | : No data available   |
| Initial boiling point and boiling range          | : No data available   |
| Flammability (solid, gas)                        | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : No data available   |
| Upper explosion limit / Upper flammability limit | : No data available   |
| Lower explosion limit / Lower flammability limit | : No data available   |
| Flash point                                      | : No data available   |
| Auto-ignition temperature                        | : No data available   |
| Decomposition temperature                        |   |
| Decomposition temperature                        | : No data available   |
| pH   | : No data available   |
| Viscosity  |   |
| Viscosity, dynamic                               | : No data available   |
| Viscosity, kinematic                             | : No data available   |
| Solubility(ies)                                  |   |
| Water solubility                                 | : No data available   |
| Partition coefficient: n-octanol/water           | : No data available   |
| Vapour pressure                                  | : No data available   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

---

|                          |   |                   |
|--------------------------|---|-------------------|
| Relative density         | : | No data available |
| Density                  | : | No data available |
| Relative vapour density  | : | No data available |
| Particle characteristics | : |                   |
| Particle size            | : | No data available |

### 9.2 Other information

|                      |   |  |
|----------------------|---|--|
| Explosives           | : | Not explosive  |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Evaporation rate     | : | No data available  |
| Molecular weight     | : | No data available  |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

|                     |   |  |
|---------------------|---|--|
| Hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means.<br>Can react with strong oxidizing agents. |
|---------------------|---|--|

### 10.4 Conditions to avoid

|                     |   |   |
|---------------------|---|---|
| Conditions to avoid | : | Heat, flames and sparks.<br>Avoid dust formation. |
|---------------------|---|---|

### 10.5 Incompatible materials

|                    |   |                  |
|--------------------|---|------------------|
| Materials to avoid | : | Oxidizing agents |
|--------------------|---|------------------|

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

|  |   |  |
|--|---|--|
| Information on likely routes of exposure | : | Inhalation<br>Skin contact<br>Ingestion<br>Eye contact |
|--|---|--|



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

---

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

### Components:

#### Desloratadine:

Acute oral toxicity : LD50 (Rat): > 549 mg/kg  
LD50 (Mouse): 353 mg/kg  
LD50 (Monkey): > 250 mg/kg  
Symptoms: Vomiting  
Remarks: No mortality observed at this dose.

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Desloratadine:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Desloratadine:

Species : Rabbit  
Remarks : Severe eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Desloratadine:

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

---

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Desloratadine:

|                       |   |   |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)                                      |
|                       | : | Result: negative  |
|                       | : | Test Type: Chromosomal aberration<br>Test system: Human lymphocytes<br>Result: negative |
| Genotoxicity in vivo  | : | Test Type: Micronucleus test  |
|                       | : | Species: Mouse  |
|                       | : | Cell type: Bone marrow  |
|                       | : | Application Route: Oral<br>Result: negative   |

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Desloratadine:

|                   |   |  |
|-------------------|---|--|
| Species           | : | Mouse  |
| Application Route | : | Oral   |
| Exposure time     | : | 2 Years  |
| Result            | : | negative   |
| Species           | : | Rat  |
| Application Route | : | Oral   |
| LOAEL             | : | 10 mg/kg body weight   |
| Result            | : | equivocal  |
| Target Organs     | : | Liver  |
| Remarks           | : | Based on data from similar materials<br>The mechanism or mode of action may not be relevant in humans. |

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Components:

##### Desloratadine:

|                      |   |   |
|----------------------|---|---|
| Effects on fertility | : | Test Type: Fertility  |
|                      | : | Species: Rat, male  |
|                      | : | Application Route: Oral   |
|                      | : | Fertility: LOAEL: 12 mg/kg body weight  |
|                      | : | Symptoms: Reduced fertility   |
|                      | : | Result: positive<br>Remarks: The mechanism or mode of action may not be relevant in humans. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

|                                    |   |
|------------------------------------|---|
|                                    | Test Type: Fertility<br>Species: Rat, female<br>Fertility: NOAEL: 3 mg/kg body weight<br>Symptoms: No effects on fertility<br>Result: negative  |
| Effects on foetal development      | : Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: NOAEL: 30 mg/kg body weight<br>Result: No teratogenic effects   |
|                                    | Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 9 mg/kg body weight<br>Symptoms: Preimplantation loss, Reduced body weight<br>Result: Specific developmental abnormalities<br>Remarks: The mechanism or mode of action may not be relevant in humans. |
|                                    | Test Type: Two-generation study<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 18 mg/kg body weight<br>Result: No adverse effects   |
| Reproductive toxicity - Assessment | : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.  |

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### **Desloratadine:**

|                   |  |
|-------------------|--|
| Species           | : Rat  |
| LOAEL             | : 30 mg/kg   |
| Application Route | : Oral   |
| Exposure time     | : 3 Months   |
| Target Organs     | : Kidney   |
| Remarks           | : Significant toxicity observed in testing<br>The mechanism or mode of action may not be relevant in humans. |

|         |           |
|---------|-----------|
| Species | : Monkey  |
| NOAEL   | : 6 mg/kg |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

|                   |   |  |
|-------------------|---|--|
| LOAEL             | : | 12 mg/kg                                     |
| Application Route | : | Oral   |
| Exposure time     | : | 3 Months                                     |
| Target Organs     | : | Central nervous system                       |
| Symptoms          | : | Gastrointestinal disturbance                 |
| Species           | : | Monkey                                       |
| NOAEL             | : | 40 mg/kg                                     |
| Application Route | : | Oral   |
| Exposure time     | : | 17 Months                                    |
| Remarks           | : | No significant adverse effects were reported |
| Species           | : | Monkey                                       |
| NOAEL             | : | 6 mg/kg                                      |
| Application Route | : | Oral   |
| Exposure time     | : | 3 Months                                     |
| Symptoms          | : | Gastrointestinal disturbance, Fatigue        |

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

|            |   |   |
|------------|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---|---|

### Experience with human exposure

#### Components:

##### Desloratadine:

|             |   |   |
|-------------|---|---|
| Inhalation  | : | Remarks: May cause respiratory tract irritation.  |
| Eye contact | : | Symptoms: Eye irritation  |
| Ingestion   | : | Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness, sore throat, painful menstration |

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### Desloratadine:

|                  |   |  |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 9,2 mg/l<br>Exposure time: 96 h<br>Method: FDA 4.11 |
|------------------|---|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

Version 4.0      Revision Date: 09.04.2021      SDS Number: 51001-00015      Date of last issue: 02.10.2020  
Date of first issue: 23.01.2015

|  |  |
|--|--|
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): 9,6 mg/l<br>Exposure time: 48 h<br>Method: FDA 4.08   |
| Toxicity to algae/aquatic plants                                       | : EC50 (Pseudokirchneriella subcapitata (green algae)): 1,6 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 0,36 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201                        |
| Toxicity to microorganisms   | : EC50 (Natural microorganism): 53,7 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209<br><br>NOEC (Natural microorganism): 12 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209 |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC: 0,12 mg/l<br>Exposure time: 32 d<br>Species: Pimephales promelas (fathead minnow)<br>Method: OECD Test Guideline 210   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 0,48 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Method: OECD Test Guideline 211   |

### 12.2 Persistence and degradability

#### Components:

#### **Desloratadine:**

|                    |  |
|--------------------|--|
| Biodegradability   | : Result: Not readily biodegradable.<br>Biodegradation: 67,4 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 314<br><br>Result: Not readily biodegradable.<br>Biodegradation: 0 %<br>Exposure time: 28 d<br>Method: FDA 3.11 |
| Stability in water | : Hydrolysis: < 10 % at 50 °C(5 d)<br>Method: FDA 3.09   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

---

### 12.3 Bioaccumulative potential

#### Components:

##### **Desloratadine:**

|  |   |  |
|--|---|--|
| Partition coefficient: n-octanol/water | : | log Pow: 1,24<br>Method: OECD Test Guideline 107 |
|--|---|--|

### 12.4 Mobility in soil

#### Components:

##### **Desloratadine:**

|   |   |  |
|---|---|--|
| Distribution among environmental compartments | : | log Koc: 3,00<br>Method: OECD Test Guideline 106 |
|---|---|--|

### 12.5 Results of PBT and vPvB assessment

#### Product:

|            |   |  |
|------------|---|--|
| Assessment | : | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. |
|------------|---|--|

### 12.6 Other adverse effects

#### Product:

|                                |   |   |
|--------------------------------|---|---|
| Endocrine disrupting potential | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|--------------------------------|---|---|

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                        |   |   |
|------------------------|---|---|
| Product                | : | Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.  |

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

---

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H302 : Harmful if swallowed.  
H318 : Causes serious eye damage.  
H361fd : Suspected of damaging fertility. Suspected of damaging the unborn child.  
H411 : Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Repr. : Reproductive toxicity  
FOR-2011-12-06-1358 : Norway. Occupational Exposure limits  
FOR-2011-12-06-1358 / TWA : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

## Desloratadine Solid Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 02.10.2020  |
| 4.0     | 09.04.2021     | 51001-00015 | Date of first issue: 23.01.2015 |

---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

|                   |        |
|-------------------|--------|
| Eye Dam. 1        | H318   |
| Repr. 2           | H361fd |
| Aquatic Chronic 3 | H412   |

### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN