

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version 5.0      Revision Date: 06.04.2024      SDS Number: 49988-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

### Section 1: Identification

**Product identifier** : Desloratadine Solid Formulation

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

#### Manufacturer or supplier's details

Company : Organon & Co.  
Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302  
Telephone : +1-551-430-6000  
Emergency telephone number : +1-215-631-6999  
E-mail address : EHSSTEWARD@organon.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

Serious eye damage/eye irritation : Category 1  
Carcinogenicity (Inhalation) : Category 2  
Reproductive toxicity : Category 2

#### GHS Label elements, including precautionary statements

Hazard pictograms :

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.  
H351 Suspected of causing cancer if inhaled.  
H361Df Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

---

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 20 -< 30
Starch, oxidized	65996-62-5	>= 10 -< 20
Desloratadine	100643-71-8	>= 3 -< 10
Talc	14807-96-6	>= 1 -< 10
Titanium dioxide	13463-67-7	>= 1 -< 10

**Section 4: First-aid measures****Description of necessary first-aid measures**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

**Most important symptoms and effects, both acute and delayed**

Risks : Causes serious eye damage.  
Suspected of causing cancer if inhaled.  
Suspected of damaging fertility. Suspected of damaging the unborn child.  
Contact with dust can cause mechanical irritation or drying of the skin.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures****Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

**Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Oxides of phosphorus

**Special protective actions for fire-fighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

---

### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### Section 7: Handling and storage

#### Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the

## Desloratadine Solid Formulation

Version 5.0      Revision Date: 06.04.2024      SDS Number: 49988-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

**Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

**Section 8: Exposure controls/personal protection****Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Starch, oxidized	65996-62-5	TWA (inhalable dust)	0.5 mg/m <sup>3</sup>	ACGIH
Desloratadine	100643-71-8	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Talc	14807-96-6	PEL (long term)	2 mg/m <sup>3</sup>	SG OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
Titanium dioxide	13463-67-7	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL

**Appropriate engineering control measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection : Wear the following personal protective equipment:

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield

Skin protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

---

**Section 9: Physical and chemical properties**

Appearance	: powder
Colour	: white
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version 5.0      Revision Date: 06.04.2024      SDS Number: 49988-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Desloratadine:**

Acute oral toxicity : LD50 (Rat): > 549 mg/kg  
LD50 (Mouse): 353 mg/kg  
LD50 (Monkey): > 250 mg/kg  
Symptoms: Vomiting  
Remarks: No mortality observed at this dose.

**Talc:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.



## Desloratadine Solid Formulation

Version 5.0      Revision Date: 06.04.2024      SDS Number: 49988-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

### Components:

#### **Desloratadine:**

Species : Rabbit  
Result : No skin irritation

#### **Talc:**

Species : Rabbit  
Result : No skin irritation

#### **Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Components:

#### **Desloratadine:**

Species : Rabbit  
Remarks : Severe eye irritation

#### **Talc:**

Species : Rabbit  
Result : No eye irritation

#### **Titanium dioxide:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **Desloratadine:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : negative

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

**Talc:**

Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

**Titanium dioxide:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: In vitro mammalian cell gene mutation test
		Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
		Species: Mouse
		Application Route: Ingestion
		Result: negative

**Desloratadine:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: Chromosomal aberration
		Test system: Human lymphocytes
		Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test
		Species: Mouse
		Cell type: Bone marrow
		Application Route: Oral
		Result: negative

**Talc:**

Genotoxicity in vitro	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
		Result: negative
Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro
		Species: Rat

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

Application Route: Ingestion  
Result: negative

**Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

Suspected of causing cancer if inhaled.

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Desloratadine:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : Oral  
LOAEL : 10 mg/kg body weight  
Result : equivocal  
Target Organs : Liver  
Remarks : Based on data from similar materials  
The mechanism or mode of action may not be relevant in humans.

**Talc:**

Species : Mouse  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Result : negative

**Titanium dioxide:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Desloratadine:**

Effects on fertility : Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 12 mg/kg body weight  
Symptoms: Reduced fertility  
Result: positive  
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Fertility  
Species: Rat, female  
Fertility: NOAEL: 3 mg/kg body weight  
Symptoms: No effects on fertility  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Result: No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 9 mg/kg body weight  
Symptoms: Preimplantation loss, Reduced body weight  
Result: Specific developmental abnormalities  
Remarks: The mechanism or mode of action may not be rele-

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

vant in humans.

Test Type: Two-generation study

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 18 mg/kg body weight

Result: No adverse effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**Talc:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity**

**Components:**

**Cellulose:**

Species : Rat  
NOAEL : >= 9,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Starch, oxidized:**

Species : Rat  
NOAEL : 22,500 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Desloratadine:**

Species : Rat  
LOAEL : 30 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Kidney  
Remarks : Significant toxicity observed in testing  
The mechanism or mode of action may not be relevant in humans.

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

Species	: Monkey
NOAEL	: 6 mg/kg
LOAEL	: 12 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Central nervous system
Symptoms	: Gastrointestinal disturbance

Species	: Monkey
NOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 17 Months
Remarks	: No significant adverse effects were reported

Species	: Monkey
NOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Symptoms	: Gastrointestinal disturbance, Fatigue

**Titanium dioxide:**

Species	: Rat
NOAEL	: 24,000 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

Species	: Rat
NOAEL	: 10 mg/m <sup>3</sup>
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 yr

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Desloratadine:**

Inhalation	: Remarks: May cause respiratory tract irritation.
Eye contact	: Symptoms: Eye irritation
Ingestion	: Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness, sore throat, painful menstration

**Section 12: Ecological information****Toxicity****Components:****Cellulose:**

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

**Toxicity to fish** : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
 Exposure time: 48 h  
 Remarks: Based on data from similar materials

**Desloratadine:**

**Toxicity to fish** : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 9.2 mg/l  
 Exposure time: 96 h  
 Method: FDA 4.11

**Toxicity to daphnia and other aquatic invertebrates** : EC50 (*Daphnia magna* (Water flea)): 9.6 mg/l  
 Exposure time: 48 h  
 Method: FDA 4.08

**Toxicity to algae/aquatic plants** : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 1.6 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0.36 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

**Toxicity to fish (Chronic toxicity)** : NOEC (*Pimephales promelas* (fathead minnow)): 0.12 mg/l  
 Exposure time: 32 d  
 Method: OECD Test Guideline 210

**Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)** : NOEC (*Daphnia magna* (Water flea)): 0.48 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

**Toxicity to microorganisms** : EC50 (Natural microorganism): 53.7 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

**Talc:**

**Toxicity to fish** : LC50 (*Brachydanio rerio* (zebrafish)): > 100,000 mg/l  
 Exposure time: 24 h

**Titanium dioxide:**

**Toxicity to fish** : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

## Desloratadine Solid Formulation

Version 5.0      Revision Date: 06.04.2024      SDS Number: 49988-00021      Date of last issue: 30.09.2023  
Date of first issue: 23.01.2015

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Desloratadine:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 67.4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: FDA 3.11

Stability in water : Hydrolysis: < 10 % at 50 °C(5 d)  
Method: FDA 3.09

**Bioaccumulative potential****Components:****Desloratadine:**

Partition coefficient: n-octanol/water : log Pow: 1.24  
Method: OECD Test Guideline 107

**Mobility in soil****Components:****Desloratadine:**

Distribution among environmental compartments : log Koc: 3.00  
Method: OECD Test Guideline 106

**Other adverse effects**

No data available



## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

---

### Section 13: Disposal considerations

#### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

##### IATA-DGR

UN/ID No.	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

##### IMDG-Code

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

## Desloratadine Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

---

**Section 15: Regulatory information****Safety, health and environmental regulations specific for the product in question**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**Section 16: Other information**

Revision Date : 06.04.2024

**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agen-  
Sheet cy, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions)  
Regulations - First Schedule Permissible Exposure Limits of  
Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

# SAFETY DATA SHEET



## Desloratadine Solid Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	49988-00021	Date of first issue: 23.01.2015

---

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN