

# SAFETY DATA SHEET



## Desogestrel Formulation



Version 6.4      Revision Date: 16.10.2020      SDS Number: 21950-00019      Date of last issue: 23.03.2020  
Date of first issue: 15.10.2014

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Desogestrel Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

---

### SECTION 2. HAZARDS IDENTIFICATION



#### GHS Classification

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate)

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H360Fd May damage fertility. Suspected of damaging the unborn child.  
H372 Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.

---

# SAFETY DATA SHEET



## Desogestrel Formulation



Version 6.4      Revision Date: 16.10.2020      SDS Number: 21950-00019      Date of last issue: 23.03.2020  
Date of first issue: 15.10.2014

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name    | CAS-No.    | Concentration (% w/w) |
|------------------|------------|-----------------------|
| Titanium dioxide | 13463-67-7 | >= 0,1 -< 1           |
| Desogestrel      | 54024-22-5 | >= 0,1 -< 0,25        |

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and : May damage fertility. Suspected of damaging the unborn child.

# SAFETY DATA SHEET



## Desogestrel Formulation



Version 6.4      Revision Date: 16.10.2020      SDS Number: 21950-00019      Date of last issue: 23.03.2020  
Date of first issue: 15.10.2014

---

delayed      Causes damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders      : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician      : Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media      : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media      : None known.

Specific hazards during fire fighting      : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products      : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods      : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters      : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures      : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions      : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up      : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and

## Desogestrel Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Organic peroxides  
Explosives  
Gases

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

| Components       | CAS-No.  | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis    |
|------------------|--|----------------------------------|--|----------|
| Titanium dioxide | 13463-67-7   | CMP                              | 10 mg/m <sup>3</sup>                           | AR OEL   |
|                  | Further information: A4 - Not classifiable as a human carcinogen, lung |                                  |  |          |
|                  |  | TWA                              | 10 mg/m <sup>3</sup><br>(Titanium dioxide)     | ACGIH    |
| Desogestrel      | 54024-22-5   | TWA                              | 0.04 µg/m <sup>3</sup> (OEB)                   | Internal |

# SAFETY DATA SHEET



## Desogestrel Formulation



Version 6.4      Revision Date: 16.10.2020      SDS Number: 21950-00019      Date of last issue: 23.03.2020  
Date of first issue: 15.10.2014

|  |  |            |                            |          |
|--|--|------------|----------------------------|----------|
|  |  |            | 5)                         |          |
|  |  | Wipe limit | 0.4 µg/100 cm <sup>2</sup> | Internal |

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : powder

**Color** : white

# SAFETY DATA SHEET



## Desogestrel Formulation



Version 6.4      Revision Date: 16.10.2020      SDS Number: 21950-00019      Date of last issue: 23.03.2020  
Date of first issue: 15.10.2014

---

|  |   |   |
|--|---|---|
| Odor   | : | No data available   |
| Odor Threshold                                   | : | No data available   |
| pH   | : | No data available   |
| Melting point/freezing point                     | : | No data available   |
| Initial boiling point and boiling range          | : | No data available   |
| Flash point                                      | : | Not applicable  |
| Evaporation rate                                 | : | Not applicable  |
| Flammability (solid, gas)                        | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : | No data available   |
| Upper explosion limit / Upper flammability limit | : | No data available   |
| Lower explosion limit / Lower flammability limit | : | No data available   |
| Vapor pressure                                   | : | Not applicable  |
| Relative vapor density                           | : | Not applicable  |
| Relative density                                 | : | No data available   |
| Density  | : | No data available   |
| Solubility(ies)<br>Water solubility              | : | No data available   |
| Partition coefficient: n-octanol/water           | : | Not applicable  |
| Autoignition temperature                         | : | No data available   |
| Decomposition temperature                        | : | No data available   |
| Viscosity<br>Viscosity, kinematic                | : | Not applicable  |
| Explosive properties                             | : | Not explosive   |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing.                        |
| Particle size                                    | : | No data available   |

---

### SECTION 10. STABILITY AND REACTIVITY

## Desogestrel Formulation

Version 6.4      Revision Date: 16.10.2020      SDS Number: 21950-00019      Date of last issue: 23.03.2020  
Date of first issue: 15.10.2014

---

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.  
Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Desogestrel:**

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
LD50 (Mouse, male and female): > 2.000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Titanium dioxide:**

Species : Rabbit

## Desogestrel Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

---

Result : No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Desogestrel:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Application Route: Intraperitoneal  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Titanium dioxide:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.



## Desogestrel Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

---

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Desogestrel:**

Species : Rat  
 Application Route : Oral  
 Exposure time : 104 weeks  
 Result : negative

Species : Mouse  
 Application Route : Oral  
 Exposure time : 81 weeks  
 Result : negative

**Reproductive toxicity**

May damage fertility. Suspected of damaging the unborn child.

**Components:****Desogestrel:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rabbit, female  
 Fertility: LOAEL Parent: 2 mg/kg body weight  
 Result: Effects on fertility.

Test Type: Fertility/early embryonic development  
 Species: Rat, female  
 Fertility: NOAEL Parent: 0,5 mg/kg body weight  
 Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit, female  
 Application Route: Oral  
 Developmental Toxicity: NOAEL F1: 1 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development  
 Species: Rat, female  
 Application Route: Oral  
 Embryo-fetal toxicity.: LOAEC Parent: 0,125 mg/kg body weight  
 Result: No teratogenic effects.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**STOT-single exposure**

Not classified based on available information.

## Desogestrel Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

---

**STOT-repeated exposure**

Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate) through prolonged or repeated exposure.

**Components:****Desogestrel:**

|               |   |  |
|---------------|---|--|
| Target Organs | : | Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate |
| Assessment    | : | Causes damage to organs through prolonged or repeated exposure.            |

**Repeated dose toxicity****Components:****Titanium dioxide:**

|                   |   |                             |
|-------------------|---|-----------------------------|
| Species           | : | Rat                         |
| NOAEL             | : | 24.000 mg/kg                |
| Application Route | : | Ingestion                   |
| Exposure time     | : | 28 Days                     |
| Species           | : | Rat                         |
| NOAEL             | : | 10 mg/m <sup>3</sup>        |
| Application Route | : | inhalation (dust/mist/fume) |
| Exposure time     | : | 2 y                         |

**Desogestrel:**

|                   |   |  |
|-------------------|---|--|
| Species           | : | Rat, female  |
| LOAEL             | : | 0,00625 mg/kg  |
| Application Route | : | Oral   |
| Exposure time     | : | 26 Weeks   |
| Target Organs     | : | Pituitary gland, Uterus (including cervix), Ovary, Mammary gland |

|                   |   |  |
|-------------------|---|--|
| Species           | : | Rat  |
| LOAEL             | : | 0,005 mg/kg  |
| Application Route | : | Oral   |
| Exposure time     | : | 52 Weeks   |
| Target Organs     | : | Pituitary gland, Uterus (including cervix), Ovary, Mammary gland |

|                   |   |  |
|-------------------|---|--|
| Species           | : | Dog  |
| LOAEL             | : | 0,005 mg/kg  |
| Application Route | : | Oral   |
| Exposure time     | : | 52 Weeks   |
| Target Organs     | : | Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate |

**Aspiration toxicity**

Not classified based on available information.

## Desogestrel Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

---

**Experience with human exposure****Components:****Desogestrel:**

Ingestion : Symptoms: Headache, changes in libido, Dizziness, Nausea, Vomiting, Diarrhea, water retention, sodium retention, Gastro-intestinal discomfort, mental depression, amenorrhea, insomnia, impaired glucose tolerance, pulmonary embolism  
Target Organs: Uterus (including cervix)  
Target Organs: Mammary gland

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Titanium dioxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Desogestrel:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4 mg/l  
Exposure time: 96 h  
Method: FDA 4.11  
Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.  
Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3,9 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.  
Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,059 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

# SAFETY DATA SHEET



## Desogestrel Formulation



Version 6.4      Revision Date: 16.10.2020      SDS Number: 21950-00019      Date of last issue: 23.03.2020  
Date of first issue: 15.10.2014

---

Remarks: Based on data from similar materials

NOEC (*Oryzias latipes* (Japanese medaka)): 0,0000027 mg/l

Exposure time: 183 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 1,2 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10.000

Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

NOEC: 70,8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Desogestrel:**

Stability in water : Hydrolysis: < 10 %(5 d)  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Desogestrel:**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 128  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,5

### Mobility in soil

#### Components:

##### **Desogestrel:**

Distribution among environmental compartments : log Koc: 2,84

### Other adverse effects

No data available

## Desogestrel Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Desogestrel)  
Class : 9  
Packing group : III  
Labels : 9

**IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Desogestrel)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Desogestrel)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Desogestrel Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**International Regulations****The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION****Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

AR OEL / CMP : TLV (Threshold Limit Value)

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

# SAFETY DATA SHEET



## Desogestrel Formulation



|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 6.4     | 16.10.2020     | 21950-00019 | Date of first issue: 15.10.2014 |

---

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8