

Desogestrel Formulation

Version 7.1 Revision Date: 2020/10/16 SDS Number: 21976-00019 Date of last issue: 2020/03/23
Date of first issue: 2014/10/15

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Desogestrel Formulation

Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number : 215-631-6999

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360Fd May damage fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- : Dust contact with the eyes can lead to mechanical irritation.
 lines of the emergency as- : Contact with dust can cause mechanical irritation or drying of
 sumed : the skin.
 May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	>= 0.1 - < 1	2-234
Titanium dioxide	13463-67-7	>= 0.1 - < 1	1-558, 5-5225
Desogestrel	54024-22-5	>= 0.1 - < 0.25	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
 Get medical attention if irritation develops and persists.

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE
Handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Avoidance of contact | : | Oxidizing agents |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

Storage

- | | | |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types: |

Desogestrel Formulation

Version 7.1 Revision Date: 2020/10/16 SDS Number: 21976-00019 Date of last issue: 2020/03/23
Date of first issue: 2014/10/15

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium dioxide	13463-67-7	OEL-M (Respirable dust)	1 mg/m ³ (Titanium)	JP OEL JSOH
	Further information: Class 2 Dust			
		OEL-M (Total dust)	4 mg/m ³ (Titanium)	JP OEL JSOH
	Further information: Class 2 Dust			
		TWA	10 mg/m ³ (Titanium dioxide)	ACGIH
Desogestrel	54024-22-5	TWA	0.04 µg/m ³ (OEB 5)	Internal
		Wipe limit	0.4 µg/100 cm ²	Internal

Engineering measures : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	powder
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density and / or relative density	:	

SAFETY DATA SHEET



Desogestrel Formulation



Version 7.1 Revision Date: 2020/10/16 SDS Number: 21976-00019 Date of last issue: 2020/03/23
Date of first issue: 2014/10/15

Relative density : No data available
Density : No data available
Relative vapour density : Not applicable
Explosive properties : Not explosive
Oxidizing properties : The substance or mixture is not classified as oxidizing.
Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.
Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Desogestrel:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
LD50 (Mouse, male and female): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Propylene glycol:**

Test Type : Maximisation Test

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Exposure routes : Skin contact
 Species : Guinea pig
 Result : negative

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Skin contact
 Species : Mouse
 Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse
 Result: negative

Desogestrel:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Rat
 Application Route: Intraperitoneal
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Titanium dioxide:

Species : Rat
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : positive
 Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Desogestrel:

Species : Rat
 Application Route : Oral
 Exposure time : 104 weeks
 Result : negative

Species : Mouse
 Application Route : Oral
 Exposure time : 81 weeks
 Result : negative

Reproductive toxicity

May damage fertility. Suspected of damaging the unborn child.

Components:**Propylene glycol:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Desogestrel:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rabbit, female
 Fertility: LOAEL Parent: 2 mg/kg body weight
 Result: Effects on fertility

Test Type: Fertility/early embryonic development
 Species: Rat, female
 Fertility: NOAEL Parent: 0.5 mg/kg body weight
 Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

ment

Species: Rabbit, female
 Application Route: Oral
 Developmental Toxicity: NOAEL F1: 1 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the off-spring were detected., No teratogenic effects

Test Type: Embryo-foetal development
 Species: Rat, female
 Application Route: Oral
 Embryo-foetal toxicity: LOAEC Parent: 0.125 mg/kg body weight
 Result: No teratogenic effects

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate) through prolonged or repeated exposure.

Components:**Desogestrel:**

Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Propylene glycol:**

Species : Rat, male
 NOAEL : 1,700 mg/kg
 Application Route : Ingestion
 Exposure time : 2 yr

Titanium dioxide:

Species : Rat
 NOAEL : 24,000 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Species : Rat
 NOAEL : 10 mg/m³
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 yr

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Desogestrel:

Species : Rat, female
 LOAEL : 0.00625 mg/kg
 Application Route : Oral
 Exposure time : 26 Weeks
 Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species : Rat
 LOAEL : 0.005 mg/kg
 Application Route : Oral
 Exposure time : 52 Weeks
 Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species : Dog
 LOAEL : 0.005 mg/kg
 Application Route : Oral
 Exposure time : 52 Weeks
 Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Desogestrel:**

Ingestion : Symptoms: Headache, changes in libido, Dizziness, Nausea, Vomiting, Diarrhoea, water retention, sodium retention, Gastrointestinal discomfort, mental depression, amenorhea, insomnia, impaired glucose tolerance, pulmonary embolism

Target Organs: Uterus (including cervix)

Target Organs: Mammary gland

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Propylene glycol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l
 Exposure time: 72 h

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Desogestrel:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4 mg/l
Exposure time: 96 h
Method: FDA 4.11
Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility
Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.059 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

NOEC (Oryzias latipes (Japanese medaka)): 0.0000027 mg/l
Exposure time: 183 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.2 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

M-Factor (Chronic aquatic toxicity) : 10,000
Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

NOEC: 70.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Remarks: Based on data from similar materials

Persistence and degradability**Components:****Propylene glycol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Desogestrel:

Stability in water : Hydrolysis: < 10 %(5 d)
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07

Desogestrel:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 128
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.5

Mobility in soil**Components:****Desogestrel:**

Distribution among environmental compartments : log Koc: 2.84

Hazardous to the ozone layer

Not applicable

SAFETY DATA SHEET



Desogestrel Formulation



Version Revision Date: SDS Number: Date of last issue: 2020/03/23
7.1 2020/10/16 21976-00019 Date of first issue: 2014/10/15

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Desogestrel)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Desogestrel)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo : 956
aircraft)
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Desogestrel)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Titanium(IV) oxide	191	≥ 0.1 - < 1

Substances Subject to be Indicated Names

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
7.1	2020/10/16	21976-00019	Date of first issue: 2014/10/15

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN