

Desogestrel / Ethinyl Estradiol Formulation

Version 6.4 Revision Date: 16.10.2020 SDS Number: 19040-00018 Date of last issue: 23.03.2020
Date of first issue: 06.10.2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Desogestrel / Ethinyl Estradiol Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate, Liver, Blood)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H350 May cause cancer.
H360FD May damage fertility. May damage the unborn child.
H372 Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate, Liver, Blood) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 20 -< 30
Stearic acid	57-11-4	>= 5 -< 10
Desogestrel	54024-22-5	>= 0,1 -< 0,25
Ethinylestradiol	57-63-6	>= 0,025 -< 0,1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Most important symptoms and effects, both acute and delayed	:	Get medical attention. Rinse mouth thoroughly with water. May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|--|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Explosives
Gases |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	CMP	10 mg/m ³	AR OEL
Further information: A4 - Not classifiable as a human carcinogen,				

Desogestrel / Ethinyl Estradiol Formulation

Version 6.4 Revision Date: 16.10.2020 SDS Number: 19040-00018 Date of last issue: 23.03.2020
 Date of first issue: 06.10.2014

		lung, Dermatitis		
		TWA	10 mg/m ³	ACGIH
Stearic acid	57-11-4	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Desogestrel	54024-22-5	TWA	0.04 µg/m ³ (OEB 5)	Internal
		Wipe limit	0.4 µg/100 cm ²	Internal
Ethinylestradiol	57-63-6	TWA	0.01 µg/m ³ (OEB 5)	Internal
		Wipe limit	0.1 µg/100 cm ²	Internal

Engineering measures : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	White to light yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	1 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Starch:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Stearic acid:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l
Exposure time: 1 h
Test atmosphere: vapor
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Assessment: The substance or mixture has no acute dermal toxicity

Desogestrel:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
LD50 (Mouse, male and female): > 2.000 mg/kg

Ethinylestradiol:

Acute oral toxicity : LD50 (Rat): 1.200 mg/kg
LD50 (Mouse): 1.737 mg/kg
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:**Stearic acid:**

Species : Rabbit
Method : Patch Test 24 Hrs.
Result : No skin irritation

Ethinylestradiol:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

Species : Rabbit
Result : No eye irritation

Stearic acid:

Species : Rabbit
Result : No eye irritation

Ethinylestradiol:

Remarks : No data available

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Desogestrel / Ethinyl Estradiol Formulation

Version 6.4 Revision Date: 16.10.2020 SDS Number: 19040-00018 Date of last issue: 23.03.2020
Date of first issue: 06.10.2014

Respiratory sensitization

Not classified based on available information.

Components:**Starch:**

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Stearic acid:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Ethinylestradiol:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:**Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Stearic acid:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Desogestrel:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Application Route: Intraperitoneal

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Result: negative

Ethinylestradiol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Test system: Salmonella typhimurium
 Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
 Test system: Escherichia coli
 Result: negative

Test Type: Chromosome aberration test in vitro
 Test system: Human lymphocytes
 Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration
 Species: Mouse
 Cell type: Bone marrow
 Application Route: Oral
 Result: positive

Test Type: Micronucleus test
 Species: Mouse
 Cell type: Bone marrow
 Application Route: Oral
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

May cause cancer.

Components:**Desogestrel:**

Species : Rat
 Application Route : Oral
 Exposure time : 104 weeks
 Result : negative

Species : Mouse
 Application Route : Oral
 Exposure time : 81 weeks
 Result : negative

Ethinylestradiol:

Species : Rat, male and female
 Application Route : Oral
 Exposure time : 2 Years
 Result : negative

Species : Monkey, female

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Application Route : Oral
 Exposure time : 10 Years
 Result : negative

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**Stearic acid:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Desogestrel:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rabbit, female
 Fertility: LOAEL Parent: 2 mg/kg body weight
 Result: Effects on fertility.

Test Type: Fertility/early embryonic development
 Species: Rat, female
 Fertility: NOAEL Parent: 0,5 mg/kg body weight
 Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rabbit, female
 Application Route: Oral
 Developmental Toxicity: NOAEL F1: 1 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development
 Species: Rat, female
 Application Route: Oral
 Embryo-fetal toxicity.: LOAEC Parent: 0,125 mg/kg body weight
 Result: No teratogenic effects.

Reproductive toxicity - As- : Clear evidence of adverse effects on sexual function and

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

essment fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Ethinylestradiol:

Effects on fertility : Species: Hamster
Fertility: LOAEL: 6,3 mg/kg body weight
Result: Effects on fertility.

Effects on fetal development : Test Type: Four-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: > 0,006 mg/kg body weight
Result: Specific developmental abnormalities.

Test Type: Two-generation reproduction toxicity study
Species: Rat, male and female
Application Route: Oral
Developmental Toxicity: LOAEL: 0,005 mg/kg body weight
Result: Specific developmental abnormalities.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate, Liver, Blood) through prolonged or repeated exposure.

Components:**Desogestrel:**

Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate
Assessment : Causes damage to organs through prolonged or repeated exposure.

Ethinylestradiol:

Target Organs : Liver, Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Starch:**

Species : Rat
NOAEL : >= 2.000 mg/kg

Desogestrel / Ethinyl Estradiol Formulation

Version Revision Date: SDS Number: Date of last issue: 23.03.2020
6.4 16.10.2020 19040-00018 Date of first issue: 06.10.2014

Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Stearic acid:

Species : Rat
NOAEL : 1.000 mg/kg
Application Route : Ingestion
Exposure time : 42 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Desogestrel:

Species : Rat, female
LOAEL : 0,00625 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species : Rat
LOAEL : 0,005 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species : Dog
LOAEL : 0,005 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate

Ethinylestradiol:

Species : Rat
NOAEL : 0,25 mg/kg
LOAEL : 0,5 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Liver

Species : Rabbit
LOAEL : 0,015 mg/kg
Application Route : Oral
Exposure time : 20 Weeks
Target Organs : Liver

Species : Dog
NOAEL : 0,04 mg/kg
LOAEL : 0,2 mg/kg
Application Route : Oral
Exposure time : 95 d

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Target Organs	:	Blood
Species	:	Rat, male and female
NOAEL	:	0,0015 mg/kg
LOAEL	:	0,005 mg/kg
Application Route	:	Oral
Exposure time	:	2 y
Target Organs	:	Reproductive organs, Mammary gland, Liver, Uterus (including cervix)

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Desogestrel:**

Ingestion	:	Symptoms: Headache, changes in libido, Dizziness, Nausea, Vomiting, Diarrhea, water retention, sodium retention, Gastro-intestinal discomfort, mental depression, amenorrhea, insomnia, impaired glucose tolerance, pulmonary embolism Target Organs: Uterus (including cervix) Target Organs: Mammary gland
-----------	---	--

Ethinylestradiol:

Ingestion	:	Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea, Headache, Dizziness, mood swings, Edema, liver function change, water retention, hair loss, gynecomastia, effects on menstruation
-----------	---	---

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Stearic acid:**

Toxicity to fish	:	LL50 (Leuciscus idus (Golden orfe)): > 10.000 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	:	NOELR (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials No toxicity at the limit of solubility.

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

- EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): > 0,5 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility.
- Toxicity to microorganisms : EC10 (Pseudomonas putida): 883 mg/l
 Exposure time: 18 h
- Desogestrel:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4 mg/l
 Exposure time: 96 h
 Method: FDA 4.11
 Remarks: Based on data from similar materials
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,3 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
 Remarks: No toxicity at the limit of solubility.
 Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3,9 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: No toxicity at the limit of solubility.
 Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,059 mg/l
 Exposure time: 32 d
 Method: OECD Test Guideline 210
 Remarks: Based on data from similar materials
- NOEC (Oryzias latipes (Japanese medaka)): 0,0000027 mg/l
 Exposure time: 183 d
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,2 mg/l
 Exposure time: 21 d
 Remarks: Based on data from similar materials
- M-Factor (Chronic aquatic toxicity) : 10.000
- Toxicity to microorganisms : EC50: > 1.000 mg/l
 Exposure time: 3 h
 Test Type: Respiration inhibition
 Method: OECD Test Guideline 209
 Remarks: Based on data from similar materials

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

NOEC: 70,8 mg/l
 Exposure time: 3 h
 Test Type: Respiration inhibition
 Remarks: Based on data from similar materials

Ethinylestradiol:

- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 1,6 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 6,7 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
- NOEC (*Pseudokirchneriella subcapitata* (green algae)): 6,7 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0,01 µg/l
 Exposure time: 35 d
 Method: OECD Test Guideline 210
- NOEC (Zebrafish): 0,00031 µg/l
 Exposure time: 339 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0,75 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 100.000
- Toxicity to microorganisms : EC50: > 1.000 mg/l
 Exposure time: 3 h
 Test Type: Respiration inhibition
 Method: OECD Test Guideline 209
- NOEC: 24,9 mg/l
 Exposure time: 3 h
 Test Type: Respiration inhibition
 Method: OECD Test Guideline 209

Persistence and degradability**Components:****Stearic acid:**

- Biodegradability : Result: Readily biodegradable.
 Biodegradation: 71 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301B

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

Desogestrel:

Stability in water : Hydrolysis: < 10 %(5 d)
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Stearic acid:**

Partition coefficient: n-octanol/water : log Pow: 8,23

Desogestrel:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 128
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,5

Ethinylestradiol:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 264
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4,15

Mobility in soil**Components:****Desogestrel:**

Distribution among environmental compartments : log Koc: 2,84

Ethinylestradiol:

Distribution among environmental compartments : log Koc: 3,86

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

International Regulations

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	---	---

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AR OEL	:	Argentina. Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
AR OEL / CMP	:	TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



Desogestrel / Ethinyl Estradiol Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.4	16.10.2020	19040-00018	Date of first issue: 06.10.2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8