

Estradiol Gel Formulation

Version 2.1 Revision Date: 2025/07/01 SDS Number: 300000055451 Date of last issue: 2023/09/30
Date of first issue: 2022/02/08

SECTION 1. IDENTIFICATION

Product identifier : Estradiol Gel Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : Rua Treze de Maio, 1161
Campinas, São Paulo, Brazil 13106-054

Telephone : +1 551-430-6000 US | +55 (19) 3758-2000 BR

Emergency telephone : For 24/7 emergency response advice, call CHEMTREC at +55 11 4349-1359 (local) or 0800 892 0479 (toll-free). Global 24/7: +1-800-424-9300 (United States, English only).

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 2

Eye irritation : Category 2A

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1 (Liver, Bone, Blood, Endocrine system)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :    

Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H350 May cause cancer.

Estradiol Gel Formulation

Version 2.1 Revision Date: 2025/07/01 SDS Number: 300000055451 Date of last issue: 2023/09/30
 Date of first issue: 2022/02/08

H360FD May damage fertility. May damage the unborn child.
 H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P201 Obtain special instructions before use.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P260 Do not breathe mist or vapors.
 P264 Wash skin thoroughly after handling.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
ethanol#	64-17-5	Flam. Liq., 2 Eye Irrit., 2A	58,5
estradiol	50-28-2	Acute Tox. (Oral), 5 Carc., 1A Repr., 1A STOT RE, (Liver, Bone, Blood, Endocrine system) , 1 Aquatic Acute, 2	0,1

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

		Aquatic Chronic, 1	
--	--	--------------------	--

Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
May cause cancer.
May damage fertility. May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion prod- : Carbon oxides

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

ucts

Carbon oxides
Water

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

- Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.
If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures which in contact with water emit flammable gases
Explosives
Gases
Very acutely toxic substances and mixtures

Estradiol Gel Formulation

Version 2.1 Revision Date: 2025/07/01 SDS Number: 300000055451 Date of last issue: 2023/09/30
 Date of first issue: 2022/02/08

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	LT	780 ppm 1.480 mg/m ³	BR OEL
	Further information: Degree of harmfulness: minimum			
		STEL	1.000 ppm	ACGIH
estradiol	50-28-2	TWA	0.05 µg/m ³ (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 µg/100 cm ²	Internal

Engineering measures : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 No open handling permitted.
 Totally enclosed processes and materials transport systems are required.
 Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.
 Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	gel
Color	:	opalescent
Odor	:	aromatic
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	22 °C
		Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Based on available data, the classification criteria are not met.

Components:**ethanol:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 124,7 mg/l Exposure time: 4 h Test atmosphere: vapor

estradiol:

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): > 300 mg/kg Application Route: Subcutaneous

Estradiol Gel Formulation

Version 2.1 Revision Date: 2025/07/01 SDS Number: 300000055451 Date of last issue: 2023/09/30
Date of first issue: 2022/02/08

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

ethanol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

estradiol:

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Components:

ethanol:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

estradiol:

Routes of exposure : Skin contact
Species : Guinea pig
Assessment : Does not cause skin sensitization.
Result : negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

ethanol:

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Bacterial reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: equivocal

estradiol:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: mammalian cells
Result: positive

Test Type: Chromosome aberration test in vitro
Test system: mammalian cells
Result: positive

Test Type: Chromosomal aberration
Test system: mammalian cells
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Result: negative

Test Type: Chromosomal aberration
Species: Mouse
Cell type: Bone marrow
Result: negative

Carcinogenicity

May cause cancer.

Components:

estradiol:

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months
LOAEL : 100 µg/kg
Result : positive
Target Organs : female reproductive organs

Species : Rat
Application Route : Subcutaneous
Exposure time : 13 weeks
LOAEL : 20 mg/kg body weight

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

Result : positive
Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

estradiol:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Fertility: LOAEL: 0,5 mg/kg body weight
Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study
Species: Rat
Duration of Single Treatment: 90 d
Fertility: LOAEL: 0,69 mg/kg body weight
Result: Effects on fertility.

Test Type: Two-generation study
Species: Mouse
Application Route: Oral
Fertility: LOAEL: 0,1 mg/kg body weight
Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse, female
Application Route: Subcutaneous
Teratogenicity: LOAEL: 4 mg/kg body weight
Symptoms: Malformations were observed.
Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Subcutaneous
Teratogenicity: LOAEL: 2,5 µg/kg body weight
Symptoms: Reduced body weight
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development
Species: Rat

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

Application Route: Subcutaneous
 Developmental Toxicity: LOAEL: 0,2 mg/kg body weight
 Symptoms: Early Resorptions / resorption rate., Reduced number of viable fetuses., Reduced body weight
 Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment : May damage fertility. May damage the unborn child.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Components:

estradiol:

Target Organs : Liver, Bone, Blood, Endocrine system
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

ethanol:

Species : Rat
 NOAEL : 1.280 mg/kg
 LOAEL : 3.156 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

estradiol:

Species : Rat
 LOAEL : $\geq 0,17$ mg/kg
 Application Route : Ingestion
 Exposure time : 90 d
 Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

Aspiration toxicity

Based on available data, the classification criteria are not met.

Experience with human exposure

Components:

estradiol:

Inhalation : Symptoms: tingling, Nose bleeding
 Skin contact : Symptoms: Skin irritation, Redness, pruritis

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

Ingestion : Symptoms: headache, Gastrointestinal disturbance, dizziness, Vomiting, diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia (water flea)): > 1.000 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
plants Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9,6 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 9 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6.500 mg/l
Exposure time: 16 h

estradiol:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 3,9 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2,7 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1,7
plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,7
mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox- : NOEC (Oryzias latipes (Japanese medaka)): 0,000003 mg/l
icity) Exposure time: 160 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0,2 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

ic toxicity)
M-Factor (Chronic aquatic toxicity) : 1.000
Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 100 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

ethanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

estradiol:

Biodegradability : Result: rapidly degradable
Biodegradation: 84 %
Exposure time: 24 hrs

Bioaccumulative potential

Components:

ethanol:

Partition coefficient: n-octanol/water : log Pow: -0,35

estradiol:

Partition coefficient: n-octanol/water : log Pow: 4,01

Mobility in soil

Components:

estradiol:

Distribution among environmental compartments : log Koc: 3,81

Other adverse effects

No data available

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 1170
Proper shipping name : ETHANOL SOLUTION
Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1170
Proper shipping name : Ethanol solution
Class : 3
Packing group : II
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 364
Packing instruction (passenger aircraft) : 353

IMDG-Code

UN number : UN 1170
Proper shipping name : ETHANOL SOLUTION
(Estradiol)
Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

UN number : UN 1170
Proper shipping name : ETHANOL SOLUTION

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

Class	:	3
Packing group	:	II
Labels	:	3
Hazard Identification Number	:	33

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

National List of Carcinogenic Agents for Humans - (LINACH)

Group 1: Carcinogenic to humans
64-17-5 Ethanol

Brazil. List of chemicals controlled by the Federal Police : ethanol

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 2025/07/01
Date format : yyyy/mm/dd

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / STEL : Short-term exposure limit
BR OEL / LT : Up to 48 hours /week

Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.1	2025/07/01	300000055451	Date of first issue: 2022/02/08

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

BR / EN