according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Etonogestrel Formulation (Implanon)

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : Solid form

Colour: No data availableOdour: No data available

May be harmful if swallowed. May damage fertility. Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

GHS Classification

Acute toxicity (Oral) : Category 5

Reproductive toxicity : Category 1A

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H303 May be harmful if swallowed.

H360F May damage fertility. H401 Toxic to aquatic life.

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P312 Call a POISON CENTER/ doctor if you feel unwell.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May be harmful if swallowed. May damage fertility.

Environmental hazards

Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
(17α)-13-Ethyl-17-hydroxy-11-methylene-	54048-10-1	>= 50 -< 70	
18,19-dinorpregn-4-en-20-yn-3-one			

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Date of last issue: 2020/10/10 Version Revision Date: SDS Number: 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May be harmful if swallowed.

Most important symptoms and effects, both acute and

May damage fertility.

delayed

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Protection of first-aiders

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Date of last issue: 2020/10/10 Version Revision Date: SDS Number: 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Static electricity may accumulate and ignite suspended dust Technical measures

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling Do not get on skin or clothing.

> Do not breathe dust. Do not breathe vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Oxidizing agents

Storage

Conditions for safe storage Keep in properly labelled containers.

> Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

Unsuitable material: None known. Packaging material

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
(17α)-13-Ethyl-17-hydroxy-11- methylene-18,19-dinorpregn-4- en-20-yn-3-one	54048-10-1	TWA	0.05 μg/m3 (OEB 5)	Internal
		Wipe limit	0.5 µg/100 cm ²	Internal

Engineering measures : Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to pre-

vent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the

workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

> engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Solid form

Colour No data available

Odour No data available

Odour Threshold No data available

pΗ No data available

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

No data available Flash point

Evaporation rate No data available

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

No data available Relative vapour density

Relative density No data available

Density 1 g/cm³

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available

No data available Auto-ignition temperature

No data available Decomposition temperature

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.
Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 4,744 mg/kg

Method: Calculation method

Components:

 $(17\alpha)\text{-}13\text{-}Ethyl\text{-}17\text{-}hydroxy\text{-}11\text{-}methylene\text{-}18,19\text{-}dinorpregn\text{-}4\text{-}en\text{-}20\text{-}yn\text{-}3\text{-}one}:$

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Mouse

Result : No skin irritation

Species : Guinea pig
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Result: negative

Test Type: in vitro assay

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Application Route: Oral Result: negative

Germ cell mutagenicity -

Weight of evidence does not support classification as a germ

Assessment

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Rat Application Route : Oral Activity duration : 2 yr

0.5 mg/kg body weight

Result : negative

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

Species : Rat

Application Route : Subcutaneous

Activity duration : 2 yr

: 0.02 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

May damage fertility.

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Effects on fertility : Test Type: Fertility

Species: Rat, female Application Route: Oral

Fertility: LOAEL: 0.012 mg/kg body weight

Result: Effects on fertility

Test Type: Fertility Species: Rabbit, female Application Route: Oral

Dose: 0.05 milligram per kilogram

Result: Effects on fertility

Effects on foetal develop-

ment

Species: Rat, female

Duration of Single Treatment: 14 d

General Toxicity Maternal: NOAEL: 1.8 mg/kg body weight

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on sexual function and

fertility from human epidemiological studies.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Rat
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 yr

Target Organs : Reproductive organs, Endocrine system

Species : Dog

LOAEL : 0.625 mg/kg

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

Application Route : Oral Exposure time : 26 Weeks

Target Organs : Reproductive organs, Endocrine system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Inhalation : Symptoms: Headache, Dizziness, Abdominal pain, Nausea,

Skin disorders, effects on menstruation, vaginitis, breast tenderness, mood swings, male reproductive effects, Sweating

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.0 mg/l

Exposure time: 96 h Method: FDA 4.11

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 3.9 mg/l

Exposure time: 48 h Method: FDA 4.08

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.059 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.0000027 mg/l

Exposure time: 183 d

Method: OECD Test Guideline 229

Toxicity to daphnia and other : aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): 1.2 mg/l

Exposure time: 21 d

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

: 10.000

Toxicity to microorganisms

NOEC: 70.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

EC50: > 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Stability in water : Hydrolysis: < 10 %(5 d)

Method: FDA 3.09

Bioaccumulative potential

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 128 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 3.5

Mobility in soil

Components:

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Distribution among environmental compartments

log Koc: 2.84 Method: FDA 3.08

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

 $((17\alpha)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-$

4-en-20-yn-3-one)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

((17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-

4-en-20-yn-3-one)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

 $((17\alpha)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-$

en-20-yn-3-one)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

 $((17\alpha)\text{-}13\text{-}Ethyl\text{-}17\text{-}hydroxy\text{-}11\text{-}methylene\text{-}18,19\text{-}dinorpregn-}$

4-en-20-yn-3-one)

Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/10

 3.15
 2021/04/09
 16539-00019
 Date of first issue: 2014/09/29

15. REGULATORY INFORMATION

National regulatory information Law on the Prevention and Control of Occupational Diseases

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

according to GB/T 16483 and GB/T 17519



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 3.15 2021/04/09 16539-00019 Date of first issue: 2014/09/29

portation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN