

Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Etonogestrel Formulation (Implanon)

Manufacturer or supplier's details

Company : Organon & Co.

Address : JL Raya Pandaan KM. 48

Pandaan, Jawa Timur - Indonesia

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 1A

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360F May damage fertility.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.



Etonogestrel Formulation (Implanon)



Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
(17α)-13-Ethyl-17-hydroxy-11-methylene-	54048-10-1	>= 30 -< 60
18,19-dinorpregn-4-en-20-yn-3-one		

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Protection of first-aiders

delayed

te and Cor

: May damage fertility.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray



Etonogestrel Formulation (Implanon)

♣ ORGANON

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.



Etonogestrel Formulation (Implanon)



Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

Do not breathe dust. Do not breathe vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(17α)-13-Ethyl-17-hydroxy-11- methylene-18,19-dinorpregn-4- en-20-yn-3-one	54048-10-1	TWA	0.05 µg/m3 (OEB 5)	Internal
		Wipe limit	0.5 µg/100 cm ²	Internal

Engineering measures : Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to pre-

vent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the

workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid form

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available



Etonogestrel Formulation (Implanon)

Version **Revision Date:** SDS Number: Date of last issue: 2020/10/10 2021/04/09 16544-00019 Date of first issue: 2014/09/29 2.17

flammability limit

Vapour pressure No data available

No data available Relative vapour density

Relative density No data available

Density 1 g/cm³

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available

No data available Auto-ignition temperature

Decomposition temperature No data available

Viscosity

No data available Viscosity, dynamic

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size No data available

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions.

Chemical stability

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation. Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact



Etonogestrel Formulation (Implanon)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/10

 2.17
 2021/04/09
 16544-00019
 Date of first issue: 2014/09/29

Acute toxicity

Not classified based on available information.

Components:

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Mouse

Result : No skin irritation

Species : Guinea pig
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Result: negative

Test Type: in vitro assay

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.



ORGANON

Etonogestrel Formulation (Implanon)

Revision Date: SDS Number: Date of last issue: 2020/10/10

Carcinogenicity

2021/04/09

Version

2.17

Not classified based on available information.

Components:

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

16544-00019

Species : Rat Application Route : Oral Activity duration : 2 yr

: 0.5 mg/kg body weight

Result : negative

Species : Rat

Application Route : Subcutaneous

Activity duration : 2 yr

0.02 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

Date of first issue: 2014/09/29

cinogen

Reproductive toxicity

May damage fertility.

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Effects on fertility : Test Type: Fertility

Species: Rat, female Application Route: Oral

Fertility: LOAEL: 0.012 mg/kg body weight

Result: Effects on fertility

Test Type: Fertility Species: Rabbit, female Application Route: Oral

Dose: 0.05 milligram per kilogram

Result: Effects on fertility

Effects on foetal develop-

ment

Species: Rat, female

Duration of Single Treatment: 14 d

General Toxicity Maternal: NOAEL: 1.8 mg/kg body weight

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on sexual function and

fertility from human epidemiological studies.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

Repeated dose toxicity

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Rat
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 yr

Target Organs : Reproductive organs, Endocrine system

Species : Dog

LOAEL : 0.625 mg/kg

Application Route : Oral Exposure time : 26 Weeks

Target Organs : Reproductive organs, Endocrine system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Inhalation : Symptoms: Headache, Dizziness, Abdominal pain, Nausea,

Skin disorders, effects on menstruation, vaginitis, breast tenderness, mood swings, male reproductive effects, Sweating

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.0 mg/l

Exposure time: 96 h Method: FDA 4.11

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 3.9 mg/l

Exposure time: 48 h Method: FDA 4.08

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.059 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.0000027 mg/l



ORGANON

Etonogestrel Formulation (Implanon)

Version **Revision Date:** SDS Number: Date of last issue: 2020/10/10 2021/04/09 16544-00019 Date of first issue: 2014/09/29 2.17

Exposure time: 183 d

Method: OECD Test Guideline 229

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

NOEC (Daphnia magna (Water flea)): 1.2 mg/l

Exposure time: 21 d

10,000

NOEC: 70.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50: > 1,000 mg/lExposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Stability in water Hydrolysis: < 10 %(5 d)

Method: FDA 3.09

Bioaccumulative potential

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

> Bioconcentration factor (BCF): 128 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 3.5

Mobility in soil

Components:

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Distribution among environlog Koc: 2.84 mental compartments Method: FDA 3.08

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-



Etonogestrel Formulation (Implanon)



Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

 $((17\alpha)\text{-}13\text{-}Ethyl\text{-}17\text{-}hydroxy\text{-}11\text{-}methylene\text{-}18,19\text{-}dinorpregn\text{-}}$

4-en-20-yn-3-one)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

 $((17\alpha)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-$

4-en-20-yn-3-one)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S

956

((17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-

en-20-yn-3-one)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture



Etonogestrel Formulation (Implanon)

Version **Revision Date:** SDS Number: Date of last issue: 2020/10/10 2021/04/09 16544-00019 Date of first issue: 2014/09/29 2.17

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances **Hazardous to Health**

Hazardous substances that must be registered Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use Not applicable

Prohibited substances Not applicable

Restricted substances Not applicable

Regulation of the Minister of Trade No. 44 of 2009 on Procurement, Distribution and Supervision of Hazardous Materials

Type of Hazardous Materials Restricted to Import,

Distribution and Supervision

: Not applicable

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

16. OTHER INFORMATION

Further information

Sources of key data used to :

compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Etonogestrel Formulation (Implanon)

Version Revision Date: SDS Number: Date of last issue: 2020/10/10 2.17 2021/04/09 16544-00019 Date of first issue: 2014/09/29

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN