

## Etonogestrel Formulation (Nexplanon)

Version 4.5      Revision Date: 09.04.2021      SDS Number: 16614-00020      Date of last issue: 10.10.2020  
Date of first issue: 29.09.2014

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Etonogestrel Formulation (Nexplanon)

Product code : NEXPLANON

**Manufacturer or supplier's details**

Company : Organon & Co.

Address : Rua Treze de Maio, 1161  
Campinas, São Paulo, Brazil B-2220

Telephone : 551-430-6000

Emergency telephone : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

---



**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification in accordance with ABNT NBR 14725 Standard**

Reproductive toxicity : Category 1A

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H360F May damage fertility.  
H401 Toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one	54048-10-1	Acute toxicity (Oral), Category 5 Reproductive toxicity, Category 1A Short-term (acute) aquatic hazard, Category 2 Long-term (chronic) aquatic hazard, Category 1	$\geq 30$ -< 50
Barium sulfate	7727-43-7	Short-term (acute) aquatic hazard, Category 3	$\geq 10$ -< 20

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

Most important symptoms and effects, both acute and delayed	:	Get medical attention. Rinse mouth thoroughly with water. May damage fertility. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Metal oxides Sulfur oxides Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not breathe vapors.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Organic peroxides  
Explosives  
Gases

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

# SAFETY DATA SHEET



## Etonogestrel Formulation (Nexplanon)



Version 4.5      Revision Date: 09.04.2021      SDS Number: 16614-00020      Date of last issue: 10.10.2020  
Date of first issue: 29.09.2014

		exposure)	concentration	
(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one	54048-10-1	TWA	0.05 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
		Wipe limit	0.5 $\mu\text{g}/100 \text{ cm}^2$	Internal
Barium sulfate	7727-43-7	TWA (Inhalable particulate matter)	5 $\text{mg}/\text{m}^3$	ACGIH

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid form

Color : No data available

Odor : No data available

Odor Threshold : No data available

# SAFETY DATA SHEET



## Etonogestrel Formulation (Nexplanon)



Version 4.5      Revision Date: 09.04.2021      SDS Number: 16614-00020      Date of last issue: 10.10.2020  
Date of first issue: 29.09.2014

---

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

## Etonogestrel Formulation (Nexplanon)

Version 4.5      Revision Date: 09.04.2021      SDS Number: 16614-00020      Date of last issue: 10.10.2020  
Date of first issue: 29.09.2014

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.  
  
Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.  
  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

**Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
LD50 (Mouse): > 2.000 mg/kg

**Barium sulfate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Species : Mouse  
Result : No skin irritation

Species : Guinea pig  
Result : No skin irritation

**Barium sulfate:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

Remarks : Based on data from similar materials

Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Barium sulfate:**

Species : Rabbit  
 Result : No eye irritation  
 Method : OECD Test Guideline 405

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Barium sulfate:**

Test Type : Local lymph node assay (LLNA)  
 Routes of exposure : Skin contact  
 Species : Mouse  
 Method : OECD Test Guideline 429  
 Result : negative  
 Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
 Test system: Salmonella typhimurium  
 Result: negative

Test Type: in vitro test  
 Test system: Chinese hamster ovary cells  
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.



## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

**Barium sulfate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Species : Rat  
Application Route : Oral  
Activity duration : 2 y  
: 0,5 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Subcutaneous  
Activity duration : 2 y  
: 0,02 mg/kg body weight  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Barium sulfate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

**Reproductive toxicity**

May damage fertility.

**Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Effects on fertility : Test Type: Fertility  
Species: Rat, female  
Application Route: Oral  
Fertility: LOAEL: 0,012 mg/kg body weight  
Result: Effects on fertility.

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

Test Type: Fertility  
 Species: Rabbit, female  
 Application Route: Oral  
 Dose: 0.05 milligram per kilogram  
 Result: Effects on fertility.

Effects on fetal development : Species: Rat, female  
 Duration of Single Treatment: 14 d  
 General Toxicity Maternal: NOAEL: 1,8 mg/kg body weight  
 Result: No teratogenic effects.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.

**Barium sulfate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative  
 Remarks: Based on data from similar materials

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****Barium sulfate:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Species : Rat  
 LOAEL : 0,5 mg/kg  
 Application Route : Oral  
 Exposure time : 1 y  
 Target Organs : Reproductive organs, Endocrine system

Species : Dog  
 LOAEL : 0,625 mg/kg

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

Application Route : Oral  
 Exposure time : 26 Weeks  
 Target Organs : Reproductive organs, Endocrine system

**Barium sulfate:**

Species : Rat  
 NOAEL : 61,1 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Inhalation : Symptoms: Headache, Dizziness, Abdominal pain, Nausea, Skin disorders, effects on menstruation, vaginitis, breast tenderness, mood swings, male reproductive effects, Sweating

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,0 mg/l  
 Exposure time: 96 h  
 Method: FDA 4.11

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,3 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3,9 mg/l  
 Exposure time: 48 h  
 Method: FDA 4.08  
 Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,059 mg/l  
 Exposure time: 32 d  
 Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0,0000027 mg/l  
 Exposure time: 183 d  
 Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Daphnia magna (Water flea)): 1,2 mg/l  
 Exposure time: 21 d

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

ic toxicity)

M-Factor (Chronic aquatic : 10.000

toxicity)

Toxicity to microorganisms : NOEC: 70,8 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

EC50: > 1.000 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

**Barium sulfate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
 aquatic invertebrates : Exposure time: 48 h  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (green algae)): > 1  
 plants : mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100  
 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox- : NOEC (Danio rerio (zebra fish)): > 1 mg/l  
 icity) : Exposure time: 33 d  
 Method: OECD Test Guideline 210  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
 aquatic invertebrates (Chron- : Exposure time: 21 d  
 ic toxicity) : Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 600 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209  
 Remarks: Based on data from similar materials

NOEC: > 600 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209  
 Remarks: Based on data from similar materials

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

**Persistence and degradability****Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Stability in water : Hydrolysis: < 10 %(5 d)  
Method: FDA 3.09

**Bioaccumulative potential****Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 128  
Method: OECD Test Guideline 305

Partition coefficient: n-  
octanol/water : log Pow: 3,5

**Barium sulfate:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 500

Partition coefficient: n-  
octanol/water : log Pow: -1,03  
Remarks: Calculation

**Mobility in soil****Components:****(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:**

Distribution among environ-  
mental compartments : log Koc: 2,84  
Method: FDA 3.08

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

---

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

N.O.S.  
 ((17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one)

Class : 9  
 Packing group : III  
 Labels : 9

**IATA-DGR**

UN/ID No. : UN 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
 ((17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one)

Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 956  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 ((17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one)

Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ANTT**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 ((17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one)

Class : 9  
 Packing group : III  
 Labels : 9  
 Hazard Identification Number : 90

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Etonogestrel Formulation (Nexplanon)

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans  
(17 $\alpha$ )-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one 54048-10-1

Brazil. List of chemicals controlled by the Federal Police : Not applicable

**International Regulations****The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION****Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

# SAFETY DATA SHEET



## Etonogestrel Formulation (Nexplanon)



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.5	09.04.2021	16614-00020	Date of first issue: 29.09.2014

---

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8