according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Etonogestrel / Ethinyl Estradiol Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Pharmaceutical

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.

Shotton Lane

NE23 3JU Cramlington NU - Great Britain

Telephone : 44 1 670 59 30 00

E-mail address of person responsible for the SDS

EHSSTEWARD@organon.com

1.4 Emergency telephone number

215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Carcinogenicity, Category 1A H350: May cause cancer.

Reproductive toxicity, Category 1A H360FD: May damage fertility. May damage the

unborn child.

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

exposure, Category 1

Aposure, Category 1 longed of repeated

Long-term (chronic) aquatic hazard, Cat-

egory 1

longed or repeated exposure.
H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Danger

Hazard statements : H350 May cause cancer.

H360FD May damage fertility. May damage the unborn

child.

H372 Causes damage to organs through prolonged or re-

peated exposure.

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one Ethinylestradiol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
(17α)-13-Ethyl-17-hydroxy-11- methylene-18,19-dinorpregn-4-en- 20-yn-3-one	54048-10-1 258-936-2	Repr. 1A; H360F Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 10,000	>= 0.3 - < 1
Ethinylestradiol	57-63-6 200-342-2	Acute Tox. 4; H302 Carc. 1A; H350 Repr. 1B; H360FD STOT RE 1; H372 (Liver, Blood) Aquatic Chronic 1; H410 M-Factor (Chronic	>= 0.1 - < 0.25

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

aquatic toxicity): 100,000

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause cancer.

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

Version Date of last issue: 16.10.2020 Revision Date: SDS Number: 4.5 09.04.2021 16781-00019 Date of first issue: 29.09.2014

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- : Carbon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfac-

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

es, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust, fume, gas, mist, vapours or spray.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

Strong oxidizing agents
Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
(17α)-13-Ethyl-17- hydroxy-11- methylene-18,19- dinorpregn-4-en- 20-yn-3-one	54048-10-1	TWA	0.05 μg/m3 (OEB 5)	Internal
		Wipe limit	0.5 μg/100 cm ²	Internal
Ethinylestradiol	57-63-6	TWA	0.01 μg/m3 (OEB 5)	Internal
		Wipe limit	0.1 μg/100 cm ²	Internal

8.2 Exposure controls

Engineering measures

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to BS EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : solid
Colour : white
Odour : odourless

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : Not applicable

Initial boiling point and boiling

range

Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : 1 g/cm³

Solubility(ies)

Water solubility : insoluble
Partition coefficient: n- : Not applicable

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight : No data available

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

Version Revision Date: SDS Number: Date of last issue: 16.10.2020 4.5 09.04.2021 16781-00019 Date of first issue: 29.09.2014

LD50 (Mouse): > 2,000 mg/kg

Ethinylestradiol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

LD50 (Mouse): 1,737 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Mouse

Result : No skin irritation

Species : Guinea pig
Result : No skin irritation

Ethinylestradiol:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethinylestradiol:

Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethinylestradiol:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Result: negative

Test Type: in vitro assay

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Application Route: Oral Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Ethinylestradiol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Test system: Salmonella typhimurium

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Test system: Escherichia coli

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: positive

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

May cause cancer.

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Rat Application Route : Oral Activity duration : 2 yr

: 0.5 mg/kg body weight

Result : negative

Species : Rat

Application Route : Subcutaneous

Activity duration : 2 yr

0.02 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Ethinylestradiol:

Species : Rat. male and female

Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Monkey, female

Application Route : Oral
Exposure time : 10 Years
Result : negative

Carcinogenicity - Assess-

ment

Positive evidence from human epidemiological studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Effects on fertility : Test Type: Fertility

Species: Rat, female Application Route: Oral

Fertility: LOAEL: 0.012 mg/kg body weight

Result: Effects on fertility

Test Type: Fertility Species: Rabbit, female Application Route: Oral

Dose: 0.05 milligram per kilogram

Result: Effects on fertility

Effects on foetal develop-

ment

Species: Rat, female

Duration of Single Treatment: 14 d

General Toxicity Maternal: NOAEL: 1.8 mg/kg body weight

Result: No teratogenic effects

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on sexual function and

fertility from human epidemiological studies.

Ethinylestradiol:

Effects on fertility : Species: Hamster

Fertility: LOAEL: 6.3 mg/kg body weight

Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Four-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: > 0.006 mg/kg body weight

Result: Specific developmental abnormalities

Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female

Application Route: Oral

Developmental Toxicity: LOAEL: 0.005 mg/kg body weight

Result: Specific developmental abnormalities

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Ethinylestradiol:

Target Organs : Liver, Blood

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

(17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Rat
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 yr

Target Organs : Reproductive organs, Endocrine system

Species : Dog

LOAEL : 0.625 mg/kg
Application Route : Oral
Exposure time : 26 Weeks

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

Target Organs : Reproductive organs, Endocrine system

Ethinylestradiol:

Species : Rat

NOAEL : 0.25 mg/kg LOAEL : 0.5 mg/kg Application Route : Oral Exposure time : 2 Weeks Target Organs : Liver

Species : Rabbit LOAEL : 0.015 mg/kg

Application Route : Oral
Exposure time : 20 Weeks
Target Organs : Liver

Species : Dog

NOAEL : 0.04 mg/kg
LOAEL : 0.2 mg/kg
Application Route : Oral
Exposure time : 95 d
Target Organs : Blood

Species : Rat, male and female

NOAEL : 0.0015 mg/kg LOAEL : 0.005 mg/kg

Application Route : Oral Exposure time : 2 yr

Target Organs : Reproductive organs, Mammary gland, Liver, Uterus (includ-

ing cervix)

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

$(17\alpha)\text{-}13\text{-}Ethyl\text{-}17\text{-}hydroxy\text{-}11\text{-}methylene\text{-}18,19\text{-}dinorpregn\text{-}4\text{-}en\text{-}20\text{-}yn\text{-}3\text{-}one}:$

Inhalation : Symptoms: Headache, Dizziness, Abdominal pain, Nausea,

Skin disorders, effects on menstruation, vaginitis, breast tenderness, mood swings, male reproductive effects, Sweating

Ethinylestradiol:

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea,

Headache, Dizziness, mood swings, Oedema, liver function change, water retention, hair loss, gynecomastia, effects on

menstruation

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

SECTION 12: Ecological information

12.1 Toxicity

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.0 mg/l

Exposure time: 96 h Method: FDA 4.11

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 3.9 mg/l

Exposure time: 48 h Method: FDA 4.08

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : NOEC : 70.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 : > 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.059 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

NOEC: 0.0000027 mg/l Exposure time: 183 d

Species: Oryzias latipes (Japanese medaka)

Method: OECD Test Guideline 229

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1.2 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10,000

Ethinylestradiol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 6.7

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 6.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 24.9 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.01 µg/l Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

NOEC: 0.00031 µg/l Exposure time: 339 d Species: Zebrafish

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.75 mg/l

Exposure time: 21 d Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

100,000

12.2 Persistence and degradability

Components:

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Stability in water : Hydrolysis: < 10 %(5 d)

Method: FDA 3.09

12.3 Bioaccumulative potential

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 128 Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 3.5

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

octanol/water

Ethinylestradiol:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 264 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 4.15

12.4 Mobility in soil

Components:

 (17α) -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Distribution among environ-

mental compartments

: log Koc: 2.84 Method: FDA 3.08

Ethinylestradiol:

Distribution among environ-

mental compartments

log Koc: 3.86

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

: The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ethinylestradiol, (17α) -13-Ethyl-17-hydroxy-11-methylene-

18,19-dinorpregn-4-en-20-yn-3-one)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ethinylestradiol, (17α)-13-Ethyl-17-hydroxy-11-methylene-

18,19-dinorpregn-4-en-20-yn-3-one)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ethinylestradiol, (17α) -13-Ethyl-17-hydroxy-11-methylene-

18,19-dinorpregn-4-en-20-yn-3-one)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ethinylestradiol, (17α)-13-Ethyl-17-hydroxy-11-methylene-

18,19-dinorpregn-4-en-20-yn-3-one)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Ethinylestradiol, (17α) -13-Ethyl-17-hydroxy-11-methylene-

18,19-dinorpregn-4-en-20-yn-3-one)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed. H350 : May cause cancer. H360F : May damage fertility.

H360FD : May damage fertility. May damage the unborn child.
H372 : Causes damage to organs through prolonged or repeated

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

exposure.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Carc. : Carcinogenicity
Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Carc. 1A H350 Calculation method
Repr. 1A H360FD Calculation method
STOT RE 1 H372 Calculation method
Aquatic Chronic 1 H410 Calculation method

according to Regulation (EC) No. 1907/2006



Etonogestrel / Ethinyl Estradiol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.10.2020

 4.5
 09.04.2021
 16781-00019
 Date of first issue: 29.09.2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB/EN