

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Etoricoxib Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Pharmaceutical

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.
Shotton Lane
NE23 3JU Cramlington NU - Great Britain

Telephone : +44 1 670 59 32 05

E-mail address of person
responsible for the SDS : EHSSTEWARD@organon.com

1.4 Emergency telephone number

+1-215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Reproductive toxicity, Category 2
Specific target organ toxicity - repeated
exposure, Category 2
Long-term (chronic) aquatic hazard, Cat-
egory 2

H361d: Suspected of damaging the unborn child.
H373: May cause damage to organs through pro-
longed or repeated exposure.
H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI
2019/720, and UK SI 2020/1567)**

SAFETY DATA SHEET



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ORGANON

Etoricoxib Formulation

Version 4.2 Revision Date: 06.04.2024 SDS Number: 9371353-00007 Date of last issue: 29.09.2023
Date of first issue: 27.08.2021

Hazard pictograms	:	 
Signal word	:	Warning
Hazard statements	:	H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P260 Do not breathe dust. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.

Hazardous components which must be listed on the label:

Etoricoxib
EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Etoricoxib	202409-33-4	Acute Tox. 4; H302 Repr. 2; H361d STOT RE 2; H373 (Kidney, Liver, Gastrointestinal tract)	>= 25 - < 30

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version 4.2 Revision Date: 06.04.2024 SDS Number: 9371353-00007 Date of last issue: 29.09.2023
Date of first issue: 27.08.2021

		Aquatic Chronic 2; H411	
Substances with a workplace exposure limit :			
Cellulose	9004-34-6 232-674-9		>= 30 - < 50
Titanium dioxide	13463-67-7 236-675-5		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.
- Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Chlorine compounds
Metal oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
If spillage enters rivers or watercourses, inform the Environ-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

ment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version 4.2 Revision Date: 06.04.2024 SDS Number: 9371353-00007 Date of last issue: 29.09.2023
Date of first issue: 27.08.2021

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind

10 mg/m³

Value type (Form of exposure): TWA (Inhalable)

Basis: GB EH40

4 mg/m³

Value type (Form of exposure): TWA (Respirable fraction)

Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cellulose	9004-34-6	TWA (inhalable dust)	10 mg/m ³	GB EH40
		TWA (Respirable dust)	4 mg/m ³	GB EH40
		STEL (inhalable dust)	20 mg/m ³	GB EH40
Etoricoxib	202409-33-4	TWA	400 ug/m ³ (OEB 2)	Internal
Titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m ³	GB EH40
		TWA (Respirable dust)	4 mg/m ³	GB EH40

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Safety goggles
Equipment should conform to BS EN 166

Hand protection

Material : Chemical-resistant gloves

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to BS EN 143
Filter type	:	Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	coloured
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ORGANON

Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Solubility(ies)

Water solubility : No data available
Partition coefficient: n-
octanol/water : No data available
Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ORGANON

Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Etoricoxib:

Acute oral toxicity : LD50 (Rat): 1,499 mg/kg
LD50 (Mouse): 1,499 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 238 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 599 mg/kg
Application Route: Intraperitoneal

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Components:

Etoricoxib:

Species	:	Rabbit
Result	:	No skin irritation

Titanium dioxide:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Etoricoxib:

Species	:	Rabbit
Result	:	Mild eye irritation

Titanium dioxide:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Etoricoxib:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Assessment	:	Did not cause sensitisation on laboratory animals.
Result	:	negative

Titanium dioxide:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Components:

Etoricoxib:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: human lymphoblastoid cells
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: Alkaline elution assay
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Application Route: Oral
Result: negative

Test Type: Alkaline elution assay
Species: Rat
Application Route: Oral
Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ORGANON

Etoricoxib Formulation

Version 4.2 Revision Date: 06.04.2024 SDS Number: 9371353-00007 Date of last issue: 29.09.2023
Date of first issue: 27.08.2021

Components:

Etoricoxib:

Species : Rat, male and female
Application Route : oral (gavage)
Exposure time : 2 Years
Result : positive

Species : Mouse, male and female
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Titanium dioxide:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : positive
Remarks : The mechanism or mode of action may not be relevant in humans.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Etoricoxib:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, female
Application Route: Oral
General Toxicity - Parent: NOAEL: 10 mg/kg body weight
Result: positive

Test Type: Fertility/early embryonic development
Species: Rat, male
Application Route: Oral
Result: negative

Effects on foetal development : Species: Rat
Application Route: Oral
Result: positive

Species: Rabbit
Application Route: Oral

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Etoricoxib:

Exposure routes : Ingestion
Target Organs : Kidney, Liver, Gastrointestinal tract
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Etoricoxib:

Species : Rat
LOAEL : 30 mg/kg
Application Route : oral (gavage)
Exposure time : 27 Weeks
Target Organs : Gastrointestinal tract, Kidney

Species : Rat
NOAEL : 30 mg/kg
Application Route : oral (gavage)
Exposure time : 53 Weeks
Target Organs : Liver

Species : Dog
NOAEL : 50 mg/kg
Application Route : oral (gavage)
Exposure time : 53 Weeks
Target Organs : Liver

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ORGANON

Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Species : Dog
LOAEL : 200 mg/kg
Application Route : oral (gavage)
Exposure time : 14 Weeks
Target Organs : Gastrointestinal tract, Kidney

Cellulose:

Species : Rat
NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Titanium dioxide:

Species : Rat
NOAEL : 24,000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 10 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Etoricoxib:

Ingestion : Symptoms: upper respiratory tract infection, Headache, hypertension, Diarrhoea, urinary tract infection, flu-like symptoms, heartburn, Nausea, bronchitis, Dizziness, asthenia, Rash, Back pain, Cough, Abdominal pain, pharyngitis, Oedema

SECTION 12: Ecological information

12.1 Toxicity

Components:

Etoricoxib:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 30 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 30 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC : 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 7.93 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.75 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

Etoricoxib:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ORGANON

Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Biodegradability : Result: not rapidly degradable
Biodegradation: 0.2 %
Exposure time: 28 d

Cellulose:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

Etoricoxib:

Partition coefficient: n-
octanol/water : log Pow: 2.3

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Etoricoxib)
ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Etoricoxib)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Etoricoxib)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Etoricoxib)
IATA : Environmentally hazardous substance, solid, n.o.s.
(Etoricoxib)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
ADR
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)
RID
Packing group : III

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

UK REACH List of restrictions (Annex 17)	:	Not applicable		
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable		
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable		
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable		
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable		
Control of Major Accident Hazards Regulations 2015 (COMAH)				
E2	ENVIRONMENTAL HAZARDS	Quantity 1 200 t	Quantity 2 500 t	

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302	:	Harmful if swallowed.
H361d	:	Suspected of damaging the unborn child.
H373	:	May cause damage to organs through prolonged or repeated exposure if swallowed.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
------------	---	----------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ORGANON

Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

Aquatic Chronic Repr.	: Long-term (chronic) aquatic hazard
STOT RE	: Reproductive toxicity
GB EH40	: Specific target organ toxicity - repeated exposure
GB EH40 / TWA	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / STEL	: Long-term exposure limit (8-hour TWA reference period)
	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Repr. 2	H361d
STOT RE 2	H373
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Etoricoxib Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
4.2	06.04.2024	9371353-00007	Date of first issue: 27.08.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN