

# SAFETY DATA SHEET



## Etoricoxib Formulation



Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Etoricoxib Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

---

### SECTION 2. HAZARDS IDENTIFICATION


#### GHS Classification

Carcinogenicity (Inhalation) : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Kidney, Liver, Gastrointestinal tract)

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H351 Suspected of causing cancer if inhaled.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Kidney, Liver, Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P281 Use personal protective equipment as required.

**Response:**

# SAFETY DATA SHEET



## Etoricoxib Formulation



Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

| Chemical name    | CAS-No.     | Concentration (% w/w) |
|------------------|-------------|-----------------------|
| Cellulose        | 9004-34-6   | >= 30 -< 60           |
| Etoricoxib       | 202409-33-4 | >= 10 -< 30           |
| Titanium dioxide | 13463-67-7  | >= 1 -< 10            |

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of causing cancer if inhaled.  
Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure if swallowed.  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : Dust contact with the eyes can lead to mechanical irritation.  
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

## Etoricoxib Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 4.13    | 02.10.2020     | 26525-00018 | Date of first issue: 29.10.2014 |

---

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Chlorine compounds  
Metal oxides  
Oxides of phosphorus

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 2Z

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

# SAFETY DATA SHEET



## Etoricoxib Formulation



Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

mine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components       | CAS-No.     | Value type (Form of exposure) | Control parameters / Permissible concentration   | Basis    |
|------------------|-------------|-------------------------------|--|----------|
| Cellulose        | 9004-34-6   | TWA                           | 10 mg/m3   | AU OEL   |
|                  |             |                               | Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica |          |
|                  |             | TWA                           | 10 mg/m3   | ACGIH    |
| Etoricoxib       | 202409-33-4 | TWA                           | 400 ug/m3 (OEB 2)  | Internal |
| Titanium dioxide | 13463-67-7  | TWA                           | 10 mg/m3   | AU OEL   |
|                  |             |                               | Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica |          |
|                  |             | TWA                           | 10 mg/m3 (Titanium dioxide)  | ACGIH    |

## Etoricoxib Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 4.13    | 02.10.2020     | 26525-00018 | Date of first issue: 29.10.2014 |

---

**Engineering measures** : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|   |                     |
|---|---------------------|
| Appearance                              | : powder            |
| Colour                                  | : coloured          |
| Odour                                   | : odourless         |
| Odour Threshold                         | : No data available |
| pH                                      | : No data available |
| Melting point/freezing point            | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point                             | : No data available |
| Evaporation rate                        | : No data available |

# SAFETY DATA SHEET



## Etoricoxib Formulation



Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

---

|  |   |   |
|--|---|---|
| Flammability (solid, gas)                        | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : | No data available   |
| Upper explosion limit / Upper flammability limit | : | No data available   |
| Lower explosion limit / Lower flammability limit | : | No data available   |
| Vapour pressure                                  | : | No data available   |
| Relative vapour density                          | : | No data available   |
| Relative density                                 | : | No data available   |
| Solubility(ies)<br>Water solubility              | : | No data available   |
| Partition coefficient: n-octanol/water           | : | No data available   |
| Auto-ignition temperature                        | : | No data available   |
| Decomposition temperature                        | : | No data available   |
| Viscosity<br>Viscosity, kinematic                | : | No data available   |
| Explosive properties                             | : | Not explosive   |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing.                        |
| Molecular weight                                 | : | No data available   |
| Particle size                                    | : | No data available   |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | Not classified as a reactivity hazard.   |
| Chemical stability                 | : | Stable under normal conditions.  |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | Heat, flames and sparks.<br>Avoid dust formation.  |
| Incompatible materials             | : | Oxidizing agents   |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.   |

## Etoricoxib Formulation

Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Etoricoxib:**

Acute oral toxicity : LD50 (Rat): 1,499 mg/kg  
LD50 (Mouse): 1,499 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 238 mg/kg  
Application Route: Intraperitoneal  
LD50 (Mouse): 599 mg/kg  
Application Route: Intraperitoneal

**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Etoricoxib:**

Species : Rabbit  
Result : No skin irritation

## Etoricoxib Formulation

Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

---

### **Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Etoricoxib:**

Species : Rabbit  
Result : Mild eye irritation

### **Titanium dioxide:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Etoricoxib:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : negative

### **Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative



## Etoricoxib Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 4.13    | 02.10.2020     | 26525-00018 | Date of first issue: 29.10.2014 |

---

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Etoricoxib:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: human lymphoblastoid cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Alkaline elution assay  
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

Test Type: Alkaline elution assay  
Species: Rat  
Application Route: Oral  
Result: negative

**Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

Suspected of causing cancer if inhaled.

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

## Etoricoxib Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 4.13    | 02.10.2020     | 26525-00018 | Date of first issue: 29.10.2014 |

---

**Etoricoxib:**

Species : Rat, male and female  
 Application Route : oral (gavage)  
 Exposure time : 2 Years  
 Result : positive

Species : Mouse, male and female  
 Application Route : oral (gavage)  
 Exposure time : 2 Years  
 Result : negative

**Titanium dioxide:**

Species : Rat  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 Years  
 Method : OECD Test Guideline 453  
 Result : positive  
 Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**Etoricoxib:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat, female  
 Application Route: Oral  
 General Toxicity - Parent: NOAEL: 10 mg/kg body weight  
 Result: positive

Test Type: Fertility/early embryonic development  
 Species: Rat, male  
 Application Route: Oral  
 Result: negative

## Etoricoxib Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 4.13    | 02.10.2020     | 26525-00018 | Date of first issue: 29.10.2014 |

---

Effects on foetal development : Species: Rat  
Application Route: Oral  
Result: positive

Species: Rabbit  
Application Route: Oral  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Kidney, Liver, Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

**Components:****Etoricoxib:**

Exposure routes : Ingestion  
Target Organs : Kidney, Liver, Gastrointestinal tract  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Etoricoxib:**

Species : Rat  
LOAEL : 30 mg/kg  
Application Route : oral (gavage)  
Exposure time : 27 Weeks  
Target Organs : Gastrointestinal tract, Kidney

Species : Rat  
NOAEL : 30 mg/kg  
Application Route : oral (gavage)  
Exposure time : 53 Weeks  
Target Organs : Liver

Species : Dog  
NOAEL : 50 mg/kg  
Application Route : oral (gavage)  
Exposure time : 53 Weeks  
Target Organs : Liver

# SAFETY DATA SHEET



## Etoricoxib Formulation



Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

---

Species : Dog  
LOAEL : 200 mg/kg  
Application Route : oral (gavage)  
Exposure time : 14 Weeks  
Target Organs : Gastrointestinal tract, Kidney

### Titanium dioxide:

Species : Rat  
NOAEL : 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 yr

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Etoricoxib:**

Ingestion : Symptoms: upper respiratory tract infection, Headache, hypertension, Diarrhoea, urinary tract infection, flu-like symptoms, heartburn, Nausea, bronchitis, Dizziness, asthenia, Rash, Back pain, Cough, Abdominal pain, pharyngitis, Oedema

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

##### **Etoricoxib:**

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): > 30 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 30 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 10 mg/l

# SAFETY DATA SHEET



## Etoricoxib Formulation



Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

---

- Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 7.93 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.75 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- Titanium dioxide:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

##### **Etoricoxib:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 0.2 %  
Exposure time: 28 d

### Bioaccumulative potential

#### Components:

##### **Etoricoxib:**

# SAFETY DATA SHEET



## Etoricoxib Formulation



Version 4.13      Revision Date: 02.10.2020      SDS Number: 26525-00018      Date of last issue: 23.03.2020  
Date of first issue: 29.10.2014

---

Partition coefficient: n-octanol/water : log Pow: 2.3

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Etoricoxib)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Etoricoxib)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Etoricoxib)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 4.13    | 02.10.2020     | 26525-00018 | Date of first issue: 29.10.2014 |

---

**National Regulations****ADG**

|                      |   |   |
|----------------------|---|---|
| UN number            | : | UN 3077   |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Etoricoxib) |
| Class                | : | 9   |
| Packing group        | : | III   |
| Labels               | : | 9   |
| Hazchem Code         | : | 2Z  |

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                                    |   |   |
|------------------------------------|---|---|
| Prohibition/Licensing Requirements | : | There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations. |
|------------------------------------|---|---|

**The components of this product are reported in the following inventories:**

|       |   |                |
|-------|---|----------------|
| AICS  | : | not determined |
| DSL   | : | not determined |
| IECSC | : | not determined |

---

**SECTION 16. OTHER INFORMATION****Further information**

|   |   |   |
|---|---|---|
| Revision Date   | : | 02.10.2020  |
| Sources of key data used to compile the Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> |

|             |   |            |
|-------------|---|------------|
| Date format | : | dd.mm.yyyy |
|-------------|---|------------|

**Full text of other abbreviations**

|        |   |  |
|--------|---|--|
| ACGIH  | : | USA. ACGIH Threshold Limit Values (TLV)                            |
| AU OEL | : | Australia. Workplace Exposure Standards for Airborne Contaminants. |

# SAFETY DATA SHEET



## Etoricoxib Formulation



|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.03.2020  |
| 4.13    | 02.10.2020     | 26525-00018 | Date of first issue: 29.10.2014 |

---

ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN