

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ezetimibe Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

GHS Classification

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : None

Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 20 -< 30
Ezetimibe	163222-33-1	>= 10 -< 20
Sodium n-dodecyl sulfate	151-21-3	>= 1 -< 3
Magnesium stearate	557-04-0	>= 1 -< 10
2-Pyrrolidone	616-45-5	>= 0.1 -< 0.3

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Fluorine compounds
Sulphur oxides

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Metal oxides

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
-

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	PEL (long term)	10 mg/m ³	SG OEL
		TWA	10 mg/m ³	ACGIH
Ezetimibe	163222-33-1	TWA	25 µg/m ³ (OEB 3)	Internal
		Wipe limit	250 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	PEL (long term)	10 mg/m ³	SG OEL
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

- Skin and body protection : aerosols.
: Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
-

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Colour : off-white
- Odour : No data available
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Relative density : No data available

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Cellulose:

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ezetimibe:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg
LD50 (Dog): > 3,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): > 1,000 - < 2,000 mg/kg
Application Route: Intraperitoneal

Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal

Ezetimibe Formulation

Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Ezetimibe:**

Species : Rabbit
Result : No skin irritation

Sodium n-dodecyl sulfate:

Species : Rabbit
Result : Skin irritation

Magnesium stearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

2-Pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Ezetimibe:**

Species : Rabbit
Result : No eye irritation

Sodium n-dodecyl sulfate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

2-Pyrrolidone:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Ezetimibe Formulation

Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Ezetimibe:**

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Sodium n-dodecyl sulfate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Magnesium stearate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse

Ezetimibe Formulation

Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Application Route: Ingestion

Result: negative

Ezetimibe:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Chromosomal aberration

Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Sodium n-dodecyl sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Ezetimibe Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.2	16.10.2020	23847-00016	Date of first issue: 21.10.2014

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Cellulose:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 72 weeks
 Result : negative

Ezetimibe:

Species : Rat, female
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Species : Rat, male
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Species : Mouse
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Sodium n-dodecyl sulfate:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : negative
 Remarks : Based on data from similar materials

2-Pyrrolidone:

Species : Mouse
 Application Route : Ingestion
 Exposure time : 18 month(s)

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Ezetimibe:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Fertility: NOAEL: > 1,000 mg/kg body weight
Result: No effects on fertility, No fetotoxicity

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight
Result: No adverse effects

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight
Result: No adverse effects

Sodium n-dodecyl sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Magnesium stearate:

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Ezetimibe:

Species : Dog
NOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Rat

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

NOAEL : 1,500 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Mouse
NOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 1 yr
Remarks : No significant adverse effects were reported

Sodium n-dodecyl sulfate:

Species : Rat
NOAEL : 488 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Magnesium stearate:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

2-Pyrrolidone:

Species : Rat
NOAEL : 207 mg/kg
Application Route : Ingestion
Exposure time : 3 Months
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Components:

Ezetimibe:

Not applicable

Experience with human exposure

Components:

Ezetimibe:

Ingestion : Symptoms: Headache, Nausea, Vomiting, Diarrhoea, flatu-

Ezetimibe Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.2	16.10.2020	23847-00016	Date of first issue: 21.10.2014

lence, muscle pain, upper respiratory tract infection, Back pain, joint pain

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Ezetimibe:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): > 0.125 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 0.317 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0.317 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.051 mg/l
Exposure time: 33 d
Method: OECD Test Guideline 210

NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 4 mg/l
Exposure time: 7 d
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.282 mg/l
Exposure time: 21 d
Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 4.4 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition

Ezetimibe Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.2	16.10.2020	23847-00016	Date of first issue: 21.10.2014

Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility

NOEC: 4.4 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility

Sodium n-dodecyl sulfate:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l
Exposure time: 72 h
- NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l
Exposure time: 42 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l
Exposure time: 7 d
- Toxicity to microorganisms : EC50: 135 mg/l
Exposure time: 3 h

Magnesium stearate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: DIN 38412
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 47 h
Test substance: Water Accommodated Fraction
Method: Directive 67/548/EEC, Annex V, C.2.
Remarks: Based on data from similar materials
No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

Ezetimibe Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.2	16.10.2020	23847-00016	Date of first issue: 21.10.2014

mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 100 mg/l
 Exposure time: 16 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

2-Pyrrolidone:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): > 4,600 - 10,000 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 500 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Desmodesmus subspicatus* (green algae)): > 500 mg/l
 Exposure time: 72 h

EC10 (*Desmodesmus subspicatus* (green algae)): 22.2 mg/l
 Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
 Exposure time: 30 min
 Method: OECD Test Guideline 209

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Ezetimibe:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 6.8 %
 Exposure time: 28 d

Stability in water : Hydrolysis: 50 %(4.5 d)
 Method: OECD Test Guideline 111

Sodium n-dodecyl sulfate:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 95 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301B

Magnesium stearate:

Biodegradability : Result: Not biodegradable

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

Remarks: Based on data from similar materials

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Ezetimibe:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 173
Exposure time: 97 d
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.36

Sodium n-dodecyl sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.83

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.71
Method: OECD Test Guideline 107

Mobility in soil

Components:

Ezetimibe:

Distribution among environmental compartments : log Koc: 4.35
Method: OECD Test Guideline 106

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET



Ezetimibe Formulation



Version 5.2 Revision Date: 16.10.2020 SDS Number: 23847-00016 Date of last issue: 23.03.2020
Date of first issue: 21.10.2014

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ezetimibe)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Ezetimibe)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ezetimibe)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations : Not applicable

Fire Safety (Petroleum and Flammable Materials) : Not applicable

SAFETY DATA SHEET



Ezetimibe Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.2	16.10.2020	23847-00016	Date of first issue: 21.10.2014

Regulations

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health Act - First Schedule Permissible Exposure Limits of Toxic Substances

ACGIH / TWA : 8-hour, time-weighted average
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

SAFETY DATA SHEET



Ezetimibe Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.2	16.10.2020	23847-00016	Date of first issue: 21.10.2014

portation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN