

SAFETY DATA SHEET



Ezetimibe / Rosuvastatin Formulation



Version 1.6 Revision Date: 10.10.2020 SDS Number: 3177580-00007 Date of last issue: 23.03.2020
Date of first issue: 18.09.2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ezetimibe / Rosuvastatin Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity : Category 1B

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure (Oral) : Category 2 (Liver, Kidney, muscle)

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Eye)

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.
H360FD May damage fertility. May damage the unborn child.
H371 May cause damage to organs (Liver, Kidney, muscle) if swallowed.
H373 May cause damage to organs (Eye) through prolonged or repeated exposure if swallowed.
H411 Toxic to aquatic life with long lasting effects.

Ezetimibe / Rosuvastatin Formulation

Version 1.6 Revision Date: 10.10.2020 SDS Number: 3177580-00007 Date of last issue: 23.03.2020
 Date of first issue: 18.09.2018

Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
 P391 Collect spillage.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
 May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 10 -< 20
Ezetimibe	163222-33-1	>= 2.5 -< 10
Rosuvastatin	147098-20-2	>= 2.5 -< 10
Sodium n-dodecyl sulfate	151-21-3	>= 1 -< 3
Magnesium stearate	557-04-0	>= 1 -< 10

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	May cause cancer. May damage fertility. May damage the unborn child. May cause damage to organs if swallowed. May cause damage to organs through prolonged or repeated exposure if swallowed. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Fluorine compounds Nitrogen oxides (NO _x) Sulphur oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

SAFETY DATA SHEET



Ezetimibe / Rosuvastatin Formulation



Version 1.6 Revision Date: 10.10.2020 SDS Number: 3177580-00007 Date of last issue: 23.03.2020
 Date of first issue: 18.09.2018

Cellulose	9004-34-6	PEL (long term)	10 mg/m3	SG OEL
		TWA	10 mg/m3	ACGIH
Ezetimibe	163222-33-1	TWA	25 µg/m3 (OEB 3)	Internal
		Wipe limit	250 µg/100 cm ²	Internal
Rosuvastatin	147098-20-2	TWA	20 µg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	PEL (long term)	10 mg/m3	SG OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of

SAFETY DATA SHEET



Ezetimibe / Rosuvastatin Formulation



Version 1.6 Revision Date: 10.10.2020 SDS Number: 3177580-00007 Date of last issue: 23.03.2020
Date of first issue: 18.09.2018

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white to off-white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Cellulose:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Ezetimibe:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg LD50 (Mouse): > 5,000 mg/kg
---------------------	---	--

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

LD50 (Dog): > 3,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg
Application Route: IntraperitonealLD50 (Mouse): > 1,000 - < 2,000 mg/kg
Application Route: Intraperitoneal**Rosuvastatin:**Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Target Organs: Liver, Stomach, muscle, Kidney**Sodium n-dodecyl sulfate:**Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials**Magnesium stearate:**Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materialsAcute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials**Skin corrosion/irritation**

Not classified based on available information.

Components:**Ezetimibe:**Species : Rabbit
Result : No skin irritation**Sodium n-dodecyl sulfate:**Species : Rabbit
Result : Skin irritation**Magnesium stearate:**Species : Rabbit
Result : No skin irritation

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Ezetimibe:**

Species : Rabbit
Result : No eye irritation

Sodium n-dodecyl sulfate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Ezetimibe:**

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Sodium n-dodecyl sulfate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Magnesium stearate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Germ cell mutagenicity

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Ezetimibe:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Rosuvastatin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Test system: Escherichia coli
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster lung cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Ingestion
Result: negative

Sodium n-dodecyl sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

May cause cancer.

Components:**Cellulose:**

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Ezetimibe:

Species : Rat, female
Application Route : oral (feed)
Exposure time : 104 weeks
Result : negative

Species : Rat, male
Application Route : oral (feed)
Exposure time : 104 weeks
Result : negative

Species : Mouse
Application Route : oral (feed)
Exposure time : 104 weeks
Result : negative

Rosuvastatin:

Species : Rat
Application Route : Oral

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Exposure time : 104 weeks
 LOAEL : 80 mg/kg body weight
 Result : positive
 Symptoms : Tumour
 Target Organs : Uterus (including cervix)

Species : Mouse
 Application Route : Oral
 Exposure time : 107 weeks
 LOAEL : 200 mg/kg body weight
 Result : positive
 Symptoms : liver adenoma, carcinoma
 Target Organs : Liver

Sodium n-dodecyl sulfate:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : negative
 Remarks : Based on data from similar materials

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Ezetimibe:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat, male and female
 Fertility: NOAEL: > 1,000 mg/kg body weight
 Result: No effects on fertility, No fetotoxicity

Effects on foetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight
 Result: No adverse effects

Test Type: Development
 Species: Rabbit
 Application Route: Oral

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight
Result: No adverse effects

Rosuvastatin:

Effects on fertility

: Test Type: Fertility
Species: Rat
Application Route: Oral
Fertility: NOAEL: 50 mg/kg body weight

Test Type: Fertility
Species: Monkey
Application Route: Oral
Fertility: LOAEL: 30 mg/kg body weight
Result: Effects on male and female reproductive organs.

Effects on foetal development

: Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 50 mg/kg body weight
Result: foetal mortality

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 3 mg/kg body weight
Result: foetal mortality, Maternal toxicity observed.

Reproductive toxicity - Assessment

: May damage fertility. May damage the unborn child.

Sodium n-dodecyl sulfate:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Magnesium stearate:

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

ment	Species: Rat
	Application Route: Ingestion
	Result: negative
	Remarks: Based on data from similar materials

STOT - single exposure

May cause damage to organs (Liver, Kidney, muscle) if swallowed.

Components:**Rosuvastatin:**

Exposure routes	: Oral
Target Organs	: Liver, Kidney, muscle
Assessment	: Causes damage to organs.

STOT - repeated exposure

May cause damage to organs (Eye) through prolonged or repeated exposure if swallowed.

Components:**Rosuvastatin:**

Exposure routes	: Oral
Target Organs	: Eye
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Cellulose:**

Species	: Rat
NOAEL	: >= 9,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Ezetimibe:

Species	: Dog
NOAEL	: 1,000 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Remarks	: No significant adverse effects were reported

Species	: Rat
NOAEL	: 1,500 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Remarks	: No significant adverse effects were reported

Species	: Mouse
NOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 90 d

SAFETY DATA SHEET



Ezetimibe / Rosuvastatin Formulation



Version 1.6 Revision Date: 10.10.2020 SDS Number: 3177580-00007 Date of last issue: 23.03.2020
Date of first issue: 18.09.2018

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 1 yr
Remarks : No significant adverse effects were reported

Rosuvastatin:

Species : Dog
LOAEL : 90 mg/kg
Application Route : Oral
Exposure time : 24 Days
Target Organs : Brain
Symptoms : Oedema, Blood disorders, Necrosis
Remarks : Based on data from similar materials

Species : Dog
LOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Cornea
Symptoms : Corneal opacity
Remarks : Based on data from similar materials

Species : Dog
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 12 Weeks
Target Organs : Eye
Symptoms : Eye disease
Remarks : Based on data from similar materials

Species : Dog
LOAEL : 90 mg/kg
Application Route : Oral
Exposure time : 4 Weeks
Target Organs : eye - retina
Symptoms : Eye disease
Remarks : Based on data from similar materials

Sodium n-dodecyl sulfate:

Species : Rat
NOAEL : 488 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Magnesium stearate:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:**Ezetimibe:**

Not applicable

Experience with human exposure**Components:****Ezetimibe:**

Ingestion : Symptoms: Headache, Nausea, Vomiting, Diarrhoea, flatulence, muscle pain, upper respiratory tract infection, Back pain, joint pain

Rosuvastatin:

Ingestion : Target Organs: Kidney
Symptoms: kidney toxicity
Remarks: Based on Human Evidence
Target Organs: muscle
Symptoms: musculoskeletal pain
Remarks: Based on Human Evidence
Target Organs: Liver
Symptoms: liver function change
Remarks: Based on Human Evidence

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Ezetimibe:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.125 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.317 mg/l

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

	Exposure time: 96 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.317 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.051 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
	NOEC (Cyprinodon variegatus (sheepshead minnow)): 4 mg/l Exposure time: 7 d Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.282 mg/l Exposure time: 21 d Remarks: No toxicity at the limit of solubility
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 4.4 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility
	NOEC: 4.4 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility
Rosuvastatin:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 hrs Method: FDA 4.11
	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,000 mg/l Exposure time: 96 hrs Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 63 mg/l Exposure time: 48 hrs Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Microcystis aeruginosa (blue-green algae)): > 640 mg/l Exposure time: 96 hrs Method: FDA 4.01
	NOEC (Microcystis aeruginosa (blue-green algae)): 330 mg/l

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Exposure time: 96 hrs
Method: FDA 4.01

EC50 (Pseudokirchneriella subcapitata (green algae)): > 800 mg/l
Exposure time: 96 hrs
Method: FDA 4.01

NOEC (Pseudokirchneriella subcapitata (green algae)): 350 mg/l
Exposure time: 96 hrs
Method: FDA 4.01

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1 mg/l
Exposure time: 32 Days
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.018 mg/l
Exposure time: 21 Days
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 3 hrs
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 100 mg/l
Exposure time: 3 hrs
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Sodium n-dodecyl sulfate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l
Exposure time: 42 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Exposure time: 3 h

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
 Exposure time: 48 h
 Method: DIN 38412
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
 Exposure time: 47 h
 Test substance: Water Accommodated Fraction
 Method: Directive 67/548/EEC, Annex V, C.2.
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l
 Exposure time: 16 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Ezetimibe:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 6.8 %
 Exposure time: 28 d

Stability in water : Hydrolysis: 50 % (4.5 d)
 Method: OECD Test Guideline 111

Rosuvastatin:

Biodegradability : Biodegradation: < 10 %

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Exposure time: 28 Days
 Method: OECD Test Guideline 301F
 Remarks: Not inherently biodegradable.

Stability in water : Hydrolysis: < 10 %(5 Days)

Sodium n-dodecyl sulfate:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 95 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301B

Magnesium stearate:

Biodegradability : Result: Not biodegradable
 Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Ezetimibe:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
 Bioconcentration factor (BCF): 173
 Exposure time: 97 d
 Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.36

Rosuvastatin:

Partition coefficient: n-octanol/water : log Pow: 0.3

Sodium n-dodecyl sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.83

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Mobility in soil**Components:****Ezetimibe:**

Distribution among environmental compartments : log Koc: 4.35
 Method: OECD Test Guideline 106

Rosuvastatin:

Distribution among environmental compartments : log Koc: 2.15
 Method: FDA 3.08

Ezetimibe / Rosuvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Ezetimibe, Rosuvastatin)
 Class : 9
 Packing group : III
 Labels : 9

IATA-DGR

UN/ID No. : UN 3077
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
 (Ezetimibe, Rosuvastatin)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 956
 Packing instruction (passenger aircraft) : 956
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Ezetimibe, Rosuvastatin)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET



Ezetimibe / Rosuvastatin Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health Act - First Schedule Permissible Exposure Limits of Toxic Substances

ACGIH / TWA : 8-hour, time-weighted average
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET



Ezetimibe / Rosuvastatin Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
1.6	10.10.2020	3177580-00007	Date of first issue: 18.09.2018

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN