according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Felbamate Solid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Pharmaceutical

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.

Shotton Lane

NE23 3JU Cramlington NU - Great Britain

Telephone : 44 1 670 59 30 00

E-mail address of person responsible for the SDS

: EHSSTEWARD@organon.com

#### 1.4 Emergency telephone number

215-631-6999

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

## 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Components

| Chemical name | CAS-No. | Classification | Concentration |
|---------------|---------|----------------|---------------|
|               | EC-No.  |                | (% w/w)       |

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

|   | Index-No. Registration number |              |
|---|-------------------------------|--------------|
| 2-phenylpropane-1,3-diyl dicar-<br>bamate | 25451-15-4<br>247-001-4       | >= 50 - < 70 |

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not use a solid water stream as it may scatter and spread

fire.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

## 5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to Regulation (EC) No. 1907/2006

# **ORGANON**

## **Felbamate Solid Formulation**

Version Date of last issue: 28.09.2020 Revision Date: SDS Number: 1.8 09.04.2021 2338748-00009 Date of first issue: 13.12.2017

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Use only with adequate ventilation.

Local/Total ventilation Advice on safe handling

Do not breathe dust.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures If exposure to chemical is likely during typical use, provide eye

> flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Do not store with the following product types: Advice on common storage

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) No data available

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

| Components                                    | CAS-No.    | Value type (Form of exposure) | Control parameters | Basis    |
|---|------------|-------------------------------|--------------------|----------|
| 2-phenylpropane-<br>1,3-diyl dicarba-<br>mate | 25451-15-4 | TWA                           | 400 μg/m3 (OEB 2)  | Internal |

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 28.09.2020 1.8 09.04.2021 2338748-00009 Date of first issue: 13.12.2017

| Starch, oxidized | 65996-62-5  | TWA (inhalable dust)   | 10 mg/m3   | GB EH40   |  |  |
|------------------|---|--|--|---|--|--|
|                  | Further inform  | Further information: Capable of causing occupational asthma.   |  |   |  |  |
|                  |   | STEL (inhalable dust)  | 30 mg/m3   | GB EH40   |  |  |
|                  | Further inform  | nation: Capable of ca  | ausing occupational asthma.  |   |  |  |
| Cellulose        | 9004-34-6   | TWA (inhalable dust)   | 10 mg/m3   | GB EH40   |  |  |
|                  | Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with. |  |  |   |  |  |
|                  | their own assi  | TWA (Respirable dust)  | 4 mg/m3  | GB EH40   |  |  |
|                  | halable dust a sampling is ur MDHS14/4 Go ble, thoracic a hazardous to in air equal to mg.m-3 8-hou ject to COSHI have been as the appropriat of sizes. The entry into the depend on the fractions for libble dust approand mouth durespiratory trato the gas examaterial are g   | nation: For the purpoure those fractions of adertaken in accordate eneral methods for sund inhalable aeroso health includes dust or greater than 10 nur TWA of respirable of if people are expossigned specific WEL te limits., Most industice limits., Most industice haviour, deposition human respiratory such a mature and size of mit-setting purposes oximates to the fraction of the interest of the setting breathing and is act. Respirable dust a change region of the iven in MDHS14/4., gned WEL, all the region of the set in the s | ses of these limits, respirable airborne dust which will be cance with the methods describe ampling and gravimetric analls., The COSHH definition of of any kind when present at ang.m-3 8-hour TWA of inhala dust. This means that any dust above these levels and exposure to these mustrial dusts contain particles of any particular paystem, and the body responsithe particle. HSE distinguished termed 'inhalable' and 'respiron of airborne material that each therefore available for deponsition of the pays the fraction that the each proximates to the fraction that the each pays the distinct of the pays the p | collected when bed in lysis or respira- a substance a concentration ble dust or 4 ust will be subs. Some dusts of comply with a wide range article after e that it elicits, es two size rable'., Inhalamenters the nose sition in the hat penetrates explanatory nents that have lied with. |  |  |
|                  |   | STEL (inhalable dust)  | 20 mg/m3   | GB EH40   |  |  |

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.

#### 8.2 Exposure controls

## **Engineering measures**

Use feasible engineering controls to minimize exposure to compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to BS EN 143

Filter type : Particulates type (P)

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : No data available
Odour : No data available
Odour Threshold : No data available

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

: No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility
Partition coefficient: n-

octanol/water

No data available

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Dust deflagration index (Kst) : 192 m.b\_/s

Minimum ignition energy : 3 - 5 mJ

Particle size : No data available

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

## 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form combustible dust concentrations in air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Information on likely routes of : Inhalation exposure Skin contact

Ingestion

Eye contact

#### **Acute toxicity**

Not classified based on available information.

## **Components:**

## 2-phenylpropane-1,3-diyl dicarbamate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

## 2-phenylpropane-1,3-diyl dicarbamate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### Components:

#### 2-phenylpropane-1,3-diyl dicarbamate:

Species : Mouse
Application Route : Oral
Exposure time : 92 weeks

LOAEL : 300 mg/kg body weight

Target Organs : Liver

Species : Rat
Application Route : Oral
Exposure time : 104 weeks

NOAEL : 30 mg/kg body weight

Target Organs : Liver, Testes
Remarks : Benign tumor(s)

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### 2-phenylpropane-1,3-diyl dicarbamate:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 1,000 mg/kg body weight

Remarks: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 500 mg/kg body weight Result: Reduced foetal weight, Embryotoxic effects and adverse effects on the offspring were detected only at high ma-

ternally toxic doses

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 300 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### **Components:**

## 2-phenylpropane-1,3-diyl dicarbamate:

Species : Rat

NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Remarks : May cause damage to organs.

Species : Dog
NOAEL : 280 mg/kg
Application Route : Oral
Exposure time : 3 Months

Target Organs : Liver, Central nervous system

Species : Rat

NOAEL : 30 mg/kg

Application Route : Oral

Exposure time : 1 yr

Target Organs : Liver

Remarks : May cause damage to organs.

Species : Dog NOAEL : 30 mg/kg Application Route : Oral Exposure time : 1 yr

Target Organs : Liver, Central nervous system Remarks : May cause damage to organs.

## **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

## **Components:**

## 2-phenylpropane-1,3-diyl dicarbamate:

Ingestion : Target Organs: Liver

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

Symptoms: anorexia, Nausea, Vomiting, Headache, Dizzi-

ness, insomnia, Drowsiness

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Components:**

#### 2-phenylpropane-1,3-diyl dicarbamate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

## 12.2 Persistence and degradability

#### Components:

## 2-phenylpropane-1,3-diyl dicarbamate:

Stability in water : Hydrolysis: < 10 %(5 d)

#### 12.3 Bioaccumulative potential

#### **Components:**

## 2-phenylpropane-1,3-diyl dicarbamate:

Partition coefficient: n-

octanol/water

: log Pow: 0.381

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Other adverse effects

## **Product:**

Endocrine disrupting poten-

tial

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 28.09.2020 1.8 09.04.2021 2338748-00009 Date of first issue: 13.12.2017

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High :

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

## The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

#### Full text of other abbreviations

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous

according to Regulation (EC) No. 1907/2006



## **Felbamate Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.09.2020

 1.8
 09.04.2021
 2338748-00009
 Date of first issue: 13.12.2017

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN