

Felbamate Suspension Formulation



Version Revision Date: SDS Number: Date of last issue: 09/28/2020 1.7 04/09/2021 2364264-00008 Date of first issue: 01/11/2018

SECTION 1. IDENTIFICATION

Product name : Felbamate Suspension Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000 Emergency telephone : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
Glycerine	1,2,3-	56-81-5	>= 10 - < 30 *
	Propanetriol		>= 10 - < 30
2-phenylpropane-1,3-	No data availa-	25451-15-4	>= 10 - < 30 *
diyl dicarbamate	ble		>= 10 - < 30
Cellulose	No data availa-	9004-34-6	>= 1 - < 5 *
	ble		>= 1 - < 5

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.



Felbamate Suspension Formulation



Version **Revision Date:** SDS Number: Date of last issue: 09/28/2020 04/09/2021 2364264-00008 Date of first issue: 01/11/2018 1.7

None known.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed Protection of first-aiders

No special precautions are necessary for first aid responders.

Notes to physician Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items



Felbamate Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2020 1.7 04/09/2021 2364264-00008 Date of first issue: 01/11/2018

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (Mist)	10 mg/m ³	CA AB OEL
		TWA (Mist)	10 mg/m ³	CA BC OEL
		TWA (Respirable mist)	3 mg/m³	CA BC OEL
		TWAEV (Mist)	10 mg/m³	CA QC OEL
2-phenylpropane-1,3-diyl di- carbamate	25451-15-4	TWA	400 μg/m3 (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL
		TWAEV (to- tal dust)	10 mg/m³	CA QC OEL
		TWA	10 mg/m ³	ACGIH

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.



Felbamate Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2020 1.7 04/09/2021 2364264-00008 Date of first issue: 01/11/2018

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

: Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : Pinkish beige

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available



Felbamate Suspension Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/28/2020 04/09/2021 2364264-00008 Date of first issue: 01/11/2018 1.7

flammability limit

Vapor pressure No data available

No data available Relative vapor density

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

No data available Autoignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

: None known. Conditions to avoid Incompatible materials Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Glycerine:



ORGANON

Felbamate Suspension Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/28/2020

 1.7
 04/09/2021
 2364264-00008
 Date of first issue: 01/11/2018

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

2-phenylpropane-1,3-diyl dicarbamate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative



Felbamate Suspension Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/28/2020 04/09/2021 2364264-00008 Date of first issue: 01/11/2018 1.7

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

2-phenylpropane-1,3-diyl dicarbamate:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration

Result: negative

Cellulose:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Glycerine:

Species Rat Application Route Ingestion Exposure time 2 Years Result negative

2-phenylpropane-1,3-diyl dicarbamate:

Species Mouse **Application Route** Oral Exposure time 92 weeks

LOAEL 300 mg/kg body weight

Target Organs Liver

Species Rat **Application Route** Oral Exposure time

104 weeks

NOAEL 30 mg/kg body weight



Felbamate Suspension Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/28/2020 04/09/2021 2364264-00008 Date of first issue: 01/11/2018 1.7

Liver, Testes **Target Organs** Remarks Benign tumor(s)

Cellulose:

Species Rat Application Route Ingestion Exposure time 72 weeks Result negative

Reproductive toxicity

Not classified based on available information.

Components:

Glycerine:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

2-phenylpropane-1,3-diyl dicarbamate:

Effects on fertility Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 1,000 mg/kg body weight

Remarks: No significant adverse effects were reported

Effects on fetal development Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 500 mg/kg body weight Result: Reduced fetal weight., Embryotoxic effects and adverse effects on the offspring were detected only at high

maternally toxic doses

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 300 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Cellulose:

Effects on fertility Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative



Felbamate Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2020 1.7 04/09/2021 2364264-00008 Date of first issue: 01/11/2018

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Glycerine:

 Species
 : Rat

 NOAEL
 : 0.167 mg/l

 LOAEL
 : 0.622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8,000 - 10,000 mg/kg

Application Route : Ingestion Exposure time : 2 y

Species : Rabbit

NOAEL : 5,040 mg/kg

Application Route : Skin contact

Exposure time : 45 Weeks

2-phenylpropane-1,3-diyl dicarbamate:

Species : Rat
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Remarks : May cause damage to organs.

Species : Dog
NOAEL : 280 mg/kg
Application Route : Oral
Exposure time : 3 Months

Target Organs : Liver, Central nervous system

Species : Rat

NOAEL : 30 mg/kg

Application Route : Oral

Exposure time : 1 y

Target Organs : Liver

Remarks : May cause damage to organs.







Version **Revision Date:** SDS Number: Date of last issue: 09/28/2020 04/09/2021 2364264-00008 Date of first issue: 01/11/2018 1.7

Species Dog NOAEL 30 mg/kg **Application Route** Oral Exposure time 1 y

Liver, Central nervous system **Target Organs** Remarks May cause damage to organs.

Cellulose:

Species Rat

>= 9,000 mg/kgNOAEL Application Route Ingestion Exposure time 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

2-phenylpropane-1,3-diyl dicarbamate:

Ingestion Target Organs: Liver

Symptoms: anorexia, Nausea, Vomiting, Headache, Dizzi-

ness, insomnia, Drowsiness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Glycerine:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to microorganisms NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

Method: DIN 38 412 Part 8

2-phenylpropane-1,3-diyl dicarbamate:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Cellulose:



Felbamate Suspension Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/28/2020 04/09/2021 2364264-00008 Date of first issue: 01/11/2018 1.7

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Toxicity to fish

Exposure time: 48 h

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Glycerine:

Biodegradability Result: Readily biodegradable.

Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

2-phenylpropane-1,3-diyl dicarbamate:

Stability in water Hydrolysis: < 10 %(5 d)

Cellulose:

Biodegradability Result: Readily biodegradable.

Bioaccumulative potential

Components:

Glycerine:

Partition coefficient: n-

log Pow: -1.75

octanol/water

2-phenylpropane-1,3-diyl dicarbamate:

Partition coefficient: n-

: log Pow: 0.381

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste Contaminated packaging

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good



Felbamate Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2020 1.7 04/09/2021 2364264-00008 Date of first issue: 01/11/2018

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median



Felbamate Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2020 1.7 04/09/2021 2364264-00008 Date of first issue: 01/11/2018

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/09/2021 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8