

Version 2.4	Revision Date: 09/28/2020		DS Number: 364239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018	
SECTION 1	1. IDENTIFICATION				
Produc	ct name	:	Felbamate Suspe	ension Formulation	
Manuf	Manufacturer or supplier's details				
Company name of supplier Address		 Organon & Co. 30 Hudson Street, 33nd floor Jersey City, New Jersey, U.S.A 07302 			
Telephone Emergency telephone E-mail address		: 551-430-6000 : 215-631-6999 : EHSSTEWARD@organon.com			
Recor	Recommended use of the chemical and restrictions on use				

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerine	56-81-5	>= 10 - < 20
2-phenylpropane-1,3-diyl dicarba- mate	25451-15-4	>= 10 - < 20
Cellulose	9004-34-6	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.

SAFETY DATA SHEET



Felbamate Suspension Formulation

Version 2.4	Revision Date: 09/28/2020		DS Number: 64239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018
Note	s to physician	:	Treat symptomati	cally and supportively.
SECTION	15. FIRE-FIGHTING ME	ASL	JRES	
Suita	Suitable extinguishing media		Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuitable extinguishing media		None known.	
	Specific hazards during fire fighting Hazardous combustion prod- ucts Specific extinguishing meth- ods		Exposure to comb	pustion products may be a hazard to health.
			Carbon oxides Nitrogen oxides (I	NOx)
			cumstances and t Use water spray t	measures that are appropriate to local cir- the surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	cial protective equipment re-fighters	:	necessary.	ed breathing apparatus for firefighting if tective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE



Version 2.4	Revision Date: 09/28/2020	SDS Number: 2364239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018			
Technical measures		: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.				
Loca	al/Total ventilation	: Use only with a	adequate ventilation.			
Advi	ce on safe handling	 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment. 				
Con	ditions for safe storage		Keep in properly labeled containers. Store in accordance with the particular national regulations.			
Mate	erials to avoid		ith the following product types:			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
2-phenylpropane-1,3-diyl di- carbamate	25451-15-4	TWA	400 µg/m3 (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
		TWA (Res- pirable)	5 mg/m³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m³	OSHA Z-1

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
Personal protective equipment	
Respiratory protection :	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection Material :	Chemical-resistant gloves



Version 2.4	Revision Date: 09/28/2020	SDS Number: 2364239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018
Eye protection		If the work envir mists or aeroso Wear a faceshie	sses with side shields or goggles. ronment or activity involves dusty conditions, ls, wear the appropriate goggles. eld or other full face protection if there is a sect contact to the face with dusts, mists, or
Skin and body protection Hygiene measures		 Work uniform of If exposure to c eye flushing system working place. When using do Wash contamin The effective op engineering cor appropriate deg 	hemical is likely during typical use, provide stems and safety showers close to the not eat, drink or smoke. ated clothing before re-use. beration of a facility should include review of ntrols, proper personal protective equipment, owning and decontamination procedures, ne monitoring, medical surveillance and the

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	Pinkish beige
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available



Vers 2.4	sion	Revision Date: 09/28/2020		S Number: 4239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018
	Density		:	No data available	9
	Solubility(ies) Water solubility		:	No data available	9
	Partition octanol	n coefficient: n-	:	Not applicable	
		ition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Glycerine:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Guinea pig): > 5,000 mg/kg

2-phenylpropane-1,3-diyl dicarbamate:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------



Version 2.4	Revision Date: 09/28/2020		DS Number: 64239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018
			LD50 (Mouse): >	5,000 mg/kg
Cellu				
Acute	oral toxicity	:	LD50 (Rat): > 5,0	000 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 5.8 Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rabbit): >	2,000 mg/kg
-	corrosion/irritation			
Not c	lassified based on ava	ilable	information.	
<u>Com</u>	<u>ponents:</u>			
•	erine:			
Speci Resu		:	Rabbit No skin irritation	
Serio	us eye damage/eye i	rritati	ion	
Not c	lassified based on ava	ilable	information.	
Com	<u>ponents:</u>			
Glyce	erine:			
Speci Resu		:	Rabbit No eye irritation	
Resp	iratory or skin sensit	izatio	on	
	sensitization lassified based on ava	ilable	information.	
•	iratory sensitization lassified based on ava	ilable	information.	
	cell mutagenicity lassified based on ava	ilable	information.	
Com	<u>oonents:</u>			
Glyce	erine:			
•	toxicity in vitro	:	Test Type: In vitr Result: negative	o mammalian cell gene mutation test
			Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: Chror Result: negative	nosome aberration test in vitro
				damage and repair, unscheduled DNA syn- Ilian cells (in vitro)



rsion I	Revision Date: 09/28/2020	SDS Number:Date of last issue: 03/23/20202364239-00008Date of first issue: 01/11/2018
		Result: negative
2-phe	enylpropane-1,3-diy	I dicarbamate:
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Result: negative
Cellu	lose:	
Genot	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genot	toxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion
	nogenicity assified based on av	railable information.
Not cl		vailable information.
Not cl <u>Comr</u> Glyce	assified based on av ponents: erine:	
Not cl <u>Comp</u> Glyce Speci	assified based on av ponents: erine: es	: Rat
Not cl <u>Comp</u> Glyce Speci Applic	assified based on av <u>conents:</u> erine: es cation Route	: Rat : Ingestion
Not cl <u>Comp</u> Glyce Speci Applic	assified based on av <u>conents:</u> erine: es cation Route sure time	: Rat
Not cl <u>Comp</u> Glyce Speci Applic Expos Resul	assified based on av <u>conents:</u> erine: es cation Route sure time	: Rat : Ingestion : 2 Years : negative
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci	assified based on av <u>conents:</u> erine: es cation Route sure time t enylpropane-1,3-diy es	: Rat : Ingestion : 2 Years : negative I dicarbamate: : Mouse
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic	assified based on av <u>ponents:</u> es es cation Route sure time t enylpropane-1,3-diy es cation Route	: Rat : Ingestion : 2 Years : negative I dicarbamate: : Mouse : Oral
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic Expos	assified based on av <u>conents:</u> erine: es cation Route sure time t enylpropane-1,3-diy es cation Route sure time	: Rat : Ingestion : 2 Years : negative I dicarbamate: : Mouse : Oral : 92 weeks
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic Expos LOAE	assified based on av <u>conents:</u> erine: es cation Route sure time t enylpropane-1,3-diy es cation Route sure time	: Rat : Ingestion : 2 Years : negative I dicarbamate: : Mouse : Oral
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic Expos LOAE Targe Speci	assified based on av <u>conents:</u> erine: es cation Route sure time t enylpropane-1,3-diy es cation Route sure time cation Route sure time t t Organs es	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat
Not cl Comp Glyce Specia Applic Expos Resul 2-phe Specia Applic Expos LOAE Targe Specia Applic	assified based on av <u>conents:</u> erine: es cation Route sure time t es cation Route sure time cation Route sure time cation Route sure time cation Route sure time cation Route cation Route	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic Expos LOAE Targe Speci Applic	assified based on av <u>conents:</u> erine: es cation Route sure time t es cation Route sure time iL t Organs es cation Route sure time iL	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral 104 weeks
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic Expos LOAE Targe Speci Applic Expos NOAE	assified based on av <u>conents:</u> erine: es cation Route sure time t es cation Route sure time sure time t t Organs es cation Route sure time EL	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral 104 weeks 30 mg/kg body weight
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic Expos LOAE Targe Speci Applic Expos NOAE	assified based on av <u>conents:</u> erine: es cation Route sure time t enylpropane-1,3-diy es cation Route sure time L t Organs es cation Route sure time L t Organs es cation Route sure time L t Organs	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral 104 weeks
Not cl Comp Glyce Speci Applic Expos Resul 2-phe Speci Applic Expos LOAE Targe Speci Applic Expos NOAE	assified based on av <u>conents:</u> erine: es cation Route sure time t es cation Route sure time L t Organs es cation Route sure time L t Organs es cation Route sure time L t Organs es cation Route sure time t Organs es cation Route sure time L t Organs es cation Route sure time L	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral 104 weeks 30 mg/kg body weight Liver, Testes
Not cl Comp Glyce Specia Applic Expos Resul 2-phe Specia Applic Expos LOAE Targe Specia Applic Expos NOAE Targe Rema	assified based on av <u>conents:</u> erine: es cation Route sure time t es cation Route sure time L t Organs es cation Route sure time L t Organs ins es cation Route sure time L t Organs es cation Route sure time L t Organs es cation Route sure time L t Organs ins es cation Route sure time L t Organs ins es cation Route sure time L t Organs ins es cation Route sure time cation Route sure time cation Route cation R	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral 104 weeks 30 mg/kg body weight Liver, Testes
Not cl Comp Glyce Specia Applic Expos Resul 2-phe Specia Applic Expos LOAE Targe Specia Applic Expos LOAE Targe Rema Cellul Specia Applic	assified based on av <u>ponents:</u> erine: es cation Route sure time t enylpropane-1,3-diy es cation Route sure time EL t Organs es cation Route sure time EL t Organs irks lose: es cation Route	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral 104 weeks 30 mg/kg body weight Liver, Testes Benign tumor(s) : Rat Ingestion
Not cl Comp Glyce Specia Applic Expos Resul 2-phe Specia Applic Expos LOAE Targe Specia Applic Expos LOAE Targe Rema Cellul Specia Applic	assified based on av <u>ponents:</u> erine: es cation Route sure time t enylpropane-1,3-diy es cation Route sure time EL t Organs es cation Route sure time EL t Organs irks lose: es cation Route sure time EL t Organs irks	 Rat Ingestion 2 Years negative I dicarbamate: Mouse Oral 92 weeks 300 mg/kg body weight Liver Rat Oral 104 weeks 30 mg/kg body weight Liver, Testes Benign tumor(s) : Rat



Versi 2.4	ion	Revision Date: 09/28/2020	-	9S Number: 64239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018			
I	IARC				at levels greater than or equal to 0.1% is onfirmed human carcinogen by IARC.			
(OSHA		lo component of this product present at levels greater than or equal to 0.1% is n OSHA's list of regulated carcinogens.					
I	NTP	5	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.					
1	Not cla	luctive toxicity ssified based on availa onents:	able	information.				
_	Glycer							
	-	on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion			
E	Effects	on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	o-fetal development : Ingestion			
	0 mhan	uluranana 4.0 diul di	"l					
	-	ylpropane-1,3-diyl di on fertility	:	Test Type: Fertilit Species: Rat Application Route Fertility: NOAEL:				
E	Effects	on fetal development	:	Species: Rat Application Route Developmental To Result: Reduced	: Oral oxicity: NOAEL: 500 mg/kg body weight etal weight., Embryotoxic effects and h the offspring were detected only at high			
				Result: Embryoto				
	Cellulo Effects	se: on fertility	:	Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion			



Version 2.4	Revision Date: 09/28/2020	SDS Number: 2364239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018
Effe	cts on fetal development	: Test Type: Fei Species: Rat Application Ro Result: negativ	
	T-single exposure classified based on availa	ble information.	
	T-repeated exposure classified based on availa	ble information.	
Rep	eated dose toxicity		
<u>Con</u>	nponents:		
Glye	cerine:		
	\EL	: Rat : 0.167 mg/l : 0.622 mg/l : inhalation (dus : 13 Weeks	st/mist/fume)
		: Rat : 8,000 - 10,000 : Ingestion : 2 y	mg/kg
		: Rabbit : 5,040 mg/kg : Skin contact : 45 Weeks	
2-pł	nenylpropane-1,3-diyl di	carbamate:	
Spe NOA App Exp Targ	cies	: Rat : 100 mg/kg : Oral : 3 Months : Liver	mage to organs.
Exp		: Dog : 280 mg/kg : Oral : 3 Months : Liver, Central	nervous system
Exp Targ		: Rat : 30 mg/kg : Oral : 1 y : Liver : May cause dat	mage to organs.



	Revision Date: 09/28/2020		DS Number: 64239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018
Expos	L ation Route ure time t Organs		Dog 30 mg/kg Oral 1 y Liver, Central ner May cause dama	
Cellul	ose:			
		:	Rat >= 9,000 mg/kg Ingestion 90 Days	
-	ation toxicity			
	assified based on availa ience with human exp			
•	onents:			
<u></u>		oorl	bamate:	
2-phe	nvibrobane-1.3-divi di	เสม		
2-phe Ingest	nylpropane-1,3-diyl di ion	:	Target Organs: L	xia, Nausea, Vomiting, Headache, Dizzi-
Ingest		:	Target Organs: L Symptoms: anore ness, insomnia, L	xia, Nausea, Vomiting, Headache, Dizzi-
Ingest	12. ECOLOGICAL INFO	:	Target Organs: L Symptoms: anore ness, insomnia, L	xia, Nausea, Vomiting, Headache, Dizzi-
TION -	12. ECOLOGICAL INFO	:	Target Organs: L Symptoms: anore ness, insomnia, L	xia, Nausea, Vomiting, Headache, Dizzi-
TION Ecoto <u>Comp</u>	ion 12. ECOLOGICAL INFO xicity onents:	:	Target Organs: L Symptoms: anore ness, insomnia, L	xia, Nausea, Vomiting, Headache, Dizzi-
Ingest CTION Ecoto <u>Comp</u> Glyce	ion 12. ECOLOGICAL INFO xicity onents:	:	Target Organs: Li Symptoms: anore ness, insomnia, D	xia, Nausea, Vomiting, Headache, Dizzi- prowsiness hus mykiss (rainbow trout)): 54,000 mg/l
Ingest CTION Ecoto Comp Glyce Toxicit	ion 12. ECOLOGICAL INFO xicity onents: rine: ty to fish	: ORI	Target Organs: Li Symptoms: anore ness, insomnia, E MATION LC50 (Oncorhyno Exposure time: 90	xia, Nausea, Vomiting, Headache, Dizzi- prowsiness hus mykiss (rainbow trout)): 54,000 mg/l 5 h
Ingest CTION Ecoto Comp Glyce Toxicit aquati	ion 12. ECOLOGICAL INFO xicity onents: rine: ty to fish ty to daphnia and other	: ORM :	Target Organs: Li Symptoms: anore ness, insomnia, E MATION LC50 (Oncorhyno Exposure time: 90 EC50 (Daphnia m Exposure time: 40	xia, Nausea, Vomiting, Headache, Dizzi- browsiness hus mykiss (rainbow trout)): 54,000 mg/l 5 h nagna (Water flea)): 1,955 mg/l 3 h onas putida): > 10,000 mg/l 5 h
Ingest CTION Ecoto Comp Glyce Toxicit aquati Toxicit	ion 12. ECOLOGICAL INFO xicity onents: rine: ty to fish ty to daphnia and other c invertebrates ty to microorganisms	: ORM :	Target Organs: Li Symptoms: anore ness, insomnia, E MATION LC50 (Oncorhyno Exposure time: 90 EC50 (Daphnia m Exposure time: 40 NOEC (Pseudom Exposure time: 10 Method: DIN 38 4	xia, Nausea, Vomiting, Headache, Dizzi- browsiness hus mykiss (rainbow trout)): 54,000 mg/l 5 h nagna (Water flea)): 1,955 mg/l 3 h onas putida): > 10,000 mg/l 5 h
Ingest CTION Ecoto Comp Glyce Toxicit aquati Toxicit 2-phe	ion 12. ECOLOGICAL INFO xicity onents: rine: ty to fish ty to daphnia and other c invertebrates	: ORM :	Target Organs: Li Symptoms: anore ness, insomnia, E MATION LC50 (Oncorhyno Exposure time: 90 EC50 (Daphnia m Exposure time: 40 NOEC (Pseudom Exposure time: 10 Method: DIN 38 4 bamate: LC50 (Oncorhyno Exposure time: 90	xia, Nausea, Vomiting, Headache, Dizzi- browsiness hus mykiss (rainbow trout)): 54,000 mg/l 5 h hagna (Water flea)): 1,955 mg/l 3 h onas putida): > 10,000 mg/l 5 h 12 Part 8



rsion	Revision Date: 09/28/2020		0S Number: 64239-00008	Date of last issue: 03/23/2020 Date of first issue: 01/11/2018
Toxici	ity to fish	:	Exposure time:	atipes (Japanese medaka)): > 100 mg/l 48 h d on data from similar materials
Persi	stence and degradal	bility		
<u>Comp</u>	oonents:			
Glyce Biode	e rine: gradability	:	Result: Readily Biodegradation: Exposure time: Method: OECD	92 %
2-phe	enylpropane-1,3-diyl	dicarl	pamate:	
Stabil	ity in water	:	Hydrolysis: < 10) %(5 d)
Cellu	lose:			
Biode	gradability	:	Result: Readily	biodegradable.
Bioad	cumulative potentia	l		
Com	oonents:			
	e rine: on coefficient: n- ol/water	:	log Pow: -1.75	
-	enylpropane-1,3-diyl	dicarl		
	on coefficient: n- ol/water	:	log Pow: 0.381	
	l ity in soil Ita available			
	adverse effects Ita available			

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste
		handling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good



Version	Revision Date:	SDS Number:	Date of last issue: 03/23/2020
2.4	09/28/2020	2364239-00008	Date of first issue: 01/11/2018
IATA-I Not re	DGR gulated as a dangero	us good	

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.


SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know		
Water		7732-18-5
D-Glucitol		50-70-4
Glycerine		56-81-5
2-phenylpropane-1,3-	diyl dicarbamate	25451-15-4
Cellulose		9004-34-6
California Permissible Exposu	are Limits for Chemical Contaminants	
Glycerine		56-81-5
Cellulose		9004-34-6
The ingredients of this produc	ct are reported in the following inventor	ies:
AICS :	not determined	

DSL	:	not determined
IECSC	:	not determined





ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable



Version	Revision Date:	SDS Number:	Date of last issue: 03/23/2020
2.4	09/28/2020	2364239-00008	Date of first issue: 01/11/2018

Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to : compile the Material Safety Data Sheet	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 09/28/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8