

Finasteride (1%) Formulation

| Vers 6.5 | ion | Revision Date: 04/09/2021 | | 0S Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 | | |
|--|---|---|----------|---|---|--|--|
| SEC | SECTION 1. IDENTIFICATION | | | | | | |
| | Produc Other n | t name neans of identification | : | Finasteride (1%) No data available | | | |
| | Manufa | acturer or supplier's o | deta | nils | | | |
| | Company name of supplier Address | | : | Organon & Co. 30 Hudson Street, 33nd floor | | | |
| Jersey City, New Jersey, U.S.A 07302Telephone: 551-430-6000Emergency telephone: 215-631-6999E-mail address: EHSSTEWARD@organon.com | | | | | | | |
| | Recom | mended use of the c | hen | nical and restriction | ons on use | | |
| | Recom | mended use | : | Pharmaceutical | | | |
| | Restric | tions on use | : | Not applicable | | | |
| SEC | TION 2 | . HAZARDS IDENTIFI | CA | ΓΙΟΝ | | | |
| | | assification in accord uctive toxicity | dan : | ce with the Hazar Category 1B | dous Products Regulations | | |
| | Specific target organ toxicity - repeated exposure (Oral) | | : | Category 1 (Testis) | | | |
| | | bel elements pictograms | : | | | | |
| | Signal | Word | : | Danger | | | |
| | Hazard | Statements | : | | age the unborn child. nage to organs (Testis) through prolonged or e if swallowed. | | |
| | Precau | tionary Statements | : | P202 Do not hand and understood. P260 Do not brea P264 Wash skin t P270 Do not eat, | horoughly after handling. drink or smoke when using this product. ctive gloves, protective clothing, eye protection | | |

Response: P308 + P313 IF exposed or concerned: Get medical attention.



| Version | Revision Date: | SDS Number: | Date of last issue: 10/10/2020 |
|---------|----------------|-------------|---------------------------------|
| 6.5 | 04/09/2021 | 49631-00018 | Date of first issue: 01/26/2015 |
| | | | |

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substance / Mixture | : | Mixture |
|---------------------|---|---------|
|---------------------|---|---------|

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|------------------|------------------------|------------|-----------------------|
| Cellulose | No data availa- ble | 9004-34-6 | >= 5 - < 10 * |
| Starch | Sago starch | 9005-25-8 | >= 5 - < 10 * |
| Finasteride | No data availa- ble | 98319-26-7 | >= 1 - < 5 * |
| Titanium dioxide | No data availa- ble | 13463-67-7 | >= 0.1 - < 1 * |

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

| General advice | | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
|---|---|--|
| If inhaled | : | If inhaled, remove to fresh air. Get medical attention. |
| In case of skin contact | | In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : | If in eyes, rinse well with water. Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | May damage the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Contact with dust can cause mechanical irritation or drying of the skin. |



| Version 6.5 | Revision Date: 04/09/2021 | - | DS Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 |
|----------------|---|-----|---|---|
| | ction of first-aiders to physician | : | Dust contact with the eyes can lead to mechanical irrita First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively. | |
| SECTION | 5. FIRE-FIGHTING ME | ASL | JRES | |
| Suital | ble extinguishing media | : | Water spray Alcohol-resistar Carbon dioxide Dry chemical | |
| | Unsuitable extinguishing media Specific hazards during fire fighting | | None known. | |
| Speci | | | concentrations, potential dust e | g dust; fine dust dispersed in air in sufficient and in the presence of an ignition source is a xplosion hazard. mbustion products may be a hazard to health. |
| Haza ucts | rdous combustion prod- | : | Carbon oxides Metal oxides | |
| Speci ods | fic extinguishing meth- | : | cumstances an Use water spra | ng measures that are appropriate to local cir- d the surrounding environment. y to cool unopened containers. haged containers from fire area if it is safe to do |
| | al protective equipment e-fighters | | | |

| Personal precautions, protec- tive equipment and emer- gency procedures | : | Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---|---|---|
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding |



Finasteride (1%) Formulation

| Version 6.5 | Revision Date: 04/09/2021 | SDS Number: 49631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 | | | | | |
|--|---------------------------------|---|--|--|--|--|--|--|
| | | certain local or | national requirements. | | | | | |
| SECTION | SECTION 7. HANDLING AND STORAGE | | | | | | | |
| Technical measures | | causing an exp Provide adequ | Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. | | | | | |
| Local | /Total ventilation | | tilation is unavailable, use with local exhaust | | | | | |
| Advice on safe handling | | : Do not get on s Do not breathe Do not swallow Avoid contact w Wash skin thor Handle in acco practice, based assessment Keep contained Keep contained Keep away from Take precautio Do not eat, drin Take care to pre environment. | e dust. with eyes. roughly after handling. ordance with good industrial hygiene and safety d on the results of the workplace exposure r tightly closed. generation and accumulation. r closed when not in use. m heat and sources of ignition. nary measures against static discharges. hk or smoke when using this product. revent spills, waste and minimize release to the | | | | | |
| Store locked up. Keep tightly closed. Store in accordance Materials to avoid : Do not store with the | | | | | | | | |
| | | : Do not store w Strong oxidizin Organic peroxi Explosives | Do not store with the following product types: Strong oxidizing agents Organic peroxides Explosives | | | | | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|------------|-----------|--|--|-----------|
| Cellulose | 9004-34-6 | TWA | 10 mg/m ³ | CA AB OEL |
| | | TWA (Total dust) | 10 mg/m ³ | CA BC OEL |
| | | TWA (respir- able dust fraction) | 3 mg/m³ | CA BC OEL |
| | | TWAEV (to- tal dust) | 10 mg/m ³ | CA QC OEL |
| | | TWA | 10 mg/m ³ | ACGIH |
| Starch | 9005-25-8 | TWA | 10 mg/m ³ | CA AB OEL |



| Version 6.5 | Revision Date: 04/09/2021 | SDS Number: 49631-00018 | | t issue: 10/10/2020 tt issue: 01/26/2015 | |
|----------------|------------------------------|----------------------------|--|---|-----------|
| | | | TWAEV (to- tal dust) | 10 mg/m³ | CA QC OEL |
| | | | TWA (Total dust) | 10 mg/m ³ | CA BC OEL |
| | | | TWÁ (respir- able dust fraction) | 3 mg/m ³ | CA BC OEL |
| | | | TWA | 10 mg/m ³ | ACGIH |
| Finas | teride | 98319-26-7 | TWA | 0.5 µg/m3 (OEB 5) | Internal |
| | | | Wipe limit | 5 µg/100 cm ² | Internal |
| Titani | ium dioxide | 13463-67-7 | TWA | 10 mg/m ³ | CA AB OEL |
| | | | TWA (Total dust) | 10 mg/m ³ | CA BC OEL |
| | | | TWA (respir- able dust fraction) | 3 mg/m³ | CA BC OEL |
| | | | TWAEV (to- tal dust) | 10 mg/m ³ | CA QC OEL |
| | | | TWA | 10 mg/m³ (Titanium dioxide) | ACGIH |

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Titanium dioxide

| Engineering measures : | Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace. | | |
|--|--|--|--|
| Personal protective equipmen | t | | |
| Respiratory protection : Filter type : Hand protection | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Particulates type | | |
| Material : | Chemical-resistant gloves | | |
| Remarks : Eye protection : | Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or | | |



Finasteride (1%) Formulation

| Version 6.5 | Revision Date: 04/09/2021 | SDS Number: 49631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 | | |
|--------------------------|------------------------------|--|---|--|--|
| Skin and body protection | | aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. | | | |
| Hygiene measures | | : If exposure to ch eye flushing syst working place. When using do r Wash contamina The effective ope engineering cont appropriate dego | emical is likely during typical use, provide tems and safety showers close to the not eat, drink or smoke. ted clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, e monitoring, medical surveillance and the | | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | powder |
|---|---|---|
| Color | : | tan |
| Odor | : | odorless |
| Odor Threshold | : | No data available |
| рН | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | Not applicable |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | Not applicable |
| Relative vapor density | : | Not applicable |
| Relative density | : | No data available |



| Vers 6.5 | sion | Revision Date: 04/09/2021 | | S Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 |
|-------------|---------------------|---|---|--|---|
| | Density | , | : | No data available | 9 |
| | Solubili Wat | ty(ies) er solubility | : | No data available | 9 |
| | Partitio octanol | n coefficient: n- /water | : | log Pow: 3.5 pH: 7 Active ingredient | |
| | Autoigr | nition temperature | : | No data available | 9 |
| | Decom | position temperature | : | No data available |) |
| | | ty cosity, kinematic ive properties | : | Not applicable Not explosive | |
| | LAPIOSI | ve properties | • | Not explosive | |
| | Oxidizi | ng properties | : | The substance o | r mixture is not classified as oxidizing. |
| | Particle | e size | : | No data available | 9 |

SECTION 10. STABILITY AND REACTIVITY

| Stable under normal conditions. | ıg, |
|---|---|
| Heat, flames and sparks. Avoid dust formation. | |
| | |
| : | May form explosive dust-air mixture during processir handling or other means. Can react with strong oxidizing agents. Heat, flames and sparks. Avoid dust formation. Oxidizing agents |

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method



| Versior 6.5 | n Revision Date: 04/09/2021 | | OS Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 |
|----------------|--------------------------------|------|--|---|
| <u>Co</u> | omponents: | | | |
| Ce | ellulose: | | | |
| Ac | cute oral toxicity | : | LD50 (Rat): > 5,0 | 000 mg/kg |
| Ac | cute inhalation toxicity | : | LC50 (Rat): > 5.8 Exposure time: 4 Test atmosphere | h |
| Ac | cute dermal toxicity | : | LD50 (Rabbit): > | 2,000 mg/kg |
| St | arch: | | | |
| Ac | cute oral toxicity | : | LD50 (Rat): > 5,0 | 000 mg/kg |
| Ac | cute dermal toxicity | : | LD50 (Rabbit): > | 2,000 mg/kg |
| Fi | nasteride: | | | |
| Ac | cute oral toxicity | : | LD50 (Rat): 373 | - 828 mg/kg |
| | | | LD50 (Mouse): 4 | 86 mg/kg |
| Ti | tanium dioxide: | | | |
| Ac | cute oral toxicity | : | LD50 (Rat): > 5,0 | 000 mg/kg |
| Ac | cute inhalation toxicity | : | LC50 (Rat): > 6.8 Exposure time: 4 Test atmosphere Assessment: The tion toxicity | h |
| | kin corrosion/irritation | | | |
| | ot classified based on avail | able | information. | |
| | omponents: | | | |
| | nasteride: | _ | Dabbit | |
| | pecies esult | : | Rabbit No skin irritation | |
| Ti | tanium dioxide: | | | |
| | becies esult | : | Rabbit No skin irritation | |

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

| Species | : | Rabbit |
|---------|---|-------------------|
| Result | : | No eye irritation |



| ersion 5 | Revision Date: 04/09/2021 | SDS Number: 49631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 |
|-----------------------------------|--|--|---|
| Finas | teride: | | |
| Speci Rema | | : Rabbit : slight irritatior | 1 |
| | ium dioxide: | | |
| Speci Resul | | : Rabbit : No eye irritati | on |
| Respi | iratory or skin sens | itization | |
| - | sensitization assified based on av | ailable information. | |
| - | iratory sensitization assified based on av | | |
| <u>Comp</u> | oonents: | | |
| Starc Test T Route | | : Maximization : Skin contact | Test |
| Speci Resul | es | : Guinea pig : negative | |
| | ium dioxide: | | |
| Test 1 Route Speci Resul | es of exposure | : Local lymph r : Skin contact : Mouse : negative | node assay (LLNA) |
| | cell mutagenicity assified based on av | ailable information | |
| | oonents: | | |
| Cellu | lose: | | |
| Geno | toxicity in vitro | : Test Type: Ba Result: negat | acterial reverse mutation assay (AMES) ive |
| | | Test Type: In Result: negat | vitro mammalian cell gene mutation test ive |
| Genot | toxicity in vivo | cytogenetic a Species: Mou | use oute: Ingestion |
| Starc | h: | | |
| | toxicity in vitro | : Test Type: Ba Result: negat | acterial reverse mutation assay (AMES) |



| rsion 5 | Revision Date: 04/09/2021 | | S Number: 31-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 |
|--|---|------------|--|---|
| | | | | |
| Finas | steride: | | | |
| Geno | toxicity in vitro | | Test Type: Chr Result: positive | omosome aberration test in vitro |
| | | | Test Type: In v Result: negativ | itro mammalian cell gene mutation test e |
| | | | Test Type: Bac Result: negativ | terial reverse mutation assay (AMES) e |
| | | | Fest Type: Alka Result: negativ | aline elution assay e |
| Geno | toxicity in vivo | | | |
| Titan | ium dioxide: | | | |
| Geno | toxicity in vitro | | Test Type: Bac Result: negativ | terial reverse mutation assay (AMES) e |
| Geno | toxicity in vivo | 9 | Test Type: In v Species: Mous Result: negativ | |
| Carci | nogenicity | | | |
| | lassified based on av | ailable ir | formation. | |
| Not cl | | | | |
| | ponents: | | | |
| Com | | | | |
| <u>Com</u> Cellu | lose: | | Rat | |
| <u>Com</u> Cellu Speci | lose: | | Rat ngestion | |
| <u>Com</u> Cellu Speci Applio | lose: | : 1 | Rat ngestion 72 weeks | |
| <u>Com</u> Cellu Speci Applio | lose: ies cation Route sure time | : 1 | ngestion | |
| Com Cellu Speci Applic Expos Resul | lose: ies cation Route sure time | : 1 | ngestion 72 weeks | |
| Com Cellu Speci Applic Expos Resul | lose: ies cation Route sure time It steride: | | ngestion 72 weeks | |
| Com Cellu Speci Applic Expos Resul Finas Speci | lose: ies cation Route sure time It steride: | : | ngestion 72 weeks negative | |
| Com Cellu Speci Applic Expos Resul Finas Speci Applic | lose: les cation Route sure time It steride: | | ngestion 72 weeks negative Rat ngestion 2 Years | |
| Com Cellu Speci Applic Expos Resul Finas Speci Applic Expos | lose: ies cation Route sure time lt steride: ies cation Route sure time | | ngestion 72 weeks negative Rat ngestion 2 Years 160 mg/kg bod | y weight |
| Comp Cellu Speci Applic Expos Resul Finas Speci Applic Expos | lose: ies cation Route sure time It steride: ies cation Route sure time | | ngestion 72 weeks negative Rat ngestion 2 Years 160 mg/kg bod negative | y weight |
| Comp Cellu Speci Applic Expos Resul Finas Speci Applic Expos | lose: ies cation Route sure time It steride: ies cation Route sure time It of Organs | | ngestion 72 weeks negative Rat ngestion 2 Years 160 mg/kg bod | |
| Com Cellu Speci Applic Expos Resul Finas Speci Applic Expos Resul Targe Rema | lose: ies cation Route sure time it steride: ies cation Route sure time it et Organs arks | | ngestion 72 weeks negative Rat ngestion 2 Years 160 mg/kg bod negative Festes Benign tumor(s | |
| Com Cellu Speci Applic Expos Resul Finas Speci Applic Expos Resul Targe Rema | lose: ies cation Route sure time it steride: ies cation Route sure time it of Organs arks | | ngestion 72 weeks negative Rat ngestion 2 Years 160 mg/kg bod negative Festes Benign tumor(s | |
| Com Cellu Speci Applic Expos Resul Finas Speci Applic Expos Resul Targe Rema Speci Applic | lose: ies cation Route sure time it steride: ies cation Route sure time it et Organs arks | | ngestion 72 weeks negative Rat ngestion 2 Years 160 mg/kg bod negative Festes Benign tumor(s | |
| Com Cellu Speci Applic Expos Resul Finas Speci Applic Expos Resul Targe Rema Speci Applic Expos Resul Targe Rema | lose: ies cation Route sure time it steride: ies cation Route sure time it organs arks ies cation Route sure time | | ngestion 72 weeks negative Rat ngestion 2 Years 160 mg/kg bod negative Festes Benign tumor(s Mouse ngestion | |



| Vers 6.5 | sion | Revision Date: 04/09/2021 | - | S Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 |
|-------------|--|---|---|--|---|
| | Remark | ۲S | : | Benign tumor(s) | |
| | Species Applica Exposu Method Result Remark | tion Route ire time I | | mans. | eline 453 r mode of action may not be relevant in hu- |
| | Carcino ment | ogenicity - Assess- | : | Limited evidence animals. | of carcinogenicity in inhalation studies with |
| | May da | Juctive toxicity mage the unborn child. | | | |
| | Compo Cellulo | onents: | | | |
| | | on fertility | : | Test Type: One-g Species: Rat Application Route Result: negative | eneration reproduction toxicity study : Ingestion |
| | Effects | on fetal development | nt : Test Type: Fertility/early embryonic Species: Rat Application Route: Ingestion Result: negative | | |
| | Finaste | eride: | | | |
| | Effects | on fertility | : | Species: Rabbit Application Route | 30 mg/kg body weight |
| | | | | Species: Rat Application Route Fertility: LOAEL: & Result: positive | y/early embryonic development : Ingestion 30 mg/kg body weight s no evidence that these findings are rele- |
| | Effects | on fetal development | : | Species: Rat Application Route Developmental To Result: Teratogen | o-fetal development : Ingestion oxicity: LOAEL: 0.003 mg/kg body weight ic effects., Embryotoxic effects. o-fetal development |
| | | | | Species: Monkey | |



| Versior 6.5 | n Revision Date: 04/09/2021 | | OS Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 |
|----------------------------|---|------|---|---|
| | | | Application Route Developmental To Result: Teratoger | oxicity: LOAEL: 2 mg/kg body weight |
| | productive toxicity - As- ssment | : | Clear evidence of animal experimen | adverse effects on development, based on its. |
| SI | OT-single exposure | | | |
| No | ot classified based on availa | able | information. | |
| | OT-repeated exposure auses damage to organs (T | esti | s) through prolonge | ed or repeated exposure if swallowed. |
| <u>Co</u> | omponents: | | | |
| Fi | nasteride: | | | |
| Ta | outes of exposure rget Organs sessment | : | Ingestion Testis Causes damage t exposure. | o organs through prolonged or repeated |
| Re | peated dose toxicity | | | |
| <u>Co</u> | omponents: | | | |
| Ce | ellulose: | | | |
| NC Ap | ecies DAEL plication Route posure time | : | Rat >= 9,000 mg/kg Ingestion 90 Days | |
| St | arch: | | | |
| Sp NC Ap Ex | ecies DAEL plication Route posure time ethod | | Rat >= 2,000 mg/kg Skin contact 28 Days OECD Test Guide | eline 410 |
| Fi | nasteride: | | | |
| Sp NC LC Ap Ex | pecies DAEL DAEL plication Route posure time rget Organs | | Rat 20 mg/kg 40 mg/kg Oral 1 y Testis | |
| N Ap Ex | ecies DAEL plication Route posure time rget Organs | | Dog 45 mg/kg Oral 1 y Testis | |



| rsion | Revision Date: 04/09/2021 | | OS Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 | | |
|--|---|--|---|--|--|--|
| Titani | um dioxide: | | | | | |
| | | : | Rat 24,000 mg/kg Ingestion 28 Days | | | |
| Species NOAEL Application Route Exposure time | | Rat 10 mg/m³ inhalation (dust/mist/fume) 2 y | | | | |
| Not cl | ation toxicity assified based on availa rience with human exp | | | | | |
| • | oonents: | 051 | ile. | | | |
| | teride: | | | | | |
| Ingest | | : | Symptoms: breas tence, lip swelling | t tenderness, breast enlargement, impo- , skin rash | | |
| CTION | 12. ECOLOGICAL INFO | DR | MATION | | | |
| Ecoto | oxicity | | | | | |
| <u>Comp</u> | oonents: | | | | | |
| Cellu | lose: | | | | | |
| Toxici | ty to fish | : | Exposure time: 48 | ipes (Japanese medaka)): > 100 mg/l 3 h on data from similar materials | | |
| Finas | teride: | | | | | |
| Toxici | ty to fish | : | LC50 (Oncorhync Exposure time: 96 Method: FDA 4.1 | | | |
| | ty to daphnia and other ic invertebrates | : | EC50 (Daphnia m Exposure time: 48 Method: FDA 4.08 | | | |
| Toxici plants | ty to algae/aquatic | : | NOEC (Pseudokin mg/l Exposure time: 14 Method: FDA 4.0 | | | |
| Toxici icity) | ty to fish (Chronic tox- | : | NOEC (Oryzias la Exposure time: 10 | tipes (Orange-red killifish)): 0.05 mg/l | | |
| | | | • | | | |



| rsion | Revision Date: 04/09/2021 | | S Number: 631-00018 | Date of last issue: 10/10/2020 Date of first issue: 01/26/2015 | |
|----------------------------------|--|---|--|---|--|
| Titan | ium dioxide: | | | | |
| | ity to fish | : | Exposure time: | nchus mykiss (rainbow trout)): > 100 mg/l 96 h Test Guideline 203 | |
| | ity to daphnia and other ic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h | | |
| Toxicity to algae/aquatic plants | | : | EC50 (Skeleton Exposure time: | ema costatum (marine diatom)): > 10,000 r 72 h | |
| Toxicity to microorganisms | | : | Exposure time: | | |
| Persi | stence and degradabil | ity | | | |
| Com | oonents: | | | | |
| Cellu | lose: | | | | |
| Biode | gradability | : | Result: Readily | biodegradable. | |
| Finas | steride: | | | | |
| Biode | gradability | Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 7 d Method: FDA 3.11 | | 0 % 7 d | |
| Stabil | ity in water | : | : Hydrolysis: 0 %(5 d) Method: FDA 3.09 | | |
| Bioad | ccumulative potential | | | | |
| <u>Com</u> | oonents: | | | | |
| Finas | steride: | | | | |
| | ion coefficient: n- ol/water | : | log Pow: 3.57 | | |
| | lity in soil ata available | | | | |
| Othe | r adverse effects | | | | |
| No da | ata available | | | | |

| Disposal methods | |
|---|--|
| Waste from residues Contaminated packaging | Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |



Finasteride (1%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 10/10/2020 |
|---------|----------------|-------------|---------------------------------|
| 6.5 | 04/09/2021 | 49631-00018 | Date of first issue: 01/26/2015 |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

| AICS | : | not determined |
|-------|---|----------------|
| DSL | : | not determined |
| IECSC | : | not determined |

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

| ACGIH CA AB OEL | : | USA. ACGIH Threshold Limit Values (TLV) Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) |
|--------------------|---|---|
| CA BC OEL | : | Canada. British Columbia OEL |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| CA AB OEL / TWA | : | 8-hour Occupational exposure limit |
| CA BC OEL / TWA | : | 8-hour time weighted average |
| CA QC OEL / TWAEV | : | Time-weighted average exposure value |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA



Finasteride (1%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 10/10/2020 |
|---------|----------------|-------------|---------------------------------|
| 6.5 | 04/09/2021 | 49631-00018 | Date of first issue: 01/26/2015 |

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

| Sources of key data used to compile the Material Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/ |
|--|---|--|
| Revision Date Date format | - | 04/09/2021 mm/dd/yyyy |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8