

## Finasteride (1%) Formulation

Version 6.7      Revision Date: 10.10.2020      SDS Number: 49657-00017      Date of last issue: 23.03.2020  
Date of first issue: 26.01.2015

---

**Section 1: Identification**

Product name : Finasteride (1%) Formulation

**Manufacturer or supplier's details**

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

---

**Section 2: Hazard identification****GHS Classification**

Reproductive toxicity : Category 1B

Specific target organ toxicity -  
repeated exposure (Oral) : Category 2 (Testis)

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H373 May cause damage to organs (Testis) through prolonged  
or repeated exposure if swallowed.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read  
and understood.  
P260 Do not breathe dust.  
P281 Use personal protective equipment as required.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/  
attention.

**Storage:**

## Finasteride (1%) Formulation

Version 6.7      Revision Date: 10.10.2020      SDS Number: 49657-00017      Date of last issue: 23.03.2020  
Date of first issue: 26.01.2015

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	< 10
Starch	9005-25-8	< 10
Finasteride	98319-26-7	>= 1 -< 10
Titanium dioxide	13463-67-7	< 1

**Section 4: First-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure if swallowed.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**Section 5: Fire-fighting measures**

## Finasteride (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**Section 6: Accidental release measures**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**Section 7: Handling and storage**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding

## Finasteride (1%) Formulation

Version 6.7      Revision Date: 10.10.2020      SDS Number: 49657-00017      Date of last issue: 23.03.2020  
Date of first issue: 26.01.2015

- and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Starch	9005-25-8	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Finasteride	98319-26-7	TWA	0.5 µg/m <sup>3</sup> (OEB 5)	Internal
		Wipe limit	5 µg/100 cm <sup>2</sup>	Internal
Titanium dioxide	13463-67-7	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

## Finasteride (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

**These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.**

Titanium dioxide

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**Section 9: Physical and chemical properties**

Appearance : powder

Colour : tan

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available

# SAFETY DATA SHEET



## Finasteride (1%) Formulation



Version 6.7      Revision Date: 10.10.2020      SDS Number: 49657-00017      Date of last issue: 23.03.2020  
Date of first issue: 26.01.2015

---

range

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : log Pow: 3.5  
pH: 7  
Active ingredient

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

## Finasteride (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

**Components:****Cellulose:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

**Starch:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

**Finasteride:**

Acute oral toxicity	:	LD50 (Rat): 373 - 828 mg/kg  LD50 (Mouse): 486 mg/kg
---------------------	---	--

**Titanium dioxide:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 6.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

## Finasteride (1%) Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 23.03.2020  
6.7                10.10.2020                49657-00017            Date of first issue: 26.01.2015

---

**Components:****Finasteride:**

Species                                : Rabbit  
Result                                    : No skin irritation

**Titanium dioxide:**

Species                                : Rabbit  
Result                                    : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Starch:**

Species                                : Rabbit  
Result                                    : No eye irritation

**Finasteride:**

Species                                : Rabbit  
Remarks                                : slight irritation

**Titanium dioxide:**

Species                                : Rabbit  
Result                                    : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Starch:**

Test Type                                : Maximisation Test  
Exposure routes                        : Skin contact  
Species                                    : Guinea pig  
Result                                     : negative

**Titanium dioxide:**

Test Type                                : Local lymph node assay (LLNA)  
Exposure routes                        : Skin contact  
Species                                    : Mouse  
Result                                     : negative



## Finasteride (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

##### Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

##### Finasteride:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Alkaline elution assay  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Application Route: Oral  
Result: negative

##### Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

### Carcinogenicity

Not classified based on available information.

## Finasteride (1%) Formulation

Version 6.7      Revision Date: 10.10.2020      SDS Number: 49657-00017      Date of last issue: 23.03.2020  
Date of first issue: 26.01.2015

---

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Finasteride:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
: 160 mg/kg body weight  
Result : negative  
Target Organs : Testes  
Remarks : Benign tumor(s)

Species : Mouse  
Application Route : Ingestion  
Exposure time : 19 month(s)  
Result : negative  
Target Organs : Testes  
Remarks : Benign tumor(s)

**Titanium dioxide:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

May damage the unborn child.

**Components:****Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Finasteride:**

## Finasteride (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

- Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rabbit  
Application Route: Oral  
Fertility: NOAEL: 80 mg/kg body weight  
Result: No effects on fertility
- Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Fertility: LOAEL: 80 mg/kg body weight  
Result: positive  
Remarks: There is no evidence that these findings are relevant to humans.
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Developmental Toxicity: LOAEL: 0.003 mg/kg body weight  
Result: Teratogenic effects, Embryotoxic effects.
- Test Type: Embryo-foetal development  
Species: Monkey  
Application Route: Ingestion  
Developmental Toxicity: LOAEL: 2 mg/kg body weight  
Result: Teratogenic effects
- Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Testis) through prolonged or repeated exposure if swallowed.

**Components:****Finasteride:**

- Exposure routes : Ingestion  
Target Organs : Testis  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Cellulose:**

- Species : Rat  
NOAEL : >= 9,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Starch:**

## Finasteride (1%) Formulation

Version 6.7      Revision Date: 10.10.2020      SDS Number: 49657-00017      Date of last issue: 23.03.2020  
Date of first issue: 26.01.2015

---

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

**Finasteride:**

Species : Rat  
NOAEL : 20 mg/kg  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Testis

Species : Dog  
NOAEL : 45 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Testis

**Titanium dioxide:**

Species : Rat  
NOAEL : 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 yr

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Finasteride:**

Ingestion : Symptoms: breast tenderness, breast enlargement, impotence, lip swelling, skin rash

---

**Section 12: Ecological information****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC<sub>50</sub> (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

---

## Finasteride (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

**Finasteride:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 20.4 mg/l  
Exposure time: 96 h  
Method: FDA 4.11
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 17.8 mg/l  
Exposure time: 48 h  
Method: FDA 4.08
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 49 mg/l  
Exposure time: 14 h  
Method: FDA 4.01
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): 0.05 mg/l  
Exposure time: 105 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.12 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Titanium dioxide:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Cellulose:**

- Biodegradability : Result: Readily biodegradable.

**Finasteride:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 7 d  
Method: FDA 3.11
- Stability in water : Hydrolysis: 0 %(5 d)  
Method: FDA 3.09

# SAFETY DATA SHEET



## Finasteride (1%) Formulation



Version 6.7      Revision Date: 10.10.2020      SDS Number: 49657-00017      Date of last issue: 23.03.2020  
Date of first issue: 26.01.2015

---

### Bioaccumulative potential

#### Components:

##### Finasteride:

Partition coefficient: n-octanol/water : log Pow: 3.57

##### Mobility in soil

No data available

##### Other adverse effects

No data available

---

### Section 13: Disposal considerations

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### Section 14: Transport information

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### NZS 5433

Not regulated as a dangerous good

---

### Section 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

##### HSNO Approval Number

HSR100425 Pharmaceutical Active Ingredients Group Standard 2017

##### HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

---

## Finasteride (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**Section 16: Other information****Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA	:	8-hour, time-weighted average
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods;

# SAFETY DATA SHEET



## Finasteride (1%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
6.7	10.10.2020	49657-00017	Date of first issue: 26.01.2015

---

vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN