

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Finasteride (3.25%) Formulation

#### Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number : 215-631-6999

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Testis)

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H373 May cause damage to organs (Testis) through prolonged or repeated exposure if swallowed.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

---

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Cellulose	9004-34-6	>= 1 - < 10	
Starch	9005-25-8	>= 1 - < 10	8-98
Finasteride	98319-26-7	>= 2.5 - < 10	
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	>= 0.1 - < 0.25	2-1623, 2-1620

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.

---

## Finasteride (3.25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents  
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Storage**

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	ACGIH
Finasteride	98319-26-7	TWA	0.5 µg/m <sup>3</sup> (OEB 5)	Internal
		Wipe limit	5 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
No open handling permitted.  
Totally enclosed processes and materials transport systems

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- 

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : solid
- Colour : blue
- Odour : odourless
- Odour Threshold : No data available
- Melting point/freezing point : No data available
- Boiling point, initial boiling point and boiling range : No data available
- Flammability (solid, gas) : Not classified as a flammability hazard
- Flammability (liquids) : No data available
- Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flash point : Not applicable
-

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

Decomposition temperature : No data available

pH : No data available

Evaporation rate : Not applicable

Auto-ignition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Density and / or relative density  
Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation

Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### **Components:**

#### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Finasteride:**

Acute oral toxicity : LD50 (Rat): 373 - 828 mg/kg  
LD50 (Mouse): 486 mg/kg

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Acute oral toxicity : LD50 (Rat): 3,080 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Finasteride:**

Species : Rabbit  
Result : No skin irritation

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Starch:**

Species : Rabbit

## Finasteride (3.25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

---

Result : No eye irritation

**Finasteride:**

Species : Rabbit  
Remarks : slight irritation

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Starch:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Starch:**



## Finasteride (3.25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Finasteride:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Alkaline elution assay  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Application Route: Oral  
Result: negative

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Finasteride:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
: 160 mg/kg body weight  
Result : negative

## Finasteride (3.25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

---

Target Organs	:	Testes
Remarks	:	Benign tumor(s)
Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	19 month(s)
Result	:	negative
Target Organs	:	Testes
Remarks	:	Benign tumor(s)

**Reproductive toxicity**

May damage the unborn child.

**Components:****Cellulose:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

**Finasteride:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rabbit Application Route: Oral Fertility: NOAEL: 80 mg/kg body weight Result: No effects on fertility
		Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Fertility: LOAEL: 80 mg/kg body weight Result: positive Remarks: There is no evidence that these findings are relevant to humans.

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Developmental Toxicity: LOAEL: 0.003 mg/kg body weight Result: Teratogenic effects, Embryotoxic effects.
-------------------------------	---	---

		Test Type: Embryo-foetal development Species: Monkey Application Route: Ingestion Developmental Toxicity: LOAEL: 2 mg/kg body weight Result: Teratogenic effects
--	--	--

Reproductive toxicity - As-	:	Clear evidence of adverse effects on development, based on
-----------------------------	---	--

## Finasteride (3.25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

---

assessment animal experiments.

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Testis) through prolonged or repeated exposure if swallowed.

**Components:****Finasteride:**

Exposure routes : Ingestion  
Target Organs : Testis  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Starch:**

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

**Finasteride:**

Species : Rat  
NOAEL : 20 mg/kg  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Testis

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

Species : Dog  
NOAEL : 45 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Testis

### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rat  
NOAEL : 750 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

##### **Finasteride:**

Ingestion : Symptoms: breast tenderness, breast enlargement, impotence, lip swelling, skin rash

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

##### **Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

##### **Finasteride:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 20.4 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 17.8 mg/l  
Exposure time: 48 h  
Method: FDA 4.08

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 49 mg/l  
Exposure time: 14 h  
Method: FDA 4.01

Toxicity to fish (Chronic toxicity) : NOEC (*Oryzias latipes* (Orange-red killifish)): 0.05 mg/l  
Exposure time: 105 d

Toxicity to daphnia and other : NOEC (*Daphnia magna* (Water flea)): 0.12 mg/l

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

aquatic invertebrates (Chronic toxicity)      Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity)      :      1

### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Toxicity to fish      :      LC50 (Danio rerio (zebra fish)): 49 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates      :      EC50 (Daphnia magna (Water flea)): 6.6 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants      :      ErC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :      EC10 (Daphnia magna (Water flea)): 9 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms      :      EC50 (Pseudomonas putida): 164 mg/l  
Exposure time: 16 h

### **Persistence and degradability**

#### **Components:**

##### **Cellulose:**

Biodegradability      :      Result: Readily biodegradable.

##### **Finasteride:**

Biodegradability      :      Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 7 d  
Method: FDA 3.11

Stability in water      :      Hydrolysis: 0 %(5 d)  
Method: FDA 3.09

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability      :      Result: Readily biodegradable.  
Biodegradation: 91.2 %  
Exposure time: 28 d

### **Bioaccumulative potential**

#### **Components:**

##### **Finasteride:**

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

---

Partition coefficient: n-octanol/water : log Pow: 3.57

### Sodium bis(2-ethylhexyl)sulfosuccinate:

Partition coefficient: n-octanol/water : log Pow: 1.998  
Remarks: Calculation

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Finasteride)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Finasteride)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Finasteride)

---

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version 3.1      Revision Date: 2020/10/10      SDS Number: 2160719-00008      Date of last issue: 2020/03/23  
Date of first issue: 2017/11/09

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Sodium 1,4-bis[(2-ethylhexyl)oxy]-1,4-dioxobutane-2-sulfonate	213

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Not applicable

#### Substances Subject to be Indicated Names

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

## Finasteride (3.25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

---

**Ordinance on Prevention of Lead Poisoning**

Not applicable

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

**Poisonous and Deleterious Substances Control Law**

Not applicable

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

**Aviation Law**

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Industrial waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined



# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

---

### 16. OTHER INFORMATION

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Finasteride (3.25%) Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/03/23
3.1	2020/10/10	2160719-00008	Date of first issue: 2017/11/09

---

JP / EN