according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Gentamicin (8%) Injection Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquidColour: colourlessOdour: No data available

May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

GHS Classification

Reproductive toxicity : Category 1A

Specific target organ toxicity - :

repeated exposure

Category 2

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H360D May damage the unborn child.

H373 May cause damage to organs through prolonged or re-

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13
1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

peated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Gentamicin	1403-66-3	8	
Benzyl alcohol	100-51-6	1.5	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Date of last issue: 2019/09/13 Version Revision Date: SDS Number: 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

If swallowed

Get medical attention.

Rinse mouth thoroughly with water. May damage the unborn child.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire-

fighting

Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Avoid release to the environment. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hand protection Material Work uniform or laboratory coat.

: Chemical-resistant gloves

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Initial boiling point and boiling :

range

No data available

Flash point : > 93.3 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

administration)

LD50 (Rat): 67 - 96 mg/kg

Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Skin corrosion/irritation

Not classified based on available information.

Components:

Gentamicin:

Species : Rabbit

Result : Mild skin irritation

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Gentamicin:

Species : Rabbit

Result : Mild eye irritation

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Gentamicin:

Remarks : No data available

Benzyl alcohol:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Germ cell mutagenicity

Not classified based on available information.

Components:

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intravenous injection

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Gentamicin:

Carcinogenicity - Assess-

: No data available

ment

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Fertility: NOAEL: 20 mg/kg body weight

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13
1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Developmental Toxicity: NOAEL: 3.6 mg/kg body weight

Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 75 mg/kg body weight

Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: foetal mortality, No malformations were observed.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Gentamicin:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Repeated dose toxicity

Components:

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney

Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks

Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks

Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 10 mg/kg

Application Route : Intramuscular

Exposure time : 52 Weeks

Target Organs : Kidney, Blood

Species : Rat

NOAEL : 12.5 mg/kg

LOAEL : 50 mg/kg

Application Route : Intramuscular

Exposure time : 13 Weeks

Target Organs : Kidney

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Gentamicin:

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Ingestion : Target Organs: Kidney

Target Organs: inner ear

Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal

deafness

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Gentamicin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 86 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

i actor (Critoriic aquatic .

Toxicity to microorganisms

1

100

EC50: 288.7 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

Gentamicin:

Biodegradability : Result: rapidly degradable

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 314

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

Bioaccumulative potential

Components:

Gentamicin:

Partition coefficient: n-

octanol/water

log Pow: < -2

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soilNo data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 Date of first issue: 2017/07/25 1.6 2020/10/10 1845013-00007

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(Gentamicin)

Class 9 Ш Packing group Labels 9

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Gentamicin)

9 Class Ш Packing group

Labels Miscellaneous

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-

964

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

Class Packing group Ш Labels 9 F-A, S-F **EmS Code** Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(Gentamicin)

9 Class Ш Packing group Labels 9

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 1.6 2020/10/10 1845013-00007 Date of first issue: 2017/07/25

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to GB/T 16483 and GB/T 17519



Gentamicin (8%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/09/13

 1.6
 2020/10/10
 1845013-00007
 Date of first issue: 2017/07/25

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN