

Gentamicin (8%) Injection Formulation

Version 2.3 Revision Date: 10.10.2020 SDS Number: 1847028-00007 Date of last issue: 13.09.2019
Date of first issue: 25.07.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Gentamicin (8%) Injection Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION**Manufacture, Storage and Import of Hazardous Chemicals Rules 1989****Classification**

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Kidney, inner ear)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.
H373 May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Gentamicin (8%) Injection Formulation

Version 2.3 Revision Date: 10.10.2020 SDS Number: 1847028-00007 Date of last issue: 13.09.2019
 Date of first issue: 25.07.2017

Precautionary statements : **Prevention:**
 P203 Obtain, read and follow all safety instructions before use.
 P260 Do not breathe mist or vapours.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P318 IF exposed or concerned, get medical advice.
 P391 Collect spillage.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Gentamicin	1403-66-3	8
Benzyl alcohol	100-51-6	1.5

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and : May damage the unborn child.
 May cause damage to organs through prolonged or repeated

Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

delayed	exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Gentamicin (8%) Injection Formulation

Version 2.3 Revision Date: 10.10.2020 SDS Number: 1847028-00007 Date of last issue: 13.09.2019
 Date of first issue: 25.07.2017

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
 Do not breathe mist or vapours.
 Do not swallow.
 Avoid contact with eyes.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection
 Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.

SAFETY DATA SHEET



Gentamicin (8%) Injection Formulation



Version 2.3 Revision Date: 10.10.2020 SDS Number: 1847028-00007 Date of last issue: 13.09.2019
Date of first issue: 25.07.2017

Skin and body protection : If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Hygiene measures : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
: Work uniform or laboratory coat.
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : colourless
Odour : No data available
Odour Threshold : No data available
pH : No data available
Melting point/freezing point : No data available
Initial boiling point and boiling range : No data available
Flash point : > 93.3 °C
Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Flammability (liquids) : Not applicable
Upper explosion limit / Upper flammability limit : No data available
Lower explosion limit / Lower flammability limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available

SAFETY DATA SHEET



Gentamicin (8%) Injection Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Gentamicin (8%) Injection Formulation

Version 2.3 Revision Date: 10.10.2020 SDS Number: 1847028-00007 Date of last issue: 13.09.2019
Date of first issue: 25.07.2017

Components:**Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:**Gentamicin:**

Species : Rabbit
Result : Mild skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Gentamicin:**

Species : Rabbit
Result : Mild eye irritation

Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Benzyl alcohol:

Species : Rabbit
 Method : OECD Test Guideline 405
 Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Gentamicin:**

Remarks : No data available

Benzyl alcohol:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Gentamicin:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intravenous injection
 Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Carcinogenicity

Not classified based on available information.

Components:**Gentamicin:**

Carcinogenicity - Assessment : No data available

Benzyl alcohol:

Species : Mouse
 Application Route : Ingestion
 Exposure time : 103 weeks
 Method : OECD Test Guideline 451
 Result : negative

Reproductive toxicity

May damage the unborn child.

Components:**Gentamicin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Fertility: NOAEL: 20 mg/kg body weight
 Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rabbit
 Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
 Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 75 mg/kg body weight
 Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 50 mg/kg body weight
 Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Benzyl alcohol:

Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:**Gentamicin:**

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Gentamicin:**

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney
Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks
Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 10 mg/kg
Application Route : Intramuscular
Exposure time : 52 Weeks
Target Organs : Kidney, Blood

Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Species	:	Rat
NOAEL	:	12.5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Intramuscular
Exposure time	:	13 Weeks
Target Organs	:	Kidney

Benzyl alcohol:

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Gentamicin:**

Ingestion	:	Target Organs: Kidney Target Organs: inner ear Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness
-----------	---	---

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Gentamicin:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l

Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50: 288.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 51 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Persistence and degradability**Components:****Gentamicin:**

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Gentamicin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

SAFETY DATA SHEET



Gentamicin (8%) Injection Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

SAFETY DATA SHEET



Gentamicin (8%) Injection Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
2.3	10.10.2020	1847028-00007	Date of first issue: 25.07.2017

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN