

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version 3.4      Revision Date: 2020/03/23      SDS Number: 1832928-00008      Date of last issue: 2019/09/13  
Date of first issue: 2017/07/13

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Gentamicin / Betamethasone Cream Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : cream  
**Colour** : No data available  
**Odour** : No data available

May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formula-tion

Version 3.4      Revision Date: 2020/03/23      SDS Number: 1832928-00008      Date of last issue: 2019/09/13  
Date of first issue: 2017/07/13

Hazard statements : H360D May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H401 Toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

### Environmental hazards

Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	>= 10 -< 20
Paraffin oil	8012-95-1	>= 1 -< 10
Alcohols, C16-18, ethoxylated	68439-49-6	>= 1 -< 2.5
4-Chloro-3-methylphenol	59-50-7	>= 0.1 -< 0.25

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formula-tion

Version 3.4      Revision Date: 2020/03/23      SDS Number: 1832928-00008      Date of last issue: 2019/09/13  
Date of first issue: 2017/07/13

Gentamicin	1403-66-3	$\geq 0.1$ -< 0.25
betamethasone	378-44-9	$\geq 0.025$ -< 0.1

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

for firefighters

Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents

#### Storage

- Conditions for safe storage : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types: Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version 3.4      Revision Date: 2020/03/23      SDS Number: 1832928-00008      Date of last issue: 2019/09/13  
Date of first issue: 2017/07/13

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Paraffin oil	8012-95-1	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Internal
betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies.

#### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Eye/face protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: cream
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 93.3 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not classified as a flammability hazard
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

---

Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Skin contact Ingestion Eye contact
-----------------	---	--

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Petrolatum:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version 3.4      Revision Date: 2020/03/23      SDS Number: 1832928-00008      Date of last issue: 2019/09/13  
Date of first issue: 2017/07/13

---

### Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Alcohols, C16-18, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### 4-Chloro-3-methylphenol:

Acute oral toxicity : LD50 (Mouse): 600 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 2.871 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

### Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg  
LD50 (Mouse): 10,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.  
Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous  
LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular  
LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

### betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 4,500 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l  
Exposure time: 4 h

### Skin corrosion/irritation

Not classified based on available information.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formulation

Version 3.4      Revision Date: 2020/03/23      SDS Number: 1832928-00008      Date of last issue: 2019/09/13  
Date of first issue: 2017/07/13

---

### Components:

#### **Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Paraffin oil:**

Species : Rabbit  
Result : No skin irritation

#### **Alcohols, C16-18, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **4-Chloro-3-methylphenol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 1 to 4 hours of exposure

#### **Gentamicin:**

Species : Rabbit  
Result : Mild skin irritation

#### **betamethasone:**

Species : Rabbit  
Result : Mild skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **Petrolatum:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

#### **Paraffin oil:**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version 3.4      Revision Date: 2020/03/23      SDS Number: 1832928-00008      Date of last issue: 2019/09/13  
Date of first issue: 2017/07/13

---

### Alcohols, C16-18, ethoxylated:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### 4-Chloro-3-methylphenol:

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

### Gentamicin:

Species : Rabbit  
Result : Mild eye irritation

### betamethasone:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Petrolatum:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### Alcohols, C16-18, ethoxylated:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### 4-Chloro-3-methylphenol:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

---

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### Gentamicin:

Remarks : No data available

### betamethasone:

Exposure routes : Dermal  
Species : Guinea pig  
Result : Weak sensitizer

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Petrolatum:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

#### Alcohols, C16-18, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

#### 4-Chloro-3-methylphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

### Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

### betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Petrolatum:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### Gentamicin:

Carcinogenicity - Assessment : No data available

### Reproductive toxicity

May damage the unborn child.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

---

### Components:

#### **Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal develop-  
ment : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

#### **Alcohols, C16-18, ethoxylated:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal develop-  
ment : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

#### **4-Chloro-3-methylphenol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal develop-  
ment : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Gentamicin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on foetal develop-  
ment : Test Type: Embryo-foetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### **betamethasone:**

Effects on foetal development : Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
Result: Fetotoxicity, Malformations were observed.

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
Result: Malformations were observed.

Species: Mouse  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **4-Chloro-3-methylphenol:**

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

---

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

##### **Gentamicin:**

Target Organs : Kidney, inner ear  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **betamethasone:**

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Petrolatum:**

Species : Rat  
NOAEL : 5,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

##### **Paraffin oil:**

Species : Rat, female  
LOAEL : 161 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **Alcohols, C16-18, ethoxylated:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

##### **4-Chloro-3-methylphenol:**

Species : Rat  
NOAEL : 200 mg/kg  
LOAEL : 400 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

##### **Gentamicin:**

Species : Dog

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

---

LOAEL : 3 mg/kg  
Application Route : Intramuscular  
Exposure time : 12 Months  
Target Organs : Kidney  
Symptoms : Vomiting, Salivation

Species : Monkey  
LOAEL : 50 mg/kg  
Application Route : Subcutaneous  
Exposure time : 3 Weeks  
Target Organs : Kidney, inner ear

Species : Monkey  
LOAEL : 6 mg/kg  
Application Route : Intramuscular  
Exposure time : 3 Weeks  
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Intramuscular  
Exposure time : 52 Weeks  
Target Organs : Kidney, Blood

Species : Rat  
NOAEL : 12.5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Intramuscular  
Exposure time : 13 Weeks  
Target Organs : Kidney

### **betamethasone:**

Species : Rabbit  
LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 10 - 30 d  
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 8 Weeks  
Target Organs : thymus gland

Species : Mouse  
LOAEL : 0.1 %  
Application Route : Skin contact  
Exposure time : 8 Weeks  
Target Organs : thymus gland

Species : Dog



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

LOAEL : 0.05 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Target Organs : Blood, thymus gland, Adrenal gland

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Gentamicin:

Ingestion : Target Organs: Kidney  
Target Organs: inner ear  
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

#### betamethasone:

Inhalation : Target Organs: Adrenal gland  
Skin contact : Symptoms: Redness, pruritis, Irritation

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Petrolatum:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Paraffin oil:

Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 1,028 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa): > 3,193 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): 993 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Alcohols, C16-18, ethoxylated:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### 4-Chloro-3-methylphenol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Chlorella pyrenoidosa (aglae)): 15 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Chlorella pyrenoidosa (aglae)): 2.3 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

M-Factor (Acute aquatic toxicity) : 1  
Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l  
Exposure time: 28 d  
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.32 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 22.86 mg/l  
Exposure time: 60 h

### Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100  
M-Factor (Chronic aquatic toxicity) : 1  
Toxicity to microorganisms : EC50: 288.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### betamethasone:

Toxicity to daphnia and other : EC50 (Americamysis): > 50 mg/l

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

aquatic invertebrates Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l  
Exposure time: 219 d  
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

### Persistence and degradability

#### Components:

##### **Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

##### **Paraffin oil:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 82 %  
Exposure time: 24 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

##### **Alcohols, C16-18, ethoxylated:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

Remarks: Based on data from similar materials

### 4-Chloro-3-methylphenol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 15 d  
Method: OECD Test Guideline 301

### Gentamicin:

Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

### Bioaccumulative potential

#### Components:

#### Alcohols, C16-18, ethoxylated:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: > 4

#### 4-Chloro-3-methylphenol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 5.5 - 13

Partition coefficient: n-octanol/water : log Pow: 0.477

#### Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

#### betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(4-Chloro-3-methylphenol, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(4-Chloro-3-methylphenol, Gentamicin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous,  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(4-Chloro-3-methylphenol, Gentamicin)  
Class : 9  
Subsidiary risk : ENVIRONM.  
Packing group : III  
Labels : 9 (ENVIRONM.)  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### GB 6944/12268

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(4-Chloro-3-methylphenol, Gentamicin)  
Class : 9  
Packing group : III

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

Labels : 9

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2019/09/13
3.4	2020/03/23	1832928-00008	Date of first issue: 2017/07/13

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN