

Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
3.0	23.03.2020	2807397-00005	Date of first issue: 18.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name :	Gentamicin / Betamethasone Cream Formulation
1.2 Relevant identified uses of the	substance or mixture and uses advised against
Use of the Sub- : stance/Mixture	Pharmaceutical
1.3 Details of the supplier of the sa	fety data sheet
Company :	Organon & Co. 30 Hudson Street, 33nd floor 07302 Jersey City, New Jersey, U.S.A

Telephone	:	551-430-6000
E-mail address of person responsible for the SDS	:	EHSSTEWARD@organon.com

1.4 Emergency telephone number

215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848

Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure, Category 1 Long-term (chronic) aquatic hazard, Category 1

÷

:

2.2 Label elements

Labelling T.R. SEA No 28848

Hazard pictograms

H360D: May damage the unborn child. H372: Causes damage to organs through prolonged or repeated exposure. H410: Very toxic to aquatic life with long lasting effects.



Signal word

Hazard statements

H360D May damage the unborn child. H372 Causes damage to organs through prolonged or repeated exposure.



Gentamicin / Betamethasone Cream Formulation

Version 3.0	Revision Date: 23.03.2020	SDS Number: 2807397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
		H410 Very to	xic to aquatic life with long lasting effects.
Precau	utionary statements	· Prevention:	
		 P201 Obtain special instructions before use. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye prot tion/ face protection. 	
	Resp		
		P308 + P313 attention. P391 Collect	IF exposed or concerned: Get medical advice/ spillage.

Hazardous components which must be listed on the label:

betamethasone

Additional Labelling:

EUH208 Contains 4-Chloro-3-methylphenol. May produce an allergic reaction.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration num- ber	Classification	Concentration (% w/w)
4-Chloro-3-methylphenol	59-50-7 200-431-6 604-014-00-3	Acute Tox.4; H302 Acute Tox.4; H312 Skin Corr.1C; H314 Eye Dam.1; H318 Skin Sens.1B; H317 STOT SE3; H335 Aquatic Acute1; H400 Aquatic Chronic3; H412 M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25
Gentamicin	1403-66-3 215-765-8	Repr.1A; H360D STOT RE1; H372	>= 0,1 - < 0,25

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
3.0	23.03.2020	2807397-00005	Date of first issue: 18.05.2018
	nethasone	378-44-9 206-825-	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders :	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled :	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact :	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed :	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.



Gentamicin / Betamethasone Cream Formulation

Version 3.0	Revision Date: 23.03.2020	SDS Number: 2807397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018					
4.2 Most ir	4.2 Most important symptoms and effects, both acute and delayed							
Risks		, ,	 May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. 					
		May produce an	allergic reaction.					
4.3 Indication of any immediate medical attention and special treatment needed								
Treatr	nent	: Treat symptoma	tically and supportively.					

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	h the	e substance or mixture
Specific hazards during fire- fighting	:	Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective	equipment and emergency procedures
--------------------------------------	------------------------------------

Personal precautions	:	: Use personal protective equipment.	
		Follow safe handling advice and personal protective equip-	
		ment recommendations.	



Gentamicin / Betamethasone Cream Formulation

Version 3.0	Revision Date: 23.03.2020	SDS Number: 2807397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018					
6.2 Enviror	6.2 Environmental precautions							
Environmental precautions :		Prevent further le Retain and dispo Local authorities	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.					
6.3 Method	is and material for co	ntainment and cleani	ng up					
Methods for cleaning up		tainer for disposa Local or national posal of this mate employed in the o mine which regul Sections 13 and	uum up spillage and collect in suitable con- al. regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.					

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	5
Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
2 Conditions for safe storag	e. including any incompatibilities

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep in properly labelled containers. Store locked up. Keep



Gentamicin / Betamethasone Cream Formulation

Version 3.0	Revision Date: 23.03.2020	SDS Number: 2807397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018	
areas	and containers	tightly closed. regulations.	Store in accordance with the particular national	
Advice	e on common storage	: Do not store with the following product types: Strong oxidizing agents Organic peroxides Explosives Gases		
•	c end use(s) ic use(s)	: No data availa	ble	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal		
betamethasone	378-44-9	TWA	1 μg/m3 (OEB 4)	Internal		
	Further inform	Further information: Skin				
		Wipe limit	10 µg/100 cm²	Internal		

Derived No Effect Level (DNEL) :

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Alcohols, C16-18	Workers	Inhalation	Long-term systemic effects	237,76 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	237,76 mg/m3
	Workers	Inhalation	Long-term local ef- fects	6,52 mg/m3
	Workers	Inhalation	Acute local effects	6,52 mg/m3
	Workers	Skin contact	Long-term systemic effects	200 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	400 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	1,124 mg/cm2
	Workers	Skin contact	Acute local effects	1,124 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	118,88 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	118,9 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,652 mg/m3

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



2,286 mg/l

13,981 mg/kg dry weight (d.w.)

13,981 mg/kg dry weight (d.w.)

Gentamicin / Betamethasone Cream Formulation

		S Number: Date of last issue: 13.09.20 7397-00005 Date of first issue: 18.05.20					
5 23.03.2020 200		1391-	DOUDS Dale	01 1151 15508. 10.05.20	10		
		Consume	rs	Inhalation	Acute local effects	0	,652 mg/m
		Consume	umers Skin contact		Long-term systemic effects	b	00 mg/kg w/day
		Consume	rs	Skin contact	Acute systemic ef- fects		00 mg/kg w/day
		Consume	rs	Skin contact	Long-term local ef- fects	0	,562 mg/cn
		Consume	rs	Skin contact	Acute local effects	0	,562 mg/cn
		Consume	rs	Ingestion	Long-term systemic effects		5 mg/kg w/day
		Consume	rs	Ingestion	Acute systemic ef- fects		5 mg/kg w/day
Paraf	fin oil	Workers		Inhalation	Long-term systemic effects	5 5	mg/m3
		Workers		Inhalation	Short-term exposur	e 5	mg/m3
		Workers		Inhalation	Long-term local ef- fects		mg/m3
Workers		Workers		Inhalation	Acute local effects		mg/m3
	4-Chloro-3- methylphenol Workers Workers			Inhalation	Long-term systemic effects	; 6	,289 mg/m
				Skin contact	Long-term systemic effects		,567 mg/kg w/day
		Consume	rs	Inhalation	Long-term systemic effects	; 1	,551 mg/m
		Consume	rs	Skin contact	Long-term systemic effects		,783 mg/kg w/day
		Consume	rs	Ingestion	Long-term systemic effects		,892 mg/kg w/day
Predi	cted No Effect C	oncentratio	on (PN	NEC) :	·		-
Subst	ance name		Envi	ronmental Compa	rtment	Valu	е
Petro	latum		Oral (Secondary Poisoning)			9,33	mg/kg food
Alcoh	ols, C16-18		Fresh water			0,13	mg/l
				ne water			mg/l
				age treatment pla	nt) mg/l
				h water sediment		weig	1 mg/kg dr ht (d.w.)
			Mari	ne sediment			1 mg/kg dr ht (d.w.)
			Soil				mg/kg dry ht (d.w.)
			Oral	(Secondary Poiso	oning)		mg/kg food
4-Chl	oro-3-methylphen	ol		h water	<u>,</u>		5 mg/l
	<u> </u>		Inter	mittent use/releas	е		5 mg/l
				ne water			2 mg/l
1							

Sewage treatment plant

Fresh water sediment

Marine sediment

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Gentamicin / Betamethasone Cream Formulation

Version	Revision Date: 23.03.2020	SDS Number:	Date of last issue: 13.09.2019
3.0		2807397-00005	Date of first issue: 18.05.2018
		Soil	6,399 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to TS EN 14387 Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	cream No data available No data available No data available
рН	:	No data available
Melting point/freezing point	:	No data available



Gentamicin / Betamethasone Cream Formulation

Ver 3.0	sion	Revision Date: 23.03.2020		S Number:)7397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
		oiling point and boiling	:	No data available	9
	range Flash p	oint	:	> 93,3 °C	
	Evapor	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	Not classified as	a flammability hazard
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	9
	Relative	e vapour density	:	No data available	9
	Relative	e density	:	No data available	9
	Density	,	:	No data available	2
	Partitio octanol	er solubility n coefficient: n-	:	No data available No data available No data available	9
		position temperature	:	No data available	
	Viscosi		·		5
		osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance o	r mixture is not classified as oxidizing.
9.2	Other in	formation			
	Flamma	ability (liquids)	:	No data available	9
	Molecu	lar weight	:	No data available	9
	Particle	size	:	No data available	<u>)</u>

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.



Versi 3.0	ion	Revision Date: 23.03.2020		0S Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018				
10.2	Chemi	cal stability							
	Stable under normal conditions.								
10.3	Possib	ility of hazardous rea	actio	ons					
	Hazard	ous reactions	m explosive mixture with air. rong oxidizing agents.						
10.4	Condit	ions to avoid							
	Conditio	ons to avoid	:	None known.					
10.5	Incomp	patible materials							
	Materia	ls to avoid	:	Oxidizing agents					
		ous decomposition particular decomposition							
		•	· .						
SEC		11: Toxicological in	lior	mation					
		ation on toxicologica tion on likely routes of re		Skin contact Ingestion					
	A			Eye contact					
	Acute t Not clas	ssified based on availa	ble	information.					
	Compo	nents:							
	4-Chloi	o-3-methylphenol:							
	Acute o	ral toxicity	:	LD50 (Mouse): 60	0 mg/kg				
	Acute ir	nhalation toxicity	:	LC50 (Rat): > 2,8 Exposure time: 4 Test atmosphere:	h				
	Acute d	ermal toxicity	:	Method: Expert ju	on harmonised classification in EU regulation				
	Gentan	nicin:							
	Acute o	ral toxicity	:	LD50 (Rat): 8.000	- 10.000 mg/kg				
				LD50 (Mouse): 10	0.000 mg/kg				
	Acute ir	nhalation toxicity	:	LC50 (Rat): > 0,2 Exposure time: 4 Test atmosphere:	h				

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding haz-ardous substances and mixtures; Part I".



Gentamicin / Betamethasone Cream Formulation

Versio 3.0	n Revision Date: 23.03.2020	-	OS Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
Ш			Remarks: No mor	tality observed at this dose.
	cute toxicity (other routes of dministration)	:	LD50 (Rat): 67 - 9 Application Route	
			LD50 (Rat): 371 - Application Route	
			LDLo (Monkey): 3 Application Route	
b	etamethasone:			
A	cute oral toxicity	:	LD50 (Rat): > 5.00	00 mg/kg
			LD50 (Mouse): > -	4.500 mg/kg
A	cute inhalation toxicity	:	LC50 (Rat): 0,4 m Exposure time: 4	
N	kin corrosion/irritation ot classified based on availa omponents:	ble	information.	
	Chloro-3-methylphenol:			
	pecies ethod	:	Rabbit OECD Test Guide	line 404
	esult	:		o 4 hours of exposure
G	entamicin:			
S R	pecies esult	:	Rabbit Mild skin irritation	
b	etamethasone:			
	pecies esult	:	Rabbit Mild skin irritation	
	erious eye damage/eye irri			
	ot classified based on availa omponents:	bie	information.	
	Chloro-3-methylphenol:			
	pecies	:	Rabbit	
M R	ethod esult	:	OECD Test Guide	
		-		, -



Version 3.0	Revision Date: 23.03.2020		0S Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
Genta	micin:			
Specie Result		:	Rabbit Mild eye irritation	
betam	ethasone:			
Specie Result	s			
Respir	atory or skin sensitis	atic	n	
Skin s	ensitisation			
Not cla	ssified based on availa	ble	information.	
-	atory sensitisation		· • ·	
	ssified based on availa	ble	information.	
	onents:			
4-Chlo Test Ty	ro-3-methylphenol:		Maximisation Tes	*
Exposu	ure routes	÷	Skin contact	ι
Specie	S	:	Guinea pig	
Assess	sment	:	Probability or evic rate in humans	lence of low to moderate skin sensitisation
Genta	nicin:			
Remar	ks	:	No data available	
betam	ethasone:			
	ure routes	:	Dermal	
Specie		:	Guinea pig	
Result		÷	Weak sensitizer	
Germ	cell mutagenicity			
Not cla	ssified based on availa	ble	information.	
Compo	onents:			
4-Chlo	ro-3-methylphenol:			
Genoto	oxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
Gentar	nicin:			
Genoto	oxicity in vitro	:	Test Type: In vitro Result: negative	o mammalian cell gene mutation test



Version 3.0	Revision Date: 23.03.2020	-	9S Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
			Test Type: Chrom Result: equivocal	osome aberration test in vitro
Genotoxicity in vivo		:	 Test Type: Mammalian erythrocyte micronucleus test (in v cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative 	
betam	ethasone:			
Genoto	oxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
			Test Type: In vitro Result: negative	mammalian cell gene mutation test
			Test Type: Chrom Result: positive	osome aberration test in vitro
Genoto	oxicity in vivo	:	Test Type: Mamm cytogenetic assay Species: Mouse Application Route Result: equivocal	
Germ o sessm	cell mutagenicity- As- ent	:	Weight of evidenc cell mutagen.	e does not support classification as a germ
Carcin	ogenicity			
	issified based on availa	ble	information.	
Comp	onents:			
Genta	micin:			
Carcine ment	ogenicity - Assess-	:	No data available	
-	ductive toxicity amage the unborn child			
<u>Comp</u>	onents:			
4-Chlo	oro-3-methylphenol:			
	on fertility	:	Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion
Effects ment	on foetal develop-	:	Test Type: Repro- test	duction/Developmental toxicity screening



Version 3.0	Revision Date: 23.03.2020		S Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
			Species: Rat Application Route Result: negative	: Ingestion
Genta	micin:			
Effects	s on fertility	:	Species: Rat Fertility: NOAEL:	eneration reproduction toxicity study 20 mg/kg body weight cant adverse effects were reported
Effects ment	Effects on foetal develop- ment		Species: Rabbit	o-foetal development oxicity: NOAEL: 3,6 mg/kg body weight o-foetal toxicity
			Species: Rat Application Route	oxicity: LOAEL: 75 mg/kg body weight
			Species: Mouse Application Route Developmental To	o-foetal development : Intraperitoneal oxicity: LOAEL: 10 mg/kg body weight tality, No malformations were observed.
			Species: Rat Application Route Developmental To	o-foetal development : Intraperitoneal oxicity: LOAEL: 50 mg/kg body weight tality, No malformations were observed.
Repro- sessm	ductive toxicity - As- ent	:	Positive evidence human epidemiolo	of adverse effects on development from ogical studies.
betam	ethasone:			
	s on foetal develop-	:		: Intramuscular oxicity: LOAEL: 0,05 mg/kg body weight sy, Malformations were observed.
				: Subcutaneous oxicity: LOAEL: 0,42 mg/kg body weight ions were observed.
			Species: Mouse Application Route	: Intramuscular

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Version 3.0	Revision Date: 23.03.2020	-	DS Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
				oxicity: LOAEL: 1 mg/kg body weight tions were observed.
Repro sessm	ductive toxicity - As- ient	:	Clear evidence of animal experimen	adverse effects on development, based on tts.
	- single exposure assified based on availa	able	information.	
	onents:			
4-Chle	oro-3-methylphenol:			
Asses	sment	:	May cause respire	atory irritation.
	- repeated exposure es damage to organs the	roug	gh prolonged or rep	eated exposure.
<u>Comp</u>	onents:			
	micin:			
	t Organs sment	:	Kidney, inner ear Causes damage t exposure.	o organs through prolonged or repeated
betam	ethasone:			
Targe	t Organs	:	Pituitary gland, Im Adrenal gland	nmune system, muscle, thymus gland, Blood,
Asses	sment	:		o organs through prolonged or repeated
Repea	ated dose toxicity			
<u>Comp</u>	onents:			
4-Chle	oro-3-methylphenol:			
Specie NOAE		:	Rat 200 mg/kg	
LOAE	L	:	400 mg/kg	
	ation Route ure time	:	Ingestion 28 Days	
Genta	micin:			
Specie LOAE		:	Dog 2 mg/kg	
Applic	ation Route	:	3 mg/kg Intramuscular	
	ure time t Organs	:	12 Months Kidney	
Sympt	toms	:	Vomiting, Salivati	on

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Version 3.0	Revision Date: 23.03.2020	SDS Number: 2807397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
Expos		: Monkey : 50 mg/kg : Subcutaneous : 3 Weeks : Kidney, inner ea	r
Expos		: Monkey : 6 mg/kg : Intramuscular : 3 Weeks : Blood, Kidney, ir	nner ear, Liver
Expos	L	: Rat : 5 mg/kg : 10 mg/kg : Intramuscular : 52 Weeks : Kidney, Blood	
Expos	L	: Rat : 12,5 mg/kg : 50 mg/kg : Intramuscular : 13 Weeks : Kidney	
Specie LOAE Applic Expos		: Rabbit : 0.05 % : Skin contact : 10 - 30 d : Pituitary gland, I	mmune system, muscle
Expos	es L ation Route ure time : Organs	: Rat : 0.05 % : Skin contact : 8 Weeks : thymus gland	
Expos		: Mouse : 0.1 % : Skin contact : 8 Weeks : thymus gland	
		: Dog : 0,05 mg/kg : Oral : 28 d	



Gentamicin / Betamethasone Cream Formulation

Version 3.0	Revision Date: 23.03.2020		DS Number: 807397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
Target Organs		:	: Blood, thymus gland, Adrenal gland	
Not cla	ation toxicity assified based on avail			
Experience with human exposure <u>Components:</u>				
Genta	micin:			
Ingest	ion	:	Target Organs: K Target Organs: ir Symptoms: Dizzir deafness	
betam	ethasone:			
Inhala Skin c		:	Target Organs: A Symptoms: Redn	drenal gland ess, pruritis, Irritation

SECTION 12: Ecological information

12.1 Toxicity

Components:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella pyrenoidosa (aglae)): 15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Chlorella pyrenoidosa (aglae)): 2,3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
Toxicity to microorganisms	:	EC50 : 22,86 mg/l Exposure time: 60 h
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0,15 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204



Version 3.0	Revision Date: 23.03.2020	-	9S Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
aqua	city to daphnia and other atic invertebrates (Chron- xicity)		Exposure time: 21	magna (Water flea)
Gen	tamicin:			
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
			LC50 (Americamy Exposure time: 96 Method: US-EPA	3 h
Toxi plan	city to algae/aquatic ts	:	EC50 (Pseudokiro Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokir µg/l Exposure time: 72 Method: OECD Te	
			EC50 (Anabaena Exposure time: 72 Method: OECD Te	
			NOEC (Anabaena Exposure time: 72 Method: OECD Te	
M-F	actor (Acute aquatic tox-	:	100	
Тохі	city to microorganisms	:	EC50 : 288,7 mg/ Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition
M-F toxic	actor (Chronic aquatic sity)	:	1	
beta	methasone:			
	city to daphnia and other atic invertebrates	:	EC50 (Americamy Exposure time: 96	
Toxi plan	city to algae/aquatic ts	:	EC50 (Pseudokiro mg/l Exposure time: 72	chneriella subcapitata (green algae)): > 34 2 h

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Vers 3.0	sion	Revision Date: 23.03.2020		0S Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
				Method: OECD To Remarks: No toxi	est Guideline 201 city at the limit of solubility
				mg/l Exposure time: 72 Method: OECD To	
	Toxicity icity)	y to fish (Chronic tox-	:	NOEC: 0,052 mg/ Exposure time: 32 Species: Pimepha Method: OECD To	2 d ales promelas (fathead minnow)
				NOEC: 0,07 µg/l Exposure time: 27 Species: Oryzias Method: OECD To	latipes (Japanese medaka)
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		:	NOEC: 8 mg/l Exposure time: 2 ⁴ Species: Daphnia Method: OECD Te	magna (Water flea)
	M-Factor (Chronic aquatic toxicity)		:	1.000	
12.2	12.2 Persistence and degradabili		ity		
	Compo	onents:			
	-	ro-3-methylphenol: Iradability	:	Result: Readily bi Biodegradation: 5 Exposure time: 15 Method: OECD To	78 % 5 d
_	Genta	micin:			
	Biodeg	radability	:	Result: rapidly de Biodegradation: Exposure time: 28 Method: OECD To	100 % 3 d
12.3	12.3 Bioaccumulative potential				
	Compo	onents:			
I	-	ro-3-methylphenol: umulation	:	Species: Cyprinus Bioconcentration	s carpio (Carp) factor (BCF): 5,5 - 13



Gentamicin / Betamethasone Cream Formulation

Version 3.0	Revision Date: 23.03.2020	SDS Number:Date of last issue: 13.02807397-00005Date of first issue: 18.0		
	on coefficient: n- ol/water	: log Pow: 0,477		
Gentamicin: Partition coefficient: n- octanol/water		: log Pow: < -2		
betamethasone: Partition coefficient: n- octanol/water		: log Pow: 2,11		
12.4 Mobility in soil No data available				
12.5 Results of PBT and vPvB assessment Not relevant				
	r adverse effects Ita available			
SECTION 13: Disposal considerations				

13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in
Contaminated packaging	:	discussion with the waste disposal authorities. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (4-Chloro-3-methylphenol, Gentamicin)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,



Version 3.0	Revision Date: 23.03.2020		DS Number: 07397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
			N.O.S. (4-Chloro-3-meth	ylphenol, Gentamicin)
RID		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID, ylphenol, Gentamicin)
IMDG : ENVIRONMENTALLY HAZARDOUS N.O.S. (4-Chloro-3-methylphenol, Gentamic		ALLY HAZARDOUS SUBSTANCE, SOLID, ylphenol, Gentamicin)		
ΙΑΤΑ		:	 Environmentally hazardous substance, solid, n.o.s. (4-Chloro-3-methylphenol, Gentamicin) 	
4.3 Trans	sport hazard class(es)			
ADN		:	9	
ADR		:	9	
RID		:	9	
IMDG		:	9	
ΙΑΤΑ		:	9	
4.4 Packi	ing group			
Class	ng group ification Code d Identification Number s	:	III M7 90 9 (ENVIRONM.)	
Class Hazar Label	ng group ification Code rd Identification Number s el restriction code	:	III M7 90 9 (ENVIRONM.) (-)	
Class	ng group ification Code rd Identification Number s	:	III M7 90 9 (ENVIRONM.)	
IMDG Packin Labels EmS	ng group s	:	III 9 (ENVIRONM.) F-A, S-F	
Packii aircra Packii	(Cargo) ng instruction (cargo ft) ng instruction (LQ) ng group	: : :	956 Y956 III	



Gentamicin / Betamethasone Cream Formulation

Vers 3.0	sion	Revision Date: 23.03.2020		DS Number: 307397-00005	Date of last issue: 13.09.2019 Date of first issue: 18.05.2018
	Labels		:	Miscellaneous,	
	Packing ger airc Packing	Passenger) g instruction (passen- craft) g instruction (LQ) g group	:	956 Y956 III Miscellaneous,	
14.5		nmental hazards	•	wiscenaneous,	
	ADN Enviror	nmentally hazardous	:	yes	
	ADR Enviror	mentally hazardous	:	yes	
	RID Enviror	nmentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
		Passenger) nmentally hazardous	:	yes	
	IATA (Enviror	Cargo) nmentally hazardous	:	yes	
14.6	Specia	I precautions for use	ər		
	based Sheet.	upon the properties of	the catio	unpackaged mater ons may vary by m	or informational purposes only, and solely rial as it is described within this Safety Data ode of transportation, package sizes, and var-
14.7	' Transp	oort in bulk according	g to	Annex II of Marpo	ol and the IBC Code
	Remar	ks	:	Not applicable for	r product as supplied.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17)	ө, :	Not applicable	
Regulation on Persistent Organic Pollutants (Number 30595)	:	Not applicable	
Regulation on prevention of major industrial accidents	. Regi	number 30702	
	-	Quantity 1	Quantity 2
E1 ENVIRONMENTAL	_	100 t	200 t
E1 ENVIRONMENTAL HAZARDS			

Other regulations:



Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
3.0	23.03.2020	2807397-00005	Date of first issue: 18.05.2018

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I". Regulation on Classification, Labelling and Packaging of Substances and Mixtures. Dated 11 December 2013, Numbered 28848 (Bis) Ministry of Environment and Forestry. Regulation on Health and Safety Measures Of Working with Chemicals Substances Dated 12.08.13, numbered 28733 Ministry of Labour and Social Security.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL		not determined
IECSC	:	not determined

SECTION 16: Other information

Other information :	: Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
---------------------	--

Full text of H-Statements

H302	:	Harmful if swallowed.
H312	:	Harmful in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H335	:	May cause respiratory irritation.
H360D	:	May damage the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H372	:	Causes damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

The Turkish SDS has been prepared according to the Regulation on Safety Data Sheets for Hazardous Substances and Mixtures No. 29204.

Full text of other abbreviations

Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage
Repr. :	Reproductive toxicity
Skin Corr. :	Skin corrosion
Skin Sens. :	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure



Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
3.0	23.03.2020	2807397-00005	Date of first issue: 18.05.2018

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet	:		data from raw material SDSs, OECD sults and European Chemicals Agen- u/
Classification of the mixtur	e:		Classification procedure:
Repr. 1B	H3	60D	Calculation method
STOT RE 1	H3	72	Calculation method
Aquatic Chronic 1	H4	10	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for



Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
3.0	23.03.2020	2807397-00005	Date of first issue: 18.05.2018

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TR / EN