

SAFETY DATA SHEET



Gentamicin / Betamethasone Ointment Formulation



Version 4.2 Revision Date: 09.04.2021 SDS Number: 1841325-00009 Date of last issue: 10.10.2020
Date of first issue: 19.07.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Gentamicin / Betamethasone Ointment Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : Rua Treze de Maio, 1161
Campinas, São Paulo, Brazil B-2220

Telephone : 551-430-6000

Emergency telephone : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard



Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
H401 Toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



Gentamicin / Betamethasone Ointment Formulation



Version 4.2 Revision Date: 09.04.2021 SDS Number: 1841325-00009 Date of last issue: 10.10.2020
Date of first issue: 19.07.2017

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Petrolatum	8009-03-8		94,8
Paraffin oil	8012-95-1	Aspiration hazard, Category 1 Long-term (chronic) aquatic hazard, Category 4	5
Gentamicin	1403-66-3	Reproductive toxicity, Category 1A Specific target organ toxicity - repeated exposure (Oral) (Kidney, inner ear), Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	0,1
Betamethasone	378-44-9	Acute toxicity (Inhalation), Category 2 Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal	0,064

SAFETY DATA SHEET



Gentamicin / Betamethasone Ointment Formulation



Version 4.2 Revision Date: 09.04.2021 SDS Number: 1841325-00009 Date of last issue: 10.10.2020
Date of first issue: 19.07.2017

		gland), Category 1 Long-term (chronic) aquatic hazard, Category 1	
--	--	--	--

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SAFETY DATA SHEET



Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe dust, fume, gas, mist, vapors or spray. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Gentamicin / Betamethasone Ointment Formulation

Version 4.2 Revision Date: 09.04.2021 SDS Number: 1841325-00009 Date of last issue: 10.10.2020
Date of first issue: 19.07.2017

Materials to avoid : Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
: Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Paraffin oil	8012-95-1	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

SAFETY DATA SHEET



Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Skin and body protection : If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	ointment
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available

SAFETY DATA SHEET



Gentamicin / Betamethasone Ointment Formulation



Version 4.2 Revision Date: 09.04.2021 SDS Number: 1841325-00009 Date of last issue: 10.10.2020
Date of first issue: 19.07.2017

Partition coefficient: n-octanol/water : No data available
Autoignition temperature : No data available
Decomposition temperature : No data available
Viscosity
 Viscosity, kinematic : No data available
Explosive properties : Not explosive
Oxidizing properties : The substance or mixture is not classified as oxidizing.
Molecular weight : No data available
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Petrolatum:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8.000 - 10.000 mg/kg
LD50 (Mouse): 10.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

Betamethasone:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
LD50 (Mouse): > 4.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,4 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Components:

Petrolatum:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Paraffin oil:

Species : Rabbit
Result : No skin irritation

Gentamicin:

Species : Rabbit
Result : Mild skin irritation

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Betamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Petrolatum:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Paraffin oil:

Species : Rabbit
Result : No eye irritation

Gentamicin:

Species : Rabbit
Result : Mild eye irritation

Betamethasone:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Petrolatum:**

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Gentamicin:

Remarks : No data available

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Betamethasone:

Routes of exposure : Dermal
 Species : Guinea pig
 Result : Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:**Petrolatum:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intravenous injection
 Result: negative

Betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Oral
 Result: equivocal

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Petrolatum:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

Gentamicin:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

May damage the unborn child.

Components:

Petrolatum:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Skin contact
 Result: negative
 Remarks: Based on data from similar materials

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Fertility: NOAEL: 20 mg/kg body weight
 Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rabbit
 Developmental Toxicity: NOAEL: 3,6 mg/kg body weight
 Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 75 mg/kg body weight
 Result: Embryo-fetal toxicity.

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: Fetal mortality., No malformations were observed.

Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 50 mg/kg body weight
 Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Betamethasone:

Effects on fetal development : Species: Rabbit
 Application Route: Intramuscular
 Developmental Toxicity: LOAEL: 0,05 mg/kg body weight
 Result: Fetotoxicity., Malformations were observed.

Species: Rat
 Application Route: Subcutaneous
 Developmental Toxicity: LOAEL: 0,42 mg/kg body weight
 Result: Malformations were observed.

Species: Mouse
 Application Route: Intramuscular
 Developmental Toxicity: LOAEL: 1 mg/kg body weight
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Components:

Gentamicin:

Target Organs : Kidney, inner ear
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Petrolatum:

Species : Rat
 NOAEL : 5.000 mg/kg
 Application Route : Ingestion
 Exposure time : 2 y

Paraffin oil:

Species : Rat, female
 LOAEL : 161 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Gentamicin:

Species : Dog
 LOAEL : 3 mg/kg
 Application Route : Intramuscular
 Exposure time : 12 Months
 Target Organs : Kidney
 Symptoms : Vomiting, Salivation

Species : Monkey
 LOAEL : 50 mg/kg
 Application Route : Subcutaneous
 Exposure time : 3 Weeks
 Target Organs : Kidney, inner ear

Species : Monkey
 LOAEL : 6 mg/kg
 Application Route : Intramuscular
 Exposure time : 3 Weeks
 Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
 NOAEL : 5 mg/kg
 LOAEL : 10 mg/kg
 Application Route : Intramuscular
 Exposure time : 52 Weeks
 Target Organs : Kidney, Blood

Species : Rat
 NOAEL : 12,5 mg/kg
 LOAEL : 50 mg/kg
 Application Route : Intramuscular
 Exposure time : 13 Weeks
 Target Organs : Kidney

Gentamicin / Betamethasone Ointment Formulation

Version 4.2 Revision Date: 09.04.2021 SDS Number: 1841325-00009 Date of last issue: 10.10.2020
Date of first issue: 19.07.2017

Betamethasone:

Species : Rabbit
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 10 - 30 d
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Mouse
LOAEL : 0.1 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Dog
LOAEL : 0,05 mg/kg
Application Route : Oral
Exposure time : 28 d
Target Organs : Blood, thymus gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

Components:**Paraffin oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure**Components:****Gentamicin:**

Ingestion : Target Organs: Kidney
Target Organs: inner ear
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

Betamethasone:

Inhalation : Target Organs: Adrenal gland
Skin contact : Symptoms: Redness, pruritis, Irritation

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Petrolatum:

- Toxicity to fish : LL50 (*Pimephales promelas* (fathead minnow)): > 100 mg/l
 Exposure time: 96 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 203
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10.000 mg/l
 Exposure time: 48 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : NOEL (*Pseudokirchneriella subcapitata* (green algae)): >= 100 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 10 mg/l
 Exposure time: 21 d
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Paraffin oil:

- Toxicity to fish : LL50 (*Scophthalmus maximus* (turbot)): > 100 mg/l
 Exposure time: 96 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (*Acartia tonsa*): > 100 mg/l
 Exposure time: 48 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EL50 (*Skeletonema costatum* (marine diatom)): > 100 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials
- NOELR (*Skeletonema costatum* (marine diatom)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Gentamicin:

Gentamicin / Betamethasone Ointment Formulation

Version 4.2	Revision Date: 09.04.2021	SDS Number: 1841325-00009	Date of last issue: 10.10.2020 Date of first issue: 19.07.2017
----------------	------------------------------	------------------------------	---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,5 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4,7 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1,6 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288,7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Betamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,052 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

NOEC (*Oryzias latipes* (Japanese medaka)): 0,07 µg/l
Exposure time: 219 d
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1.000

Persistence and degradability**Components:****Petrolatum:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Gentamicin:

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Paraffin oil:**

Partition coefficient: n-octanol/water : log Pow: > 4
Remarks: Calculation

Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

Betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2,11

Mobility in soil

No data available

Other adverse effects

No data available

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (betamethasone, Gentamicin)
 Class : 9
 Packing group : III
 Labels : 9

IATA-DGR

UN/ID No. : UN 3077
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Betamethasone, Gentamicin)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 956
 Packing instruction (passenger aircraft) : 956
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Betamethasone, Gentamicin)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

(betamethasone, Gentamicin)

Class	:	9
Packing group	:	III
Labels	:	9
Hazard Identification Number	:	90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

International Regulations**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

SAFETY DATA SHEET



Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
4.2	09.04.2021	1841325-00009	Date of first issue: 19.07.2017

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8