

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 5.0      Revision Date: 2021/04/09      SDS Number: 1841315-00009      Date of last issue: 2020/10/10  
Date of first issue: 2017/07/19

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Gentamicin / Betamethasone Ointment Formulation

#### Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number : 215-631-6999

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.  
H401 Toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Petrolatum	8009-03-8	94.8	
Paraffin oil	8012-95-1	5	
Gentamicin	1403-66-3	0.1	
betamethasone	378-44-9	0.064	

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

---

- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

## 7. HANDLING AND STORAGE

### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### Storage

- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	OEL-M (Mist)	3 mg/m <sup>3</sup>	JP OEL JSOH
Further information: Substance whose OEL is set based on non-carcinogenic health effects. See III, Group 1: carcinogenic to hu-				

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 5.0      Revision Date: 2021/04/09      SDS Number: 1841315-00009      Date of last issue: 2020/10/10  
 Date of first issue: 2017/07/19

		mans		
			TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup> ACGIH
Paraffin oil	8012-95-1		OEL-M (Mist)	3 mg/m <sup>3</sup> JP OEL JSOH
Further information: Group 1: carcinogenic to humans				
			TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup> ACGIH
Gentamicin	1403-66-3		TWA	0.1 mg/m <sup>3</sup> (OEB 2)      Internal
betamethasone	378-44-9		TWA	1 µg/m <sup>3</sup> (OEB 4)      Internal
Further information: Skin				
			Wipe limit	10 µg/100 cm <sup>2</sup> Internal

**Engineering measures** : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state** : ointment

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 5.0      Revision Date: 2021/04/09      SDS Number: 1841315-00009      Date of last issue: 2020/10/10  
Date of first issue: 2017/07/19

---

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density and / or relative density  
Relative density : No data available

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Components:

#### **Petrolatum:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

#### **Paraffin oil:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

#### **Gentamicin:**

Acute oral toxicity	:	LD50 (Rat): 8,000 - 10,000 mg/kg LD50 (Mouse): 10,000 mg/kg
---------------------	---	--

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 5.0      Revision Date: 2021/04/09      SDS Number: 1841315-00009      Date of last issue: 2020/10/10  
Date of first issue: 2017/07/19

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous  
  
LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular  
  
LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

### betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 4,500 mg/kg  
  
Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l  
Exposure time: 4 h

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Petrolatum:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### Paraffin oil:

Species : Rabbit  
Result : No skin irritation

#### Gentamicin:

Species : Rabbit  
Result : Mild skin irritation

### betamethasone:

Species : Rabbit  
Result : Mild skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.



**Gentamicin / Betamethasone Ointment Formulation**

Version 5.0      Revision Date: 2021/04/09      SDS Number: 1841315-00009      Date of last issue: 2020/10/10  
Date of first issue: 2017/07/19

---

**Components:****Petrolatum:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Paraffin oil:**

Species : Rabbit  
Result : No eye irritation

**Gentamicin:**

Species : Rabbit  
Result : Mild eye irritation

**betamethasone:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Petrolatum:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**Gentamicin:**

Remarks : No data available

**betamethasone:**

Exposure routes : Dermal  
Species : Guinea pig  
Result : Weak sensitizer

**Germ cell mutagenicity**

Not classified based on available information.

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

## Components:

### **Petrolatum:**

- |                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Chromosome aberration test in vitro<br>Result: negative<br>Remarks: Based on data from similar materials  |
| Genotoxicity in vivo  | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Method: OECD Test Guideline 474<br>Result: negative<br>Remarks: Based on data from similar materials |

### **Gentamicin:**

- |                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br><br>Test Type: Chromosome aberration test in vitro<br>Result: equivocal             |
| Genotoxicity in vivo  | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Intravenous injection<br>Result: negative |

### **betamethasone:**

- |                                     |   |   |
|-------------------------------------|---|---|
| Genotoxicity in vitro               | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br><br>Test Type: Chromosome aberration test in vitro<br>Result: positive |
| Genotoxicity in vivo                | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Oral<br>Result: equivocal  |
| Germ cell mutagenicity - Assessment | : | Weight of evidence does not support classification as a germ cell mutagen.  |

### **Carcinogenicity**

Not classified based on available information.

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

**Components:****Petrolatum:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

**Gentamicin:**

Carcinogenicity - Assessment	: No data available
------------------------------	---------------------

**Reproductive toxicity**

May damage the unborn child.

**Components:****Petrolatum:**

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Skin contact Result: negative Remarks: Based on data from similar materials

**Gentamicin:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Fertility: NOAEL: 20 mg/kg body weight Result: No significant adverse effects were reported
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Developmental Toxicity: NOAEL: 3.6 mg/kg body weight Result: No embryo-foetal toxicity
	: Test Type: Embryo-foetal development Species: Rat Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 75 mg/kg body weight Result: Embryo-foetal toxicity
	: Test Type: Embryo-foetal development Species: Mouse Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: foetal mortality, No malformations were observed.

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Intraperitoneal  
 Developmental Toxicity: LOAEL: 50 mg/kg body weight  
 Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### betamethasone:

Effects on foetal development : Species: Rabbit  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
 Result: Fetotoxicity, Malformations were observed.

Species: Rat  
 Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
 Result: Malformations were observed.

Species: Mouse  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

### Components:

#### Gentamicin:

Target Organs : Kidney, inner ear  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

#### betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

# Gentamicin / Betamethasone Ointment Formulation

Version 5.0      Revision Date: 2021/04/09      SDS Number: 1841315-00009      Date of last issue: 2020/10/10  
Date of first issue: 2017/07/19

## Repeated dose toxicity

### Components:

#### **Petrolatum:**

Species : Rat  
NOAEL : 5,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

#### **Paraffin oil:**

Species : Rat, female  
LOAEL : 161 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### **Gentamicin:**

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Intramuscular  
Exposure time : 12 Months  
Target Organs : Kidney  
Symptoms : Vomiting, Salivation

Species : Monkey  
LOAEL : 50 mg/kg  
Application Route : Subcutaneous  
Exposure time : 3 Weeks  
Target Organs : Kidney, inner ear

Species : Monkey  
LOAEL : 6 mg/kg  
Application Route : Intramuscular  
Exposure time : 3 Weeks  
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Intramuscular  
Exposure time : 52 Weeks  
Target Organs : Kidney, Blood

Species : Rat  
NOAEL : 12.5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Intramuscular  
Exposure time : 13 Weeks  
Target Organs : Kidney

#### **betamethasone:**

Species : Rabbit

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

LOAEL	: 0.05 %
Application Route	: Skin contact
Exposure time	: 10 - 30 d
Target Organs	: Pituitary gland, Immune system, muscle

Species	: Rat
LOAEL	: 0.05 %
Application Route	: Skin contact
Exposure time	: 8 Weeks
Target Organs	: thymus gland

Species	: Mouse
LOAEL	: 0.1 %
Application Route	: Skin contact
Exposure time	: 8 Weeks
Target Organs	: thymus gland

Species	: Dog
LOAEL	: 0.05 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Target Organs	: Blood, thymus gland, Adrenal gland

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Gentamicin:

Ingestion	: Target Organs: Kidney
	: Target Organs: inner ear
	: Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

#### betamethasone:

Inhalation	: Target Organs: Adrenal gland
Skin contact	: Symptoms: Redness, pruritis, Irritation

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Petrolatum:**

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

##### **Paraffin oil:**

Toxicity to fish	:	LL50 (Scophthalmus maximus (turbot)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
		NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

##### **Gentamicin:**

# Gentamicin / Betamethasone Ointment Formulation

Version 5.0      Revision Date: 2021/04/09      SDS Number: 1841315-00009      Date of last issue: 2020/10/10  
Date of first issue: 2017/07/19

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	100
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: 288.7 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

### betamethasone:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): > 50 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
		NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l Exposure time: 32 d Method: OECD Test Guideline 210



# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

	NOEC ( <i>Oryzias latipes</i> (Japanese medaka)): 0.07 µg/l Exposure time: 219 d Method: OECD Test Guideline 229
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC ( <i>Daphnia magna</i> (Water flea)): 8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1,000

### Persistence and degradability

#### Components:

##### **Petrolatum:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	--

##### **Gentamicin:**

Biodegradability	: Result: rapidly degradable Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	---

### Bioaccumulative potential

#### Components:

##### **Paraffin oil:**

Partition coefficient: n-octanol/water	: log Pow: > 4 Remarks: Calculation
--	--

##### **Gentamicin:**

Partition coefficient: n-octanol/water	: log Pow: < -2
--	-----------------

##### **betamethasone:**

Partition coefficient: n-octanol/water	: log Pow: 2.11
--	-----------------

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

No data available

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (betamethasone, Gentamicin)  
 Class : 9  
 Packing group : III  
 Labels : 9

#### IATA-DGR

UN/ID No. : UN 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (betamethasone, Gentamicin)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 956  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (betamethasone, Gentamicin)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Mineral oil	168	>=90 - <=100

#### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Number
Mineral oil	168

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### Ordinance on Prevention of Lead Poisoning

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

#### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

---

## Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

## Poisonous and Deleterious Substances Control Law

Not applicable

## Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

## High Pressure Gas Safety Act

Not applicable

## Explosive Control Law

Not applicable

## Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

## Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

## Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Y)

Pack transportation : Classified as marine pollutant

## Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

## Waste Disposal and Public Cleansing Law

Industrial waste

## The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.0	2021/04/09	1841315-00009	Date of first issue: 2017/07/19

---

JP / EN