according to GB/T 16483 and GB/T 17519



Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Losartan Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder

Colour: White to light yellowOdour: No data available

Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. May damage the unborn child. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure.

GHS Classification

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

Effects on or via lactation

Specific target organ toxicity - : Category 2

repeated exposure

GHS label elements

according to GB/T 16483 and GB/T 17519



Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Hazard pictograms :







Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H360D May damage the unborn child.

H362 May cause harm to breast-fed children.

H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary statements : Pre

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P263 Avoid contact during pregnancy/ while nursing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.

Dood W.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

according to GB/T 16483 and GB/T 17519



Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Health hazards

Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction. May damage the unborn child. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 50
Losartan	124750-99-8	>= 30 -< 50
Starch	9005-25-8	>= 10 -< 20

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

: Harmful if swallowed.

and enects, both acute and

May cause an allergic skin reaction. Causes serious eye damage.

delayed

May damage the unborn child.

May damage the unborn child.

May cause harm to breast-fed children.

May cause damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

according to GB/T 16483 and GB/T 17519

ORGANON

Losartan Formulation

SDS Number: Date of last issue: 2019/09/13 Version Revision Date: 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice and personal protective equip-

ment recommendations.

Environmental precautions Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

according to GB/T 16483 and GB/T 17519

ORGANON

Losartan Formulation

SDS Number: Date of last issue: 2019/09/13 Version Revision Date: 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling Do not get on skin or clothing.

> Do not breathe dust. Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Oxidizing agents

Storage

Conditions for safe storage Keep in properly labelled containers.

> Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Packaging material Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	PC-TWA	10 mg/m3	GBZ 2.1- 2007
		TWA	10 mg/m3	ACGIH
Losartan	124750-99-8	TWA	100 μg/m3 (OEB 2)	Internal
Starch	9005-25-8	TWA	10 mg/m3	ACGIH

according to GB/T 16483 and GB/T 17519

Apublic → ORGANON

Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Engineering measures : Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : White to light yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

according to GB/T 16483 and GB/T 17519



Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1 g/cm3

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Minimum ignition energy : > 300 mJ

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

according to GB/T 16483 and GB/T 17519

♣ ORGANON

Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Chemical stability

Possibility of hazardous reac-

tions

Stable under normal conditions.

: May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,502 mg/kg

Method: Calculation method

Components:

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Losartan:

Acute oral toxicity : LD50 (Mouse): 1,257 - 1,590 mg/kg

LDLo (Rat): 200 mg/kg

LDLo (Mouse): 400 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

according to GB/T 16483 and GB/T 17519

Public → ORGANON

Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Components:

Losartan:

Species : Rabbit

Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Losartan:

Species : Rabbit

Result : Severe irritation

Starch:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Losartan:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Assessment : Probability or evidence of skin sensitisation in humans

Result : positive

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

according to GB/T 16483 and GB/T 17519

♣ ORGANON

Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Losartan:

Genotoxicity in vitro : Test Type: in vitro assay

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Alkaline elution assay

Result: negative

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Result: negative

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Losartan:

Species : Mouse
Application Route : Oral
Exposure time : 92 weeks

Dose : 200 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 105 weeks

Dose : 270 mg/kg body weight

according to GB/T 16483 and GB/T 17519

Apublic → ORGANON

Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Result : negative

Reproductive toxicity

May damage the unborn child. May cause harm to breast-fed children.

Components:

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Losartan:

Effects on fertility : Test Type: Fertility

Species: Rat, female Application Route: Oral

Fertility: LOAEL: 200 mg/kg body weight Result: female reproductive effects Remarks: Maternal toxicity observed.

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL F1: 20 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No

teratogenic effects

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight

Result: Fetotoxicity, No teratogenic effects

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

Studies indicating a hazard to babies during the lactation peri-

od

STOT - single exposure

according to GB/T 16483 and GB/T 17519

Public ORGANON

Losartan Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/09/13

 4.9
 2020/03/23
 19345-00016
 Date of first issue: 2014/10/07

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Losartan:

Exposure routes : Ingestion

Target Organs : Blood, Cardio-vascular system, Stomach, Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Cellulose:

Species : Rat

 \dot{NOAEL} : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Losartan:

Species : Rat
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 309 d
Number of exposures : daily

Target Organs : Blood, Kidney, Cardio-vascular system, Stomach

Species : Dog
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 1 Months

Symptoms : Salivation, Vomiting

Species : Dog
LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Number of exposures : daily

Symptoms : Salivation, Vomiting

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Aspiration toxicity

according to GB/T 16483 and GB/T 17519

♣ ORGANON

Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Components:

Losartan:

No aspiration toxicity classification

Experience with human exposure

Components:

Losartan:

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: hypotension, tachycardia

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Losartan:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 929 mg/l

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 331 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Microcystis aeruginosa (blue-green algae)): 949 mg/l

Exposure time: 10 d

Method: FDA 4.01

NOEC (Selenastrum capricornutum (green algae)): 143 mg/l

Exposure time: 10 d Method: FDA 4.01

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 10 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

according to GB/T 16483 and GB/T 17519



Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Losartan:

Stability in water : Hydrolysis: < 10 %(5 d)

Bioaccumulative potential

Components:

Losartan:

Partition coefficient: n-

octanol/water

log Pow: 1.2

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

Not regulated as a dangerous good

Special precautions for user

Not applicable

according to GB/T 16483 and GB/T 17519



Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

GBZ 2.1-2007 : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

GBZ 2.1-2007 / PC-TWA : Permissible concentration - time weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

according to GB/T 16483 and GB/T 17519



Losartan Formulation

Version Revision Date: SDS Number: Date of last issue: 2019/09/13 4.9 2020/03/23 19345-00016 Date of first issue: 2014/10/07

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN