according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Losartan Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Pharmaceutical

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.

30 Hudson Street, 33nd floor

07302 Jersey City, New Jersey, U.S.A

Telephone : 551-430-6000

E-mail address of person responsible for the SDS

: EHSSTEWARD@organon.com

#### 1.4 Emergency telephone number

215-631-6999

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Serious eye damage, Category 1

Skin sensitisation, Category 1

Reproductive toxicity, Category 1B

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H360D: May damage the unborn child.

Effects on or via lactation H362: May cause harm to breast-fed children. Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

exposure, Category 2 longed or repeated exposure.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H360D May damage the unborn child.

H362 May cause harm to breast-fed children.

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

H373 May cause damage to organs through prolonged or

repeated exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P263 Avoid contact during pregnancy and while nursing.P280 Wear protective gloves/ protective clothing/ eye protective

tion/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

#### Hazardous components which must be listed on the label:

Losartan

#### 2.3 Other hazards

Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Losartan	124750-99-8	Acute Tox. 4; H302	>= 30 - < 50
		Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		Repr. 1B; H360D	
		Lact.H362	
		STOT RE 2; H373	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

May cause an allergic skin reaction. Causes serious eye damage. May damage the unborn child.

May cause harm to breast-fed children.

May cause damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

according to Regulation (EC) No. 1907/2006

## ♣ Public ORGANON

## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

## 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice and personal protective equip-

ment recommendations.

#### 6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to Regulation (EC) No. 1907/2006

## Public → ORGANON

## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

		of exposure)		
Cellulose	9004-34-6	OELV - 8 hrs (TWA)	10 mg/m3	IE OEL
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used			
Losartan	124750-99- 8	TWA	100 μg/m3 (OEB 2)	Internal
Starch	9005-25-8	OELV - 8 hrs (TWA) (Respira- ble dust)	4 mg/m3	IE OEL
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used			
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m3	IE OEL

#### 8.2 Exposure controls

#### **Engineering measures**

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Equipment should conform to I.S. EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to I.S. EN 143

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

Filter type : Particulates type (P)

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : White to light yellow Odour : No data available Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1 g/cm3

Solubility(ies)

Water solubility : No data available Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

according to Regulation (EC) No. 1907/2006

## Public → ORGANON

## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

Flammability (liquids) : No data available

Molecular weight : No data available

Minimum ignition energy : > 300 mJ

Particle size : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

## 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of : Inhalation exposure Skin contact

Ingestion Eye contact

**Acute toxicity** 

Harmful if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 1,502 mg/kg

Method: Calculation method

Components:

Losartan:

Acute oral toxicity : LD50 (Mouse): 1,257 - 1,590 mg/kg

according to Regulation (EC) No. 1907/2006

# ♣ ORGANON

## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

LDLo (Rat): 200 mg/kg

LDLo (Mouse): 400 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

Losartan:

Species : Rabbit

Result : Mild skin irritation

#### Serious eye damage/eye irritation

Causes serious eye damage.

## **Components:**

Losartan:

Species : Rabbit

Result : Severe irritation

## Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### Losartan:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Assessment : Probability or evidence of skin sensitisation in humans

Result : positive

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### Losartan:

Genotoxicity in vitro : Test Type: in vitro assay

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Alkaline elution assay

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

Result: negative

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Result: negative

## Carcinogenicity

Not classified based on available information.

#### Components:

#### Losartan:

Species : Mouse
Application Route : Oral
Exposure time : 92 weeks

Dose : 200 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 105 w

Exposure time : 105 weeks

Dose : 270 mg/kg body weight

Result : negative

#### Reproductive toxicity

May damage the unborn child.

May cause harm to breast-fed children.

## **Components:**

#### Losartan:

Effects on fertility : Test Type: Fertility

Species: Rat, female Application Route: Oral

Fertility: LOAEL: 200 mg/kg body weight Result: female reproductive effects Remarks: Maternal toxicity observed.

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL F1: 20 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No

teratogenic effects

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

Result: Fetotoxicity, No teratogenic effects

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

Studies indicating a hazard to babies during the lactation peri-

od

#### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Components:**

#### Losartan:

Exposure routes : Ingestion

Target Organs : Blood, Cardio-vascular system, Stomach, Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

#### **Components:**

#### Losartan:

Species : Rat
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 309 d
Number of exposures : daily

Target Organs : Blood, Kidney, Cardio-vascular system, Stomach

Species : Dog
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 1 Months

Symptoms : Salivation, Vomiting

Species : Dog
LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Number of exposures : daily

Symptoms : Salivation, Vomiting

## **Aspiration toxicity**

Not classified based on available information.

according to Regulation (EC) No. 1907/2006

## ♣ Public ORGANON

## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

#### **Components:**

#### Losartan:

No aspiration toxicity classification

## Experience with human exposure

#### Components:

Losartan:

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: hypotension, tachycardia

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

## **Components:**

Losartan:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 929 mg/l

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 331 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Microcystis aeruginosa (blue-green algae)): 949 mg/l

Exposure time: 10 d

Method: FDA 4.01

NOEC (Selenastrum capricornutum (green algae)): 143 mg/l

Exposure time: 10 d Method: FDA 4.01

Toxicity to fish (Chronic tox-

icity)

NOEC: 10 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

#### 12.2 Persistence and degradability

#### **Components:**

Losartan:

Stability in water : Hydrolysis: < 10 %(5 d)

according to Regulation (EC) No. 1907/2006

## Public → ORGANON

## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

## 12.3 Bioaccumulative potential

#### **Components:**

Losartan:

Partition coefficient: n-

octanol/water

log Pow: 1.2

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Not relevant

#### 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H360D : May damage the unborn child.

H362 : May cause harm to breast-fed children.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.09.2019
3.3 23.03.2020 19352-00016 Date of first issue: 07.10.2014

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage
Lact. : Effects on or via lactation
Repr. : Reproductive toxicity
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

IE OEL : Ireland. List of Chemical Agents and Occupational Exposure

Limit Values - Schedule 1

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx -Concentration associated with x% growth rate response: GHS - Globally Harmonized System: GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet: SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to : compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Acute Tox. 4 H302 Calculation method Eye Dam. 1 H318 Calculation method

according to Regulation (EC) No. 1907/2006



## **Losartan Formulation**

Version 3.3	Revision Date: 23.03.2020	SDS Number: 19352-00016	Date of last issue: 13.09.2019 Date of first issue: 07.10.2014	
Skin S	Sens. 1	H317	Calculation method	
Repr.	1B	H360D	Calculation method	
Lact.		H362	Calculation method	
STOT	RE 2	H373	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN