

Losartan / Amlodipine Besylate Formulation

Version 4.3 Revision Date: 10.10.2020 SDS Number: 49941-00015 Date of last issue: 13.09.2019
Date of first issue: 26.01.2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Losartan / Amlodipine Besylate Formulation

Manufacturer or supplier's details

Company name of supplier : Organon & Co.
Address : Avenida 16 de Septiembre No. 301
Xaltocan - Xochimilco Mexico 16090
Telephone : 52 55 57284444
Emergency telephone : 215-631-6999
E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage : Category 1
Skin sensitization : Category 1
Carcinogenicity (Inhalation) : Category 2
Reproductive toxicity : Category 1B
Effects on or via lactation
Specific target organ toxicity : Category 2 (Blood, Cardio-vascular system, Stomach, Kidney)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H351 Suspected of causing cancer if inhaled.
H360D May damage the unborn child.
H362 May cause harm to breast-fed children.
H373 May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

P263 Avoid contact during pregnancy and while nursing.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.
 May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 50 -< 70
Losartan	124750-99-8	>= 10 -< 20
Amlodipine Besylate	652969-01-2	>= 1 -< 5
Titanium dioxide	13463-67-7	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

		Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing cancer if inhaled. May damage the unborn child. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure if swallowed. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Chlorine compounds Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Use personal protective equipment.
-------------------------------	---	------------------------------------

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

- | | | |
|-------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tive equipment and emergency procedures | : | Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|-------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Avoid contact during pregnancy and while nursing.
Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace. |

Losartan / Amlodipine Besylate Formulation

Version 4.3 Revision Date: 10.10.2020 SDS Number: 49941-00015 Date of last issue: 13.09.2019
Date of first issue: 26.01.2015

- Conditions for safe storage : Wash contaminated clothing before re-use.
: Keep in properly labeled containers.
: Store locked up.
: Keep tightly closed.
: Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
: Strong oxidizing agents
: Organic peroxides
: Explosives
: Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Losartan	124750-99-8	TWA	100 µg/m ³ (OEB 2)	Internal
Amlodipine Besylate	652969-01-2	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Titanium dioxide	13463-67-7	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³ (Titanium dioxide)	ACGIH

- Engineering measures** : Minimize workplace exposure concentrations.
: Apply measures to prevent dust explosions.
: Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
: If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!
: For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

SAFETY DATA SHEET



Losartan / Amlodipine Besylate Formulation



Version 4.3 Revision Date: 10.10.2020 SDS Number: 49941-00015 Date of last issue: 13.09.2019
Date of first issue: 26.01.2015

Eye protection : breaks and at the end of workday.
: Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical
resistance data and an assessment of the local exposure
potential.
Skin contact must be avoided by using impervious protective
clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,
handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n- : No data available

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

octanol/water
Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Expert judgment

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Losartan / Amlodipine Besylate Formulation

Version 4.3 Revision Date: 10.10.2020 SDS Number: 49941-00015 Date of last issue: 13.09.2019
Date of first issue: 26.01.2015

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Losartan:

Acute oral toxicity : LD50 (Mouse): 1,257 - 1,590 mg/kg

LDLo (Rat): 200 mg/kg

LDLo (Mouse): 400 mg/kg

Amlodipine Besylate:

Acute oral toxicity : LD50 (Rat): 393 mg/kg

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Losartan:**

Species : Rabbit
Result : Mild skin irritation

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Losartan:**

Species : Rabbit
Result : Severe irritation

Amlodipine Besylate:

Species : Rabbit
Result : Severe irritation

Titanium dioxide:

Species : Rabbit

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Losartan:**

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Assessment	: Probability or evidence of skin sensitization in humans
Result	: positive

Titanium dioxide:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Genotoxicity in vivo	: Test Type: In vitro mammalian cell gene mutation test
	Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Ingestion
	Result: negative

Losartan:

Genotoxicity in vitro	: Test Type: in vitro test
	Result: negative
	: Test Type: In vitro mammalian cell gene mutation test
	Test system: Chinese hamster ovary cells
	Result: negative
	: Test Type: Alkaline elution assay
	Result: negative

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
Result: negative

Amlodipine Besylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Suspected of causing cancer if inhaled.

Components:**Cellulose:**

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Losartan:

Species : Mouse
Application Route : Oral
Exposure time : 92 weeks
Dose : 200 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Dose : 270 mg/kg body weight
Result : negative

Amlodipine Besylate:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 Result : negative

Titanium dioxide:

Species : Rat
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : positive
 Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

May damage the unborn child.
 May cause harm to breast-fed children.

Components:**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Losartan:

Effects on fertility : Test Type: Fertility
 Species: Rat, female
 Application Route: Oral
 Fertility: LOAEL: 200 mg/kg body weight
 Result: female reproductive effects
 Remarks: Maternal toxicity observed.

Effects on fetal development : Test Type: Development
 Species: Rabbit
 Application Route: Oral
 General Toxicity Maternal: NOAEL: 10 mg/kg body weight
 Developmental Toxicity: NOAEL F1: 20 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development
 Species: Rat

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

Application Route: Oral
 Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: Fetotoxicity., No teratogenic effects.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Studies indicating a hazard to babies during the lactation period

Amlodipine Besylate:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Fertility: NOAEL: 10 mg/kg body weight
 Result: No effects on fertility.

Test Type: Fertility/early embryonic development
 Species: Rabbit
 Application Route: Ingestion
 Fertility: NOAEL: 25 mg/kg body weight
 Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: Effects on fetal development.

Test Type: Embryo-fetal development
 Species: Rabbit
 Application Route: Ingestion
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Result: No effects on fetal development.

Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Ingestion
 Developmental Toxicity: LOAEL: 1.6 mg/kg body weight
 Result: Effects on fetal development.
 Remarks: Maternal toxicity observed.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.

Components:**Losartan:**

Routes of exposure : Ingestion
 Target Organs : Blood, Cardio-vascular system, Stomach, Kidney

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Cellulose:**

Species : Rat
 NOAEL : $\geq 9,000$ mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Losartan:

Species : Rat
 LOAEL : 15 mg/kg
 Application Route : Oral
 Exposure time : 309 d
 Number of exposures : daily
 Target Organs : Blood, Kidney, Cardio-vascular system, Stomach

Species : Dog
 NOAEL : 5 mg/kg
 Application Route : Oral
 Exposure time : 1 Months
 Symptoms : Salivation, Vomiting

Species : Dog
 LOAEL : 25 mg/kg
 Application Route : Oral
 Exposure time : 53 Weeks
 Number of exposures : daily
 Symptoms : Salivation, Vomiting

Amlodipine Besylate:

Species : Rat
 NOAEL : 15 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Remarks : No significant adverse effects were reported

Titanium dioxide:

Species : Rat
 NOAEL : 24,000 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Species : Rat
 NOAEL : 10 mg/m³
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 y

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

Aspiration toxicity

Not classified based on available information.

Components:**Losartan:**

No aspiration toxicity classification

Experience with human exposure**Components:****Losartan:**

Eye contact	:	Symptoms: Eye irritation
Ingestion	:	Symptoms: hypotension, tachycardia

Amlodipine Besylate:

Eye contact	:	Symptoms: Severe irritation
Ingestion	:	Symptoms: Nausea, Abdominal pain, Fatigue, Headache, Edema, Palpitation

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish	:	LC50 (<i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--------------------------------------------------------------------------------------------------------------------------------------

Losartan:

Toxicity to fish	:	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 929 mg/l Exposure time: 96 h Method: FDA 4.11
------------------	---	-----------------------------------------------------------------------------------------------------------

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia magna</i> (Water flea)): 331 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
-----------------------------------------------------	---	---------------------------------------------------------------------------------------------------------------

Toxicity to algae/aquatic plants	:	NOEC (<i>Microcystis aeruginosa</i> (blue-green algae)): 949 mg/l Exposure time: 10 d Method: FDA 4.01
----------------------------------	---	---------------------------------------------------------------------------------------------------------------

	:	NOEC (<i>Selenastrum capricornutum</i> (green algae)): 143 mg/l Exposure time: 10 d Method: FDA 4.01
--	---	-------------------------------------------------------------------------------------------------------------

Toxicity to fish (Chronic toxicity)	:	NOEC (<i>Pimephales promelas</i> (fathead minnow)): 10 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
-------------------------------------	---	------------------------------------------------------------------------------------------------------------------------

Toxicity to daphnia and other	:	NOEC (<i>Daphnia magna</i> (Water flea)): 100 mg/l
-------------------------------	---	-----------------------------------------------------

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
Method: OECD Test Guideline 211

Amlodipine Besylate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Losartan:

Stability in water : Hydrolysis: < 10 %(5 d)

Bioaccumulative potential**Components:****Losartan:**

Partition coefficient: n-octanol/water : log Pow: 1.2

Amlodipine Besylate:

Partition coefficient: n-octanol/water : log Pow: 3

Mobility in soil

No data available

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SAFETY DATA SHEET



Losartan / Amlodipine Besylate Formulation



Version 4.3 Revision Date: 10.10.2020 SDS Number: 49941-00015 Date of last issue: 13.09.2019
Date of first issue: 26.01.2015

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10.10.2020

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

SAFETY DATA SHEET



Losartan / Amlodipine Besylate Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2019
4.3	10.10.2020	49941-00015	Date of first issue: 26.01.2015

MX / Z8