

Version 3.5	Revision Date: 04/09/2021	SDS Number: 449543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016			
SECTION	N 1. IDENTIFICATION					
	luct name er means of identification		Lynestrenol FormulationNo data available			
Man	ufacturer or supplier's	details				
Com Addi Tele Eme	pany name of supplier	 Organon & Co. 30 Hudson Street, 33nd floor Jersey City, New Jersey, U.S.A 07302 551-430-6000 215-631-6999 EHSSTEWARD@organon.com 				
Rec	ommended use of the c	hemical and restric	ctions on use			
Rec	ommended use	: Pharmaceutica	1			
Rest	trictions on use	: Not applicable				
SECTION	N 2. HAZARDS IDENTIFI	CATION				
	S classification in accor m cell mutagenicity		ardous Products Regulations			

Germ cell mutagenicity	:	Category 1B
Carcinogenicity	:	Category 2
Reproductive toxicity	:	Category 1A
Specific target organ toxicity - repeated exposure	:	Category 1 (Blood, Mammary gland, Uterus (including cervix), Ovary)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H340 May cause genetic defects. H351 Suspected of causing cancer. H360Fd May damage fertility. Suspected of damaging the unborn child. H372 Causes damage to organs (Blood, Mammary gland, Uterus (including cervix), Ovary) through prolonged or repeated exposure.
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust.



>= 1 - < 5 *

Lynestrenol Formulation

ersion 5	Revision Date 04/09/2021	e: SDS Num 449543-00		e of last issue: 10/10/2020 e of first issue: 01/15/2016
		P270 [P280 \	Do not eat, drink	ughly after handling. or smoke when using this product. gloves, protective clothing, eye protection
		Respo P308 -		ed or concerned: Get medical attention.
		Storag P405 S	je: Store locked up.	
Disposal: P501 Dispose of contents and container to an approved disposal plant.				ents and container to an approved waste
Dust		eyes can lead to me cause mechanical		
				andling or other means.
	3. COMPOSITIO	ON/INFORMATION : Mixture		NTS
	ponents	. IVIIXIUI	÷	
	nical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Starc	h	Sago starch	9005-25-8	>= 10 - < 30 *
Lynes	strenol	No data availa- ble	52-76-6	>= 5 - < 10 *
Talc		Talc (Mg3H2(SiO3)4)	14807-96-6	>= 1 - < 5 *
<u>.</u>				

Actual concentration or concentration range is withheld as a trade secret

56-81-5

1,2,3-

Propanetriol

SECTION 4. FIRST AID MEASURES

Glycerine

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting.



Version 3.5	Revision Date: 04/09/2021	SDS Number: 449543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016		
Most important symptoms and effects, both acute and delayed		 Get medical attention. Rinse mouth thoroughly with water. May cause genetic defects. Suspected of causing cancer. May damage fertility. Suspected of damaging the unborn 			
		exposure.	age to organs through prolonged or repeated dust can cause mechanical irritation or drying of		
Prote	ction of first-aiders	: First Aid resp and use the r	with the eyes can lead to mechanical irritation. onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists (see section 8).		
Notes	to physician		matically and supportively.		

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	Use personal protective equipment. Follow safe handling advice (see section 7) and perso protective equipment recommendations (see section 8	
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillar cannot be contained.	ges
Methods and materials for containment and cleaning up	Sweep up or vacuum up spillage and collect in suitabl container for disposal.	е



Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
3.5	04/09/2021	449543-00012	Date of first issue: 01/15/2016
		with compresse Dust deposits s surfaces, as the released into th Local or nationa disposal of this employed in the determine whic Sections 13 and	I of dust in the air (i.e., clearing dust surfaces ed air). should not be allowed to accumulate on ese may form an explosive mixture if they are ne atmosphere in sufficient concentration. al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to th regulations are applicable. d 15 of this SDS provide information regarding national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	 Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the
Conditions for safe storage	 environment. Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	 Do not store with the following product types: Strong oxidizing agents Organic peroxides Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
------------	---------	-------------------------------------	--	-------



Lynestrenol Formulation

rsion Revision Date 04/09/2021	: SDS Number: 449543-00012		t issue: 10/10/2020 t issue: 01/15/2016	
Starch	9005-25-8	TWA	10 mg/m³	CA AB OEI
		TWAEV (to- tal dust)	10 mg/m ³	CA QC OE
		TWA (Total dust)	10 mg/m ³	CA BC OE
		TWA (respir- able dust fraction)	3 mg/m³	CA BC OE
		TWA	10 mg/m ³	ACGIH
Lynestrenol	52-76-6	TWA	1 µg/m3 (OEB 4)	Internal
		Wipe limit	10 µg/100 cm ²	Internal
Talc	14807-96-6	TWAEV (respirable dust)	3 mg/m ³	CA QC OE
		TWA (Res- pirable par- ticulates)	2 mg/m³	CA AB OE
		TWA (Res- pirable)	2 mg/m ³	CA BC OE
		TWA	2 fibres per cubic centimeter	CA ON OE
		TWA (Res- pirable frac- tion)	2 mg/m³	CA ON OE
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
Glycerine	56-81-5	TWA (Mist)	10 mg/m ³	CA AB OE
		TWA (Mist)	10 mg/m ³	CA BC OE
		TWA (Res- pirable mist)	3 mg/m ³	CA BC OE
		TWAEV (Mist)	10 mg/m ³	CA QC OE

are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. Personal protective equipment Respiratory protection If adequate local exhaust ventilation is not available or : exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Combined particulates and organic vapor type

Filter type : Combined partice Hand protection

:

Material



Lynestrenol Formulation

Version 3.5	Revision Date: 04/09/2021	SDS Number: 449543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016	
Remarks Eye protection		 Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 		
Skin and body protection		: Work uniforr Additional be task being p disposable s	n or laboratory coat. ody garments should be used based upon the erformed (e.g., sleevelets, apron, gauntlets, suits) to avoid exposed skin surfaces. iate degowning techniques to remove potentially d clothing.	
Hygie	ene measures	: If exposure the eye flushing working place When using Wash contain The effective engineering appropriate industrial hy	o chemical is likely during typical use, provide systems and safety showers close to the	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available



Lynestrenol Formulation

Versio 3.5	on	Revision Date: 04/09/2021	SDS Number: 449543-00012		Date of last issue: 10/10/2020 Date of first issue: 01/15/2016
fl	lamma	bility limit			
V	/apor p	pressure	:	Not applicable	
R	Relativ	e vapor density	:	Not applicable	
R	Relativ	e density	:	No data available	9
D	Density	,	:	No data available	9
S		ty(ies) er solubility	:	No data available	e
		n coefficient: n- /water	:	Not applicable	
-		nition temperature	:	No data available	e
D	Decom	position temperature	:	No data available	e
V	/iscosi/ Visc	ty cosity, kinematic	:	Not applicable	
E	Explosi	ve properties	:	Not explosive	
		ng properties	:		r mixture is not classified as oxidizing.
Р	Particle	size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition products	:	Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.



ers 5	ion	Revision Date: 04/09/2021		95 Number: 9543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016
	<u>Produ</u>	ict:			
	Acute	oral toxicity	:	Acute toxicity estine Method: Calculation	mate: > 5,000 mg/kg on method
	<u>Comp</u>	oonents:			
	Starc	h:			
	Acute	oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
	Acute	dermal toxicity	:	LD50 (Rabbit): > 2	2,000 mg/kg
	Lynes	strenol:			
	Acute	oral toxicity	:	LD50: > 1,000 - 8	,000 mg/kg
		toxicity (other routes of istration)	:	LD50 (Mouse): 11 Application Route	
	Talc:				
		oral toxicity	:	LD50 (Rat): > 5,00 Remarks: Based o	00 mg/kg on data from similar materials
	Glyce	rine:			
	Acute	oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
	Acute	dermal toxicity	:	LD50 (Guinea pig): > 5,000 mg/kg
	Skin d	corrosion/irritation			
	Not cl	assified based on availa	ble	information.	
	Comp	oonents:			
	Talc:				
	Specie		:	Rabbit	
	Resul	t	:	No skin irritation	
	Glyce	rine:			
	Specie		:	Rabbit	
	Resul	t	:	No skin irritation	
		us eye damage/eye irri			
	Not cla	assified based on availa	ble	information.	
	Comp	oonents:			
	Starc	h:			
	Specie Resul		:	Rabbit No eye irritation	
	Talc:				
	Specie	es	:	Rabbit	





ersion .5	Revision Date: 04/09/2021	SDS Numbe 449543-000	
Resul	lt	: No eye i	rritation
Glyce	erine:		
Speci Resul		: Rabbit : No eye i	rritation
Resul		. No eyen	mation
Resp	iratory or skin sens	itization	
	sensitization assified based on av	ailable informatio	n.
-	iratory sensitization assified based on av		n.
Com	oonents:		
Starc			
Test T Route	Гуре es of exposure	: Maximiz : Skin con	ation Test tact
Speci	es	: Guinea p	pig
Resul	t	: negative	
Talc:			
Route Speci	es of exposure	: Skin con : Humans	
Resul		: negative	
	cell mutagenicity		
	oonents:		
Starc			
	toxicity in vitro	: Test Typ Result: r	e: Bacterial reverse mutation assay (AMES) legative
Lyne	strenol:		
Geno	toxicity in vitro	: Test Typ Result: p	e: Chromosome aberration test in vitro positive
		Test Typ Result: p	e: sister chromatid exchange assay ositive
Geno	toxicity in vivo		e: Mutagenicity (in vivo mammalian bone-marrow etic test, chromosomal analysis)
			on Route: Intraperitoneal injection
		Species: Applicati	on Route: Intraperitoneal injection
		Result: p	00511176



Version 3.5	Revision Date: 04/09/2021	-	OS Number: 9543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016
			Test Type: domin Species: Mouse Application Route Result: positive	
	m cell mutagenicity - essment	:		from in vivo somatic cell mutagenicity tests in nee that the substance has potential to cause n cells
Talo				
	otoxicity in vitro	:	Test Type: DNA o thesis in mammal Result: negative	lamage and repair, unscheduled DNA syn- ian cells (in vitro)
Gen	otoxicity in vivo	:	Test Type: Chron Species: Rat Application Route Result: negative	nosome aberration test in vitro
Gly	cerine:			
-	otoxicity in vitro	:	Test Type: In vitro Result: negative	o mammalian cell gene mutation test
			Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
			Test Type: Chron Result: negative	nosome aberration test in vitro
			Test Type: DNA o thesis in mammal Result: negative	lamage and repair, unscheduled DNA syn- ian cells (in vitro)
	cinogenicity pected of causing cancer	r.		
Con	nponents:			
Lyn	estrenol:			
Spe App Exp Res Tur	cies lication Route osure time		Mouse Oral 80 weeks positive breast tumors, Liv Benign and malig	
Exp Res	lication Route osure time	:	Rat Oral 80 weeks positive breast tumors	



Versio 3.5	n Revision Date: 04/09/2021		S Number: 9543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016
	arcinogenicity - Assess- nent	:	Limited evidence	of carcinogenicity in animal studies
т	alc:			
A	pecies pplication Route xposure time tesult	:	Mouse inhalation (dust/m 2 Years negative	ist/fume)
Ģ	Blycerine:			
S A E	ppecies pplication Route xposure time tesult	:	Rat Ingestion 2 Years negative	
	e productive toxicity Iay damage fertility. Suspect	ted o	of damaging the un	born child.
<u>c</u>	omponents:			
L	ynestrenol:			
E	ffects on fertility	:	Species: Rat, male Application Route Fertility: LOAEL: 2	
			Species: Rat, fem Application Route Fertility: LOAEL: 3	: Oral
			Species: Rabbit Application Route Fertility: LOAEL: 1	
E	ffects on fetal development	:	Species: Rat Application Route Developmental To	o-fetal development : Oral oxicity: LOAEL: 0.1 mg/kg body weight fetal development.
			Species: Rabbit Application Route Developmental To	o-fetal development : Oral oxicity: LOAEL: 0.1 mg/kg body weight fetal development., Postimplantation loss.
	eproductive toxicity - As- essment	:	animal experiment	f adverse effects on development, based on ts., Positive evidence of adverse effects on ad fertility from human epidemiological



Lynestrenol Formulation

Version 3.5	Revision Date: 04/09/2021		OS Number: 9543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016
			studies.	
Talc : Effec	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	o-fetal development : Ingestion
Glyc	erine:			
Effec	ts on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion
Effec	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	o-fetal development : Ingestion
STO	F-single exposure			
	lassified based on availa	able	information.	
Caus	F-repeated exposure ses damage to organs (B ad or repeated exposure.		l, Mammary gland,	Uterus (including cervix), Ovary) through pro-
Com	ponents:			
Targe	e strenol: et Organs ssment	:		gland, Uterus (including cervix), Ovary o organs through prolonged or repeated

Repeated dose toxicity

Components:

Starch:

Species	
NOAEL	
Application Route	
Exposure time	
Method	

Glycerine:

Species	: Rat
NOAEL	: 0.167 mg/l
LOAEL	: 0.622 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 13 Weeks
Species	: Rat

: Rat

: 28 Days

: >= 2,000 mg/kg : Skin contact

: OECD Test Guideline 410



Version 3.5	Revision Date: 04/09/2021		0S Number: 9543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016
	EL ication Route osure time	: :	8,000 - 10,000 m Ingestion 2 y	g/kg
		: : :	Rabbit 5,040 mg/kg Skin contact 45 Weeks	
-	ration toxicity classified based on availa	ble	information.	
Expe	erience with human exp	osı	ire	
Com	ponents:			
Lyne	estrenol:			
Inges	stion	:	Target Organs: bu Target Organs: o Target Organs: B Symptoms: Head ness, Tremors, S tenderness, gyne cysts	varies
SECTION	12. ECOLOGICAL INFO	OR	MATION	
Ecot	oxicity			
<u>Com</u>	ponents:			
Talc	:			
Toxic	city to fish	:	LC50 (Brachydan Exposure time: 24	io rerio (zebrafish)): > 100,000 mg/l l h
Glyc	erine:			
Toxic	city to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 54,000 mg/l ≿h
	city to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 1,955 mg/l 3 h

Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8
		Methou. Din 30 412 Part o

Persistence and degradability

Components:

Glycerine:

Biodegradability

: Result: Readily biodegradable.



Version 3.5	Revision Date: 04/09/2021	SDS Number: 449543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016		
		Biodegradation Exposure time: Method: OECD			
Bioad	Bioaccumulative potential				
Comp	oonents:				
	e rine: on coefficient: n- ol/water	: log Pow: -1.75			
Mobil	ity in soil ta available				
•	adverse effects ta available				
SECTION 13. DISPOSAL CONSIDERATIONS					

Disposal methods

Waste from residues Contaminated packaging	Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste
	handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:					
AICS	:	not determined			
DSL	:	not determined			
IECSC	:	not determined			



Version Revision Date: SDS Number: 3.5 04/09/2021 449543-00012	Date of last issue: 10/10/2020 Date of first issue: 01/15/2016
--	---

SECTION 16. OTHER INFORMATION

Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)	
CA BC OEL	:	Canada. British Columbia OEL	
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.	
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants	
ACGIH / TWA	:	8-hour, time-weighted average	
CA AB OEL / TWA	:	8-hour Occupational exposure limit	
CA BC OEL / TWA	:	8-hour time weighted average	
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)	
CA QC OEL / TWAEV	:	Time-weighted average exposure value	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : compile the Material Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
3.5	04/09/2021	449543-00012	Date of first issue: 01/15/2016

Revision Date	: 04/09	/2021
Date format	: mm/d	d/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8