

# SAFETY DATA SHEET



## Lynestrenol Formulation



Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
Date of first issue: 2016/01/15

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lynestrenol Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.  
Address : JL Raya Pandaan KM. 48  
Pandaan, Jawa Timur - Indonesia  
Telephone : 551-430-6000  
Emergency telephone number : 215-631-6999  
E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical


---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Germ cell mutagenicity : Category 1B  
Carcinogenicity : Category 2  
Reproductive toxicity : Category 1A  
Specific target organ toxicity - repeated exposure : Category 2 (Blood, Mammary gland, Uterus (including cervix), Ovary)

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H340 May cause genetic defects.  
H351 Suspected of causing cancer.  
H360Fd May damage fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Blood, Mammary gland, Uterus (including cervix), Ovary) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

---

# SAFETY DATA SHEET



## Lynestrenol Formulation



Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
Date of first issue: 2016/01/15

P260 Do not breathe dust.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

| Chemical name | CAS-No.    | Concentration (% w/w) |
|---------------|------------|-----------------------|
| Starch        | 9005-25-8  | >= 10 -< 30           |
| Lynestrenol   | 52-76-6    | >= 1 -< 10            |
| Talc          | 14807-96-6 | < 10                  |
| Tocopherol    | 10191-41-0 | < 1                   |

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May cause genetic defects.  
Suspected of causing cancer.  
May damage fertility. Suspected of damaging the unborn

# SAFETY DATA SHEET



## Lynestrenol Formulation



|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2020/10/10  |
| 3.0     | 2021/04/09     | 449549-00012 | Date of first issue: 2016/01/15 |

---

child.  
May cause damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

# SAFETY DATA SHEET



## Lynestrenol Formulation



Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
Date of first issue: 2016/01/15

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components  | CAS-No.   | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis    |
|-------------|---|-------------------------------|--|----------|
| Starch      | 9005-25-8   | NAB                           | 10 mg/m <sup>3</sup>                           | ID OEL   |
|             | Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals |                               |  |          |
|             |   | TWA                           | 10 mg/m <sup>3</sup>                           | ACGIH    |
| Lynestrenol | 52-76-6   | TWA                           | 1 µg/m <sup>3</sup> (OEB 4)                    | Internal |
|             |   | Wipe limit                    | 10 µg/100 cm <sup>2</sup>                      | Internal |
| Talc        | 14807-96-6  | NAB (Res-                     | 2 mg/m <sup>3</sup>                            | ID OEL   |

# SAFETY DATA SHEET



## Lynestrenol Formulation

Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
 Date of first issue: 2016/01/15

|  |   |                                     |         |       |
|--|---|-------------------------------------|---------|-------|
|  |   | pirable particulate matter)         |         |       |
|  | Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals |                                     |         |       |
|  |   | TWA (Respirable particulate matter) | 2 mg/m3 | ACGIH |

**Engineering measures** : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Essentially no open handling permitted.  
 Use closed processing systems or containment technologies.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type  
 Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
 Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

# SAFETY DATA SHEET



## Lynestrenol Formulation



Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
Date of first issue: 2016/01/15

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |
|--|---|
| Appearance                                       | : powder  |
| Colour   | : No data available   |
| Odour  | : No data available   |
| Odour Threshold                                  | : No data available   |
| pH   | : No data available   |
| Melting point/freezing point                     | : No data available   |
| Initial boiling point and boiling range          | : No data available   |
| Flash point                                      | : Not applicable  |
| Evaporation rate                                 | : Not applicable  |
| Flammability (solid, gas)                        | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : No data available   |
| Upper explosion limit / Upper flammability limit | : No data available   |
| Lower explosion limit / Lower flammability limit | : No data available   |
| Vapour pressure                                  | : Not applicable  |
| Relative vapour density                          | : Not applicable  |
| Relative density                                 | : No data available   |
| Density  | : No data available   |
| Solubility(ies)<br>Water solubility              | : No data available   |
| Partition coefficient: n-octanol/water           | : Not applicable  |
| Auto-ignition temperature                        | : No data available   |
| Decomposition temperature                        | : No data available   |
| Viscosity<br>Viscosity, kinematic                | : Not applicable  |
| Explosive properties                             | : Not explosive   |

# SAFETY DATA SHEET



## Lynestrenol Formulation



Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
Date of first issue: 2016/01/15

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **Lynestrenol:**

Acute oral toxicity : LD50: > 1,000 - 8,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Mouse): 110 mg/kg  
Application Route: Intraperitoneal

##### **Talc:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

##### **Tocopherol:**

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg

---

## Lynestrenol Formulation

Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
Date of first issue: 2016/01/15

---

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Talc:**

Species : Rabbit  
Result : No skin irritation

**Tocopherol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Starch:**

Species : Rabbit  
Result : No eye irritation

**Talc:**

Species : Rabbit  
Result : No eye irritation

**Tocopherol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Starch:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative



## Lynestrenol Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2020/10/10  |
| 3.0     | 2021/04/09     | 449549-00012 | Date of first issue: 2016/01/15 |

---

**Talc:**

|                 |                |
|-----------------|----------------|
| Exposure routes | : Skin contact |
| Species         | : Humans       |
| Result          | : negative     |

**Tocopherol:**

|                 |                                 |
|-----------------|---------------------------------|
| Test Type       | : Local lymph node assay (LLNA) |
| Exposure routes | : Skin contact                  |
| Species         | : Mouse                         |
| Method          | : OECD Test Guideline 429       |
| Result          | : positive                      |

|            |  |
|------------|--|
| Assessment | : Probability or evidence of low to moderate skin sensitisation rate in humans |
|------------|--|

**Germ cell mutagenicity**

May cause genetic defects.

**Components:****Starch:**

|                       |  |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |
|-----------------------|--|

**Lynestrenol:**

|                                     |  |
|-------------------------------------|--|
| Genotoxicity in vitro               | : Test Type: Chromosome aberration test in vitro<br>Result: positive   |
|                                     | Test Type: sister chromatid exchange assay<br>Result: positive   |
| Genotoxicity in vivo                | : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: positive |
|                                     | Test Type: sister chromatid exchange assay<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: positive   |
|                                     | Test Type: dominant lethal test<br>Species: Mouse<br>Application Route: Intraperitoneal<br>Result: positive  |
| Germ cell mutagenicity - Assessment | : Positive result(s) from in vivo somatic cell mutagenicity tests in mammals. Evidence that the substance has potential to cause mutations to germ cells                               |

**Talc:**

## Lynestrenol Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2020/10/10  |
| 3.0     | 2021/04/09     | 449549-00012 | Date of first issue: 2016/01/15 |

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Tocopherol:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Suspected of causing cancer.

**Components:****Lynestrenol:**

Species : Mouse  
Application Route : Oral  
Exposure time : 80 weeks  
Result : positive  
Tumor Type : breast tumors, Liver  
Remarks : Benign and malignant tumor(s)

Species : Rat  
Application Route : Oral  
Exposure time : 80 weeks  
Result : positive  
Tumor Type : breast tumors

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Talc:**

Species : Mouse  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Result : negative

**Tocopherol:**

Species : Rat  
Application Route : Ingestion

## Lynestrenol Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2020/10/10  |
| 3.0     | 2021/04/09     | 449549-00012 | Date of first issue: 2016/01/15 |

|               |   |                                      |
|---------------|---|--------------------------------------|
| Exposure time | : | 104 weeks                            |
| Result        | : | negative                             |
| Remarks       | : | Based on data from similar materials |

**Reproductive toxicity**

May damage fertility. Suspected of damaging the unborn child.

**Components:****Lynestrenol:**

|                                    |   |   |
|------------------------------------|---|---|
| Effects on fertility               | : | Test Type: Fertility/early embryonic development<br>Species: Rat, males<br>Application Route: Oral<br>Fertility: LOAEL: 20 mg/kg body weight<br>Remarks: Impaired spermatogenesis                           |
|                                    |   | Test Type: Fertility/early embryonic development<br>Species: Rat, females<br>Application Route: Oral<br>Fertility: LOAEL: 375 µg/kg<br>Result: Maternal toxicity observed., Effects on fertility            |
|                                    |   | Test Type: Fertility/early embryonic development<br>Species: Rabbit<br>Application Route: Oral<br>Fertility: LOAEL: 1,300 µg/kg<br>Result: Effects on fertility, Postimplantation loss.                     |
| Effects on foetal development      | : | Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 0.1 mg/kg body weight<br>Result: Effects on foetal development                            |
|                                    |   | Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 0.1 mg/kg body weight<br>Result: Effects on foetal development, Postimplantation loss. |
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on development, based on animal experiments., Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.                    |

**Talc:**

|                               |   |  |
|-------------------------------|---|--|
| Effects on foetal development | : | Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |
|-------------------------------|---|--|

**Tocopherol:**

|                               |   |                                      |
|-------------------------------|---|--------------------------------------|
| Effects on foetal development | : | Test Type: Embryo-foetal development |
|-------------------------------|---|--------------------------------------|

## Lynestrenol Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2020/10/10  |
| 3.0     | 2021/04/09     | 449549-00012 | Date of first issue: 2016/01/15 |

---

ment

Species: Rabbit  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Blood, Mammary gland, Uterus (including cervix), Ovary) through prolonged or repeated exposure.

**Components:****Lynestrenol:**

Target Organs : Blood, Mammary gland, Uterus (including cervix), Ovary  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Starch:**

Species : Rat  
 NOAEL : >= 2,000 mg/kg  
 Application Route : Skin contact  
 Exposure time : 28 Days  
 Method : OECD Test Guideline 410

**Tocopherol:**

Species : Rat  
 NOAEL : 500 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Lynestrenol:**

Ingestion : Target Organs: Uterus (including cervix)  
 Target Organs: breasts  
 Target Organs: ovaries  
 Target Organs: Blood  
 Symptoms: Headache, Nausea, Abdominal pain, Rash, Dizziness, Tremors, Sweating, Vomiting, migraine, acne, breast tenderness, gynecomastia, menstrual irregularities, ovarian cysts  
 Remarks: Used to prevent pregnancy

## Lynestrenol Formulation

Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
 Date of first issue: 2016/01/15

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Talc:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l  
 Exposure time: 24 h

**Tocopherol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 23.53 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 25.8 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: No toxicity at the limit of solubility

EC50 (Pseudokirchneriella subcapitata (green algae)): > 25.8 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 28 d  
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 937 mg/l  
 Exposure time: 30 min  
 Method: ISO 8192  
 Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Tocopherol:**

Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: 20 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F

# SAFETY DATA SHEET



## Lynestrenol Formulation



Version 3.0      Revision Date: 2021/04/09      SDS Number: 449549-00012      Date of last issue: 2020/10/10  
Date of first issue: 2016/01/15

---

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

## 15. REGULATORY INFORMATION

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

### **Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

### **Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Glycerine

Prohibited substances : Not applicable

Restricted substances : Not applicable

---

# SAFETY DATA SHEET



## Lynestrenol Formulation



|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2020/10/10  |
| 3.0     | 2021/04/09     | 449549-00012 | Date of first issue: 2016/01/15 |

### Regulation of the Minister of Trade No. 44 of 2009 on Procurement, Distribution and Supervision of Hazardous Materials

Type of Hazardous Materials Restricted to Import, Distribution and Supervision : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET



## Lynestrenol Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2020/10/10  |
| 3.0     | 2021/04/09     | 449549-00012 | Date of first issue: 2016/01/15 |

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN