according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Mometasone Cream Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Pharmaceutical

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.

Shotton Lane

NE23 3JU Cramlington NU - Great Britain

Telephone : 44 1 670 59 30 00

E-mail address of person responsible for the SDS

EHSSTEWARD@organon.com

1.4 Emergency telephone number

215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Cat-H411: Toxic to aquatic life with long lasting effects.

egory 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

!> (*)

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.P273 Avoid release to the environment.

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P391 Collect spillage.

Additional Labelling

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-Methyl-2,4-pentanediol	107-41-5 203-489-0 603-053-00-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 10 - < 20
Mometasone	83919-23-7	Repr. 1B; H360Df STOT RE 2; H373 (Immune system, Liver, Kidney, Skin) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 100	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

Vapours may form explosive mixtures with air.

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-Methyl-2,4- pentanediol	107-41-5	TWA	25 ppm 123 mg/m3	GB EH40
		STEL	25 ppm 123 mg/m3	GB EH40
Titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with			

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
3.0	09.04.2021	1699539-00011	Date of first issue: 21.05.2017

	the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			
	long term exp	TWA (Respirable dust)	4 mg/m3	GB EH40
Mometasone	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			
Wichiolasono	83919-23-7 TWA 1 μg/m3 (OEB 4) Internal Further information: Skin			
		Wipe limit	10 μg/100 cm ²	Internal

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Titanium dioxide

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
2-Methyl-2,4-	Workers	Inhalation	Long-term systemic	44.4 mg/m3
pentanediol			effects	
	Workers	Inhalation	Long-term local ef-	49 mg/m3
			fects	

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

Workers	Inhalation	Acute local effects	98 mg/m3
Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
Consumers	Inhalation	Long-term systemic effects	7.8 mg/m3
Consumers	Inhalation	Long-term local ef- fects	25 mg/m3
Consumers	Inhalation	Acute local effects	49 mg/m3
Consumers	Skin contact	Long-term systemic effects	15 mg/kg bw/day
Consumers	Ingestion	Long-term systemic effects	1.5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-Methyl-2,4-pentanediol	Fresh water	0.429 mg/l
	Marine water	0.043 mg/l
	Freshwater - intermittent	4.29 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	1.59 mg/kg dry
		weight (d.w.)
	Marine sediment	0.159 mg/kg dry
		weight (d.w.)
II	Soil	0.066 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Revision Date: SDS Number: Date of last issue: 10.10.2020 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : cream

Colour : white to off-white
Odour : No data available
Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

Flash point : > 93.3 °C

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available Partition coefficient: n- : Not applicable

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Skin contact exposure Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Date of last issue: 10.10.2020 Revision Date: SDS Number: 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity (other routes of : LD50 (Rat): 300 mg/kg

administration)

Application Route: Subcutaneous Symptoms: Breathing difficulties

Skin corrosion/irritation

Causes skin irritation.

Components:

2-Methyl-2,4-pentanediol:

Result Skin irritation

Remarks Based on harmonised classification in EU regulation

1272/2008, Annex VI

Mometasone:

Rabbit Species

Result No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-Methyl-2,4-pentanediol:

Species Rabbit

Result Irritation to eyes, reversing within 21 days

Mometasone:

Species Rabbit

Result No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

Respiratory sensitisation

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Mometasone:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Result : negative

Remarks : The results of a test on guinea pigs showed this substance to

be a weak skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster lung cells

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: positive

Test Type: Mouse Lymphoma

Result: negative

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Date of last issue: 10.10.2020 Revision Date: SDS Number: 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Mouse Application Route: Oral

Result: negative

Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat Cell type: Liver cells Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Mometasone:

Species Rat Application Route Inhalation Exposure time 2 Years

Dose 0.067 mg/kg body weight

Result negative

Species Mouse Application Route Inhalation Exposure time : 19 Months

Dose 0.160 mg/kg body weight

Result negative

Reproductive toxicity

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Effects on fertility Test Type: Reproduction/Developmental toxicity screening

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Revision Date: SDS Number: Date of last issue: 10.10.2020 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

Result: negative

Mometasone:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Subcutaneous

Fertility: NOAEL: 0.015 mg/kg body weight

Symptoms: Reduced embryonic survival, Reduced foetal

veight

Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Subcutaneous

Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight Result: Embryotoxic effects., Teratogenicity and developmen-

tal toxicity

Test Type: Embryo-foetal development

Species: Rat

Application Route: Dermal

Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight

Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Dermal

Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Subcutaneous

Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight

Result: Effects on newborn

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on animal experiments and facility based on animal experiments.

sexual function and fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Mometasone:

Remarks : Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

STOT - repeated exposure

Not classified based on available information.

Components:

Mometasone:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Immune system, Liver, Kidney, Skin

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

2-Methyl-2,4-pentanediol:

Species : Rat

NOAEL : >= 450 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

Mometasone:

Species : Rat

NOAEL : 0.005 mg/kg
LOAEL : 0.3 mg/kg
Application Route : Oral
Exposure time : 30 d

Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 30 d

Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat

NOAEL : 0.00013 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 d

Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,

Kidney, Liver, thymus gland

Species : Dog

NOAEL : 0.0005 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 d

Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,

Kidney, thymus gland, Liver

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Date of last issue: 10.10.2020 Revision Date: SDS Number: 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

Aspiration toxicity

Not classified based on available information.

Components:

Mometasone:

Not applicable

Experience with human exposure

Components:

2-Methyl-2,4-pentanediol:

Eve contact Target Organs: Eyes

Symptoms: Irritation

Mometasone:

Inhalation Symptoms: allergic rhinitis, Headache, pharyngitis, upper res-

piratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact Symptoms: Dermatitis, Itching

Further information

Components:

Mometasone:

Remarks Dermal absorption possible

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-Methyl-2,4-pentanediol:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 8,510 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 2,800 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 429

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): > 429

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms NOEC: 200 mg/l

Exposure time: 10 d

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Revision Date: SDS Number: Date of last issue: 10.10.2020 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

П

Mometasone:

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l

Exposure time: 7 d

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

EC50 (Americamysis): > 5 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 : > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.00014 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.34 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic

toxicity)

: 100

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Revision Date: Date of last issue: 10.10.2020 SDS Number: 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

12.2 Persistence and degradability

Components:

2-Methyl-2,4-pentanediol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Mometasone:

Biodegradability Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 28 d

Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)

Method: OECD Test Guideline 111

12.3 Bioaccumulative potential

Components:

2-Methyl-2,4-pentanediol:

Partition coefficient: nlog Pow: 0

octanol/water Remarks: Calculation

Mometasone:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 107.1 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 4.68

12.4 Mobility in soil

Components:

Mometasone:

Distribution among environ- : log Koc: 4.02

mental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Revision Date: SDS Number: Date of last issue: 10.10.2020 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

12.6 Other adverse effects

Product:

Endocrine disrupting poten: The substance/mixture does not contain components consid-

tial

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

 ADN
 : UN 3077

 ADR
 : UN 3077

 RID
 : UN 3077

 IMDG
 : UN 3077

 IATA
 : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Mometasone)

14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Date of last issue: 10.10.2020 Version Revision Date: SDS Number: 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

IMDG

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 2 Quantity 1

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

E2 **ENVIRONMENTAL** 500 t 200 t

HAZARDS

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2020

 3.0
 09.04.2021
 1699539-00011
 Date of first issue: 21.05.2017

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H315 : Causes skin irritation. H319 : Causes serious eye irritation.

H360Df : May damage the unborn child. Suspected of damaging fertili-

ty.

H373 : May cause damage to organs through prolonged or repeated

exposure if inhaled.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -

according to Regulation (EC) No. 1907/2006



Mometasone Cream Formulation

Version Revision Date: SDS Number: Date of last issue: 10.10.2020 3.0 09.04.2021 1699539-00011 Date of first issue: 21.05.2017

Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Irrit. 2 H319 Calculation method
Aquatic Chronic 2 H411 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN