

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.2	06.04.2024	437306-00019	30.09.2023
			Date of first issue: 28.01.2016

---

**SECTION 1: IDENTIFICATION**

Product name : Mometasone Dry Powder Inhaler Formulation

**Manufacturer or supplier's details**

Company : Organon &amp; Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 1B

Specific target organ toxicity -  
repeated exposure (Inhalation) : Category 2 (Immune system, Liver, Kidney, Skin)**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H360Df May damage the unborn child. Suspected of damaging fertility.  
H373 May cause damage to organs (Immune system, Liver, Kidney, Skin) through prolonged or repeated exposure if inhaled.Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

P260 Do not breathe dust.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Mometasone	83919-23-7	>= 10 -< 30

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May damage the unborn child. Suspected of damaging fertility.  
May cause damage to organs through prolonged or repeated exposure if inhaled.  
Contact with dust can cause mechanical irritation or drying of

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

---

the skin.

Protection of first-aiders : Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Chlorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Hazchem Code : 2Z

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.   |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.  |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents   |

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

## Mometasone Dry Powder Inhaler Formulation

Version 4.2      Revision Date: 06.04.2024      SDS Number: 437306-00019      Date of last issue: 30.09.2023  
Date of first issue: 28.01.2016

		(Form of exposure)	ters / Permissible concentration	
Mometasone	83919-23-7	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Essentially no open handling permitted.  
Use closed processing systems or containment technologies.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

# SAFETY DATA SHEET



## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

---

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

---

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Not classified based on available information.

**Components:****Mometasone:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg  LD50 (Mouse): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 3.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: No mortality observed at this dose.  LC50 (Mouse): > 3.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute toxicity (other routes of administration)	:	LD50 (Rat): 300 mg/kg Application Route: Subcutaneous Symptoms: Breathing difficulties

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Mometasone:**

Species	:	Rabbit
Result	:	No skin irritation

## Mometasone Dry Powder Inhaler Formulation

Version 4.2      Revision Date: 06.04.2024      SDS Number: 437306-00019      Date of last issue: 30.09.2023  
Date of first issue: 28.01.2016

---

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Mometasone:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Mometasone:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative  
Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitiser.

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Mometasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative  
  
Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: positive  
  
Test Type: Mouse Lymphoma  
Result: negative  
  
Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral



## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

---

Result: negative

Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Cell type: Liver cells

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Mometasone:

Species : Rat  
 Application Route : Inhalation  
 Exposure time : 2 Years  
 Dose : 0.067 mg/kg body weight  
 Result : negative

Species : Mouse  
 Application Route : Inhalation  
 Exposure time : 19 Months  
 Dose : 0.160 mg/kg body weight  
 Result : negative

### Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

### Components:

#### Mometasone:

Effects on fertility : Test Type: Fertility  
 Species: Rat  
 Application Route: Subcutaneous  
 Fertility: NOAEL: 0.015 mg/kg body weight  
 Symptoms: Reduced embryonic survival, Reduced foetal weight  
 Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Subcutaneous  
 Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight  
 Result: Embryotoxic effects., Teratogenicity and developmen-

## Mometasone Dry Powder Inhaler Formulation

Version 4.2	Revision Date: 06.04.2024	SDS Number: 437306-00019	Date of last issue: 30.09.2023 Date of first issue: 28.01.2016
----------------	------------------------------	-----------------------------	---

tal toxicity

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Dermal  
Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Dermal  
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight  
Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Subcutaneous  
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight  
Result: Effects on newborn

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight  
Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**Components:****Mometasone:**

Remarks : Based on available data, the classification criteria are not met.

**STOT - repeated exposure**

May cause damage to organs (Immune system, Liver, Kidney, Skin) through prolonged or repeated exposure if inhaled.

**Components:****Mometasone:**

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Immune system, Liver, Kidney, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

## Mometasone Dry Powder Inhaler Formulation

Version 4.2      Revision Date: 06.04.2024      SDS Number: 437306-00019      Date of last issue: 30.09.2023  
Date of first issue: 28.01.2016

---

**Repeated dose toxicity****Components:****Mometasone:**

Species : Rat  
NOAEL : 0.005 mg/kg  
LOAEL : 0.3 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat  
NOAEL : 0.00013 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog  
NOAEL : 0.0005 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

**Aspiration toxicity**

Not classified based on available information.

**Components:****Mometasone:**

Not applicable

**Experience with human exposure****Components:****Mometasone:**

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact : Symptoms: Dermatitis, Itching

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

---

**Further information****Components:****Mometasone:**

Remarks : Dermal absorption possible

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Mometasone:**

<p>Toxicity to fish</p>	<p>: LC50 (Menidia beryllina (Silverside)): 0.11 mg/l          Exposure time: 96 h          Remarks: No toxicity at the limit of solubility</p> <p>LC50 (Cyprinodon variegatus (sheepshead minnow)): &gt; 5 mg/l          Exposure time: 7 d          Remarks: No toxicity at the limit of solubility</p>
<p>Toxicity to daphnia and other aquatic invertebrates</p>	<p>: EC50 (Daphnia magna (Water flea)): &gt; 5 mg/l          Exposure time: 48 h          Method: OECD Test Guideline 202          Remarks: No toxicity at the limit of solubility</p> <p>EC50 (Americamysis): &gt; 5 mg/l          Exposure time: 96 h          Method: US-EPA OPPTS 850.1035          Remarks: No toxicity at the limit of solubility</p>
<p>Toxicity to algae/aquatic plants</p>	<p>: EC50 (Pseudokirchneriella subcapitata (green algae)): &gt; 3.2 mg/l          Exposure time: 72 h          Method: OECD Test Guideline 201          Remarks: No toxicity at the limit of solubility</p>
<p>Toxicity to fish (Chronic toxicity)</p>	<p>: NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l          Exposure time: 32 d          Method: OECD Test Guideline 210</p>
<p>Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)</p>	<p>: NOEC (Daphnia magna (Water flea)): 0.34 mg/l          Exposure time: 21 d          Method: OECD Test Guideline 211          Remarks: No toxicity at the limit of solubility</p>
<p>Toxicity to microorganisms</p>	<p>: EC50: &gt; 1,000 mg/l          Exposure time: 3 h          Test Type: Respiration inhibition</p>

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

---

Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility

**Persistence and degradability****Components:****Mometasone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111

**Bioaccumulative potential****Components:****Mometasone:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

**Mobility in soil****Components:****Mometasone:**

Distribution among environmental compartments : log Koc: 4.02

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET



## Mometasone Dry Powder Inhaler Formulation



Version 4.2      Revision Date: 06.04.2024      SDS Number: 437306-00019      Date of last issue: 30.09.2023  
Date of first issue: 28.01.2016

---

If not otherwise specified: Dispose of as unused product.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mometasone)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Mometasone)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mometasone)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ADG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mometasone)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z

# SAFETY DATA SHEET



## Mometasone Dry Powder Inhaler Formulation



Version 4.2      Revision Date: 06.04.2024      SDS Number: 437306-00019      Date of last issue: 30.09.2023  
Date of first issue: 28.01.2016

---

Environmentally hazardous : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## SECTION 16: ANY OTHER RELEVANT INFORMATION

### Further information

Revision Date : 06.04.2024

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

## Mometasone Dry Powder Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	06.04.2024	437306-00019	Date of first issue: 28.01.2016

---

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN