

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version 1.8 Revision Date: 09.04.2021 SDS Number: 1758840-00009 Date of last issue: 10.10.2020
Date of first issue: 14.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Mometasone Ointment Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Pharmaceutical

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.
30 Hudson Street, 33rd floor
07302 Jersey City, New Jersey, U.S.A

Telephone : 551-430-6000

E-mail address of person responsible for the SDS : EHSSTEWARD@organon.com

1.4 Emergency telephone number

215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.
Eye irritation, Category 2 H319: Causes serious eye irritation.
Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :  

Signal word : Warning

Hazard statements : H315 Causes skin irritation.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-Methyl-2,4-pentanediol	107-41-5 203-489-0 603-053-00-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 10 - < 20
Mometasone	83919-23-7	Repr. 1B; H360Df STOT RE 2; H373 (Immune system, Liver, Kidney, Skin) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 100	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE
-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version 1.8 Revision Date: 09.04.2021 SDS Number: 1758840-00009 Date of last issue: 10.10.2020
Date of first issue: 14.06.2017

- Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.
: If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed.
Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Petrolatum	8009-03-8	TWA (Vapour)	50 mg/m ³	FOR-2011-12-06-1358
		TWA (Mist and particles)	1 mg/m ³	FOR-2011-12-06-1358
2-Methyl-2,4-pentanediol	107-41-5	T	20 ppm 100 mg/m ³	FOR-2011-12-06-1358
	Further information: Ceiling value is an instantaneous value which indicates the maximum concentration of a chemical in the breathing zone that should not be exceeded.			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version 1.8 Revision Date: 09.04.2021 SDS Number: 1758840-00009 Date of last issue: 10.10.2020
Date of first issue: 14.06.2017

Mometasone	83919-23-7	TWA	1 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-Methyl-2,4-pentanediol	Workers	Inhalation	Long-term systemic effects	44,4 mg/m ³
	Workers	Inhalation	Long-term local effects	49 mg/m ³
	Workers	Inhalation	Acute local effects	98 mg/m ³
	Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	7,8 mg/m ³
	Consumers	Inhalation	Long-term local effects	25 mg/m ³
	Consumers	Inhalation	Acute local effects	49 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	15 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Petrolatum	Oral (Secondary Poisoning)	9,33 mg/kg food
2-Methyl-2,4-pentanediol	Fresh water	0,429 mg/l
	Marine water	0,043 mg/l
	Freshwater - intermittent	4,29 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	1,59 mg/kg dry weight (d.w.)
	Marine sediment	0,159 mg/kg dry weight (d.w.)
	Soil	0,066 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

		mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387
Filter type	:	Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	ointment
Colour	:	white to off-white
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 93,3 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Molecular weight	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
LD50 (Mouse): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg
Application Route: Subcutaneous
Symptoms: Breathing difficulties

Skin corrosion/irritation

Causes skin irritation.

Components:

2-Methyl-2,4-pentanediol:

Result : Skin irritation
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Mometasone:

Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-Methyl-2,4-pentanediol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Mometasone:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Mometasone:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : negative
Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Result: negative

Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster lung cells
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: positive

Test Type: Mouse Lymphoma
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Cell type: Liver cells
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Mometasone:

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years
Dose : 0.067 mg/kg body weight
Result : negative

Species : Mouse
Application Route : Inhalation
Exposure time : 19 Months
Dose : 0.160 mg/kg body weight
Result : negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Reproductive toxicity

Not classified based on available information.

Components:

2-Methyl-2,4-pentanediol:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Mometasone:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 0,015 mg/kg body weight
Symptoms: Reduced embryonic survival, Reduced foetal weight
Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Subcutaneous
Embryo-foetal toxicity: LOAEL: 0,06 mg/kg body weight
Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Dermal
Embryo-foetal toxicity: LOAEL: 0,3 mg/kg body weight
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Dermal
Embryo-foetal toxicity: LOAEL: 0,15 mg/kg body weight
Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Subcutaneous
Embryo-foetal toxicity: LOAEL: 0,15 mg/kg body weight
Result: Effects on newborn

Test Type: Embryo-foetal development

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Species: Rabbit
Application Route: Oral
Embryo-foetal toxicity: LOAEL: 0,7 mg/kg body weight
Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Mometasone:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

Not classified based on available information.

Components:

Mometasone:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Immune system, Liver, Kidney, Skin
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

2-Methyl-2,4-pentanediol:

Species : Rat
NOAEL : ≥ 450 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Mometasone:

Species : Rat
NOAEL : 0,005 mg/kg
LOAEL : 0,3 mg/kg
Application Route : Oral
Exposure time : 30 d
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog
NOAEL : 0,5 mg/kg
Application Route : Oral
Exposure time : 30 d
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Species : Rat
NOAEL : 0,00013 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 d
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog
NOAEL : 0,0005 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 d
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

Aspiration toxicity

Not classified based on available information.

Components:

Mometasone:

Not applicable

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

2-Methyl-2,4-pentanediol:

Eye contact : Target Organs: Eyes
Symptoms: Irritation

Mometasone:

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion
Skin contact : Symptoms: Dermatitis, Itching

Further information

Components:

Mometasone:

Remarks : Dermal absorption possible

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-Methyl-2,4-pentanediol:

- Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 8.510 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 2.800 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 429 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Pseudokirchneriella subcapitata (green algae)): > 429 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : NOEC : 200 mg/l
Exposure time: 10 d

Mometasone:

- Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0,11 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility
- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l
Exposure time: 7 d
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
- EC50 (Americamysis): > 5 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
Remarks: No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

- Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility
- NOEC : 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility
- Toxicity to fish (Chronic toxicity) : NOEC: 0,00014 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,34 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility
- M-Factor (Chronic aquatic toxicity) : 100

12.2 Persistence and degradability

Components:

2-Methyl-2,4-pentanediol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Mometasone:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 28 d
Method: OECD Test Guideline 314

- Stability in water : Hydrolysis: 50 %(12 d)
Method: OECD Test Guideline 111

12.3 Bioaccumulative potential

Components:

2-Methyl-2,4-pentanediol:

- Partition coefficient: n-octanol/water : log Pow: 0
Remarks: Calculation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 107,1
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4,68

12.4 Mobility in soil

Components:

Mometasone:

Distribution among environmental compartments : log Koc: 4,02

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

RID : UN 3077

IMDG : UN 3077

IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Mometasone)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Mometasone)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Mometasone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Mometasone)

IATA : Environmentally hazardous substance, solid, n.o.s.
(Mometasone)

14.3 Transport hazard class(es)

ADN : 9

ADR : 9

RID : 9

IMDG : 9

IATA : 9

14.4 Packing group

ADN
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable
REACH - List of substances subject to authorisation (Annex XIV) : Not applicable
Regulation (EC) No 1005/2009 on substances that de- : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2	ENVIRONMENTAL HAZARDS	Quantity 1 200 t	Quantity 2 500 t
----	-----------------------	---------------------	---------------------

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H315 : Causes skin irritation.

H319 : Causes serious eye irritation.

H360Df : May damage the unborn child. Suspected of damaging fertility.

H373 : May cause damage to organs through prolonged or repeated exposure if inhaled.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits

FOR-2011-12-06-1358 / : Long term exposure limit

TWA

FOR-2011-12-06-1358 / T : Ceiling

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada);

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORGANON

Mometasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10.10.2020
1.8	09.04.2021	1758840-00009	Date of first issue: 14.06.2017

ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN