

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Mometasone / Formoterol Metered Dose Inhaler Formulation

Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number : 215-631-6999

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Aerosols : Category 3

Long-term (chronic) aquatic hazard : Category 2

Hazardous to the ozone layer : Category 1

GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H229 Pressurised container: May burst if heated.
H411 Toxic to aquatic life with long lasting effects.
H420 Harms public health and the environment by destroying ozone in the upper atmosphere.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 Do not pierce or burn, even after use.
P273 Avoid release to the environment.

Response:

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

P391 Collect spillage.

Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 40 °C/ 104 °F.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

P502 Refer to manufacturer or supplier for information on recovery or recycling.

Other hazards which do not result in classification

Important symptoms and out- : May displace oxygen and cause rapid suffocation.
lines of the emergency as-
sumed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
1,1,1,2,3,3,3-Heptafluoropropane	431-89-0	>= 98.05 - <= 98.09	2-3763
Ethanol#	64-17-5	1.8	2-202
Mometasone	83919-23-7	>= 0.087 - <= 0.17	
Formoterol	43229-80-7	>= 0.0009 - <= 0.0087	

Voluntarily-disclosed non-hazardous substance

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Most important symptoms and effects, both acute and delayed : Rinse mouth thoroughly with water.
Gas reduces oxygen available for breathing.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

Hazardous combustion products : Fluorine compounds
Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absor-

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 5.2	Revision Date: 2021/04/09	SDS Number: 75385-00016	Date of last issue: 2020/10/10 Date of first issue: 2015/03/16
----------------	------------------------------	----------------------------	---

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapours or spray mist.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

Storage

- Conditions for safe storage : Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Do not pierce or burn, even after use.
Keep cool. Protect from sunlight.
- Materials to avoid : Do not store with the following product types:
Oxidizing solids
Oxidizing liquids
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

		exposure)	concentration	
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH
Mometasone	83919-23-7	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal
Formoterol	43229-80-7	TWA	0.05 µg/m ³ (OEB 5)	Internal
		Wipe limit	0.5 µg/100 cm ²	Internal

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type : Self-contained breathing apparatus
Skin and body protection : Skin should be washed after contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : aerosol
Colour : white to off-white
Odour : No data available
Odour Threshold : No data available
Melting point/freezing point : No data available
Boiling point, initial boiling point and boiling range : -16.5 °C
Flammability (solid, gas) : Not applicable
Flammability (liquids) : No data available
Lower explosion limit and upper explosion limit / flammability limit
Upper explosion limit / Upper flammability limit : No data available
Lower explosion limit / Lower flammability limit : No data available
Flash point : No data available
Decomposition temperature : No data available
pH : No data available
Evaporation rate : No data available
Auto-ignition temperature : No data available
Viscosity

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : 3,900 hPa (20 °C)

Density and / or relative density
Relative density : 5.9

Density : No data available

Relative vapour density : 5.9

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

1,1,1,2,3,3,3-Heptafluoropropane:

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Acute inhalation toxicity : LC50 (Rat): > 788696 ppm
 Exposure time: 4 h
 Test atmosphere: gas
 Method: OECD Test Guideline 403

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
 Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
 Exposure time: 4 h
 Test atmosphere: vapour

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
 LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Remarks: No mortality observed at this dose.
 LC50 (Mouse): > 3.2 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg
 Application Route: Subcutaneous
 Symptoms: Breathing difficulties

Formoterol:

Acute oral toxicity : LD50 (Rat): 3,130 mg/kg
 LD50 (Mouse): 6,700 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.5 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,000 mg/kg
 Application Route: Subcutaneous
 LD50 (Mouse): 640 mg/kg
 Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Components:**Ethanol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Mometasone:

Species : Rabbit
Result : No skin irritation

Formoterol:

Species : Rabbit
Result : No skin irritation
Remarks : slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Ethanol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Mometasone:

Species : Rabbit
Result : No eye irritation

Formoterol:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Ethanol:**

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : negative

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Mometasone:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Result	:	negative
Remarks	:	The results of a test on guinea pigs showed this substance to be a weak skin sensitiser.

Formoterol:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:**1,1,1,2,3,3,3-Heptafluoropropane:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: inhalation (gas) Result: negative

Ethanol:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: equivocal

Mometasone:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Test system: Chinese hamster lung cells Result: negative
		Test Type: Chromosomal aberration

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Test system: Chinese hamster ovary cells
Result: positive

Test Type: Mouse Lymphoma
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Cell type: Liver cells
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Formoterol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosomal aberration
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: Micronucleus test
Species: Rat
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Mometasone:

Species : Rat
Application Route : Inhalation

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Exposure time : 2 Years
Dose : 0.067 mg/kg body weight
Result : negative

Species : Mouse
Application Route : Inhalation
Exposure time : 19 Months
Dose : 0.160 mg/kg body weight
Result : negative

Formoterol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
LOAEL : 0.5 mg/kg body weight
Target Organs : Ovary
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Mouse
Application Route : Oral
Exposure time : 18 month(s)
LOAEL : 2 mg/kg body weight
Target Organs : Adrenal gland, Liver, Uterus (including cervix)
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

Components:

1,1,1,2,3,3,3-Heptafluoropropane:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: inhalation (vapour)
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (gas)
Method: OECD Test Guideline 414
Result: negative

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Mometasone:

- Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 0.015 mg/kg body weight
Symptoms: Reduced embryonic survival, Reduced foetal weight
Result: No effects on fertility, Effect on reproduction capacity
- Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Subcutaneous
Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight
Result: Embryotoxic effects., Teratogenicity and developmental toxicity
- Test Type: Embryo-foetal development
Species: Rat
Application Route: Dermal
Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight
Result: Embryo-foetal toxicity
- Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Dermal
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight
Result: Embryo-foetal toxicity, Malformations were observed.
- Test Type: Embryo-foetal development
Species: Rat
Application Route: Subcutaneous
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight
Result: Effects on newborn
- Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight
Result: Embryo-foetal toxicity, Malformations were observed.
- Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Formoterol:

- Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Fertility: NOAEL: 3 mg/kg body weight
Result: No effects on fertility

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight
Result: Embryo-foetal toxicity, No malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 3 mg/kg body weight
Result: Malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (dust/mist/fume)
Developmental Toxicity: NOAEL: 1.2 mg/kg body weight
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 60 mg/kg body weight
Result: Embryo-foetal toxicity, No malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Mometasone:

Remarks : Based on available data, the classification criteria are not met.

Formoterol:

Exposure routes : Ingestion, inhalation (dust/mist/fume)
Target Organs : Cardio-vascular system, Central nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:

Mometasone:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Immune system, Liver, Kidney, Skin
Assessment : May cause damage to organs through prolonged or repeated exposure.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Formoterol:

Exposure routes : Ingestion, inhalation (dust/mist/fume)
 Target Organs : Heart
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****1,1,1,2,3,3,3-Heptafluoropropane:**

Species : Rat
 NOAEL : 731.69 mg/l
 Application Route : inhalation (gas)
 Exposure time : 13 Weeks
 Method : OECD Test Guideline 413

Ethanol:

Species : Rat
 NOAEL : 1,280 mg/kg
 LOAEL : 3,156 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Mometasone:

Species : Rat
 NOAEL : 0.005 mg/kg
 LOAEL : 0.3 mg/kg
 Application Route : Oral
 Exposure time : 30 d
 Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog
 LOAEL : 0.5 mg/kg
 Application Route : Oral
 Exposure time : 30 d
 Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat
 NOAEL : 0.00013 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 90 d
 Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog
 NOAEL : 0.0005 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 90 d
 Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Kidney, thymus gland, Liver

Formoterol:

Species : Dog
LOAEL : ≥ 1.5 mg/kg
Application Route : Inhalation
Exposure time : 13 Weeks
Target Organs : Heart

Species : Rat
NOAEL : 0.14 mg/kg
Application Route : Inhalation
Exposure time : 13 Weeks
Target Organs : Heart

Species : Dog
LOAEL : 0.003 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Heart

Species : Rat
LOAEL : 0.3 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Heart

Aspiration toxicity

Not classified based on available information.

Components:

Mometasone:

Not applicable

Experience with human exposure

Components:

Mometasone:

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact : Symptoms: Dermatitis, Itching

Formoterol:

Inhalation : Target Organs: Heart
Symptoms: Palpitation, Tremors, Dizziness, Headache, dry mouth, Nausea, Fatigue

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Further information

Components:

Mometasone:

Remarks : Dermal absorption possible

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,1,1,2,3,3,3-Heptafluoropropane:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 200 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 200 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 114 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 173.1 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
 Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l
 Exposure time: 72 h

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 9 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l
Exposure time: 16 h

Mometasone:

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l
Exposure time: 7 d
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

EC50 (Americamysis): > 5 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.34 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility

NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility

Formoterol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 114 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 94 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 30 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability**Components:****1,1,1,2,3,3,3-Heptafluoropropane:**

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Ethanol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

Mometasone:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 28 d
Method: OECD Test Guideline 314
- Stability in water : Hydrolysis: 50 %(12 d)
Method: OECD Test Guideline 111

Bioaccumulative potential**Components:****Ethanol:**

- Partition coefficient: n- : log Pow: -0.35

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

octanol/water

Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
 Bioconcentration factor (BCF): 107.1
 Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

Formoterol:

Partition coefficient: n-octanol/water : log Pow: 0.41

Mobility in soil

Components:

Mometasone:

Distribution among environmental compartments : log Koc: 4.02

Hazardous to the ozone layer

Components:

1,1,1,2,3,3,3-Heptafluoropropane:

Ozone-Depletion Potential : Regulation: Japan.Enforcement Ordinance of the Law concerning the Protection of the Ozone Layer through the Control of Specified Substances and other measures (Update: 2018-08-10)
 Number: 6
 Group: Annex F - Group I

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.
 Please ensure aerosol cans are sprayed completely empty (including propellant)

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1950
 Proper shipping name : AEROSOLS

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Class : 2.2
Packing group : Not assigned by regulation
Labels : 2.2

IATA-DGR

UN/ID No. : UN 1950
Proper shipping name : Aerosols, non-flammable
Class : 2.2
Packing group : Not assigned by regulation
Labels : Non-flammable, non-toxic Gas
Packing instruction (cargo aircraft) : 203
Packing instruction (passenger aircraft) : 203

IMDG-Code

UN number : UN 1950
Proper shipping name : AEROSOLS (Mometasone)
Class : 2.2
Packing group : Not assigned by regulation
Labels : 2.2
EmS Code : F-D, S-U
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Group 4, Alcohols, (400 litre), Hazardous rank II, (Remained chemical in a spray can after degassing falls under this group)

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 5.2 Revision Date: 2021/04/09 SDS Number: 75385-00016 Date of last issue: 2020/10/10
Date of first issue: 2015/03/16

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Ethanol	61	>=1 - <10

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Number
Ethanol	61

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

According to MITI Notice No. 139 in 1997, the High Pressure Gas Safety Act isn't applied to this product.

Explosive Control Law

Not applicable

Vessel Safety Law

Gases (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Gases (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Not applicable

International Regulations

Montreal Protocol : 1,1,1,2,3,3,3-Heptafluoropropane

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

All abbreviations used in this SDS are defined in the following table:

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/10
5.2	2021/04/09	75385-00016	Date of first issue: 2015/03/16

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN