

## Nomegestrol / Estradiol Formulation

Version 5.7      Revision Date: 16.10.2020      SDS Number: 17237-00016      Date of last issue: 23.03.2020  
Date of first issue: 30.09.2014

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Nomegestrol / Estradiol Formulation

**Manufacturer or supplier's details**

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 551-430-6000

Emergency telephone number : 215-631-6999

E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1 (Liver, Bone, Blood, Endocrine system)

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.

---

## Nomegestrol / Estradiol Formulation

Version 5.7      Revision Date: 16.10.2020      SDS Number: 17237-00016      Date of last issue: 23.03.2020  
Date of first issue: 30.09.2014

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 10 -< 20
Estradiol	50-28-2	>= 2.5 -< 10
17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate	58652-20-3	>= 1 -< 2.5
Talc	14807-96-6	>= 1 -< 10
Titanium dioxide	13463-67-7	>= 0.1 -< 1

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

Most important symptoms and effects, both acute and delayed	:	Get medical attention. Rinse mouth thoroughly with water. May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**7. HANDLING AND STORAGE**

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.   |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents  |

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Estradiol	50-28-2	TWA	0.05 µg/m <sup>3</sup> (OEB 5)	Internal

## Nomegestrol / Estradiol Formulation

Version 5.7      Revision Date: 16.10.2020      SDS Number: 17237-00016      Date of last issue: 23.03.2020  
Date of first issue: 30.09.2014

		Further information: Skin		
		Wipe limit	0.5 µg/100 cm <sup>2</sup>	Internal
17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate	58652-20-3	TWA	0.2 µg/m <sup>3</sup>	Internal
		Wipe limit	2 µg/100 cm <sup>2</sup>	Internal
Talc	14807-96-6	PEL (long term)	2 mg/m <sup>3</sup>	SG OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
Titanium dioxide	13463-67-7	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.

# SAFETY DATA SHEET



## Nomegestrol / Estradiol Formulation



Version 5.7      Revision Date: 16.10.2020      SDS Number: 17237-00016      Date of last issue: 23.03.2020  
Date of first issue: 30.09.2014

---

Wash contaminated clothing before re-use.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available

## Nomegestrol / Estradiol Formulation

Version 5.7      Revision Date: 16.10.2020      SDS Number: 17237-00016      Date of last issue: 23.03.2020  
Date of first issue: 30.09.2014

---

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Estradiol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg  
Application Route: Subcutaneous

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

---

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

LD50 (Mouse): &gt; 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg  
Application Route: Intraperitoneal**Talc:**Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): &gt; 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Talc:**Species : Rabbit  
Result : No skin irritation**Titanium dioxide:**Species : Rabbit  
Result : No skin irritation**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Estradiol:**

Result : No eye irritation

**Talc:**Species : Rabbit  
Result : No eye irritation**Titanium dioxide:**Species : Rabbit  
Result : No eye irritation



## Nomegestrol / Estradiol Formulation

Version 5.7      Revision Date: 16.10.2020      SDS Number: 17237-00016      Date of last issue: 23.03.2020  
Date of first issue: 30.09.2014

---

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Estradiol:**

Exposure routes : Skin contact  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

**Talc:**

Exposure routes : Skin contact  
Species : Humans  
Result : negative

**Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Estradiol:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: mammalian cells  
Result: positive  
Test Type: Chromosome aberration test in vitro  
Test system: mammalian cells

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

Result: positive

Test Type: Chromosomal aberration

Test system: mammalian cells

Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Chromosomal aberration

Species: Mouse

Cell type: Bone marrow

Result: negative

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Oral

Result: negative

**Talc:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

May cause cancer.

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Estradiol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
LOAEL : 100 µg/kg  
Result : positive  
Target Organs : female reproductive organs

Species : Rat  
Application Route : Subcutaneous  
Exposure time : 13 weeks  
LOAEL : 20 mg/kg body weight  
Result : positive  
Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Species : Rat  
Application Route : oral (feed)  
Activity duration : 52 Weeks  
: 10 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : oral (feed)  
: 20 mg/kg body weight  
Result : positive  
Target Organs : Mammary gland, Pituitary gland

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Talc:**

Species : Mouse  
Application Route : inhalation (dust/mist/fume)

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

Exposure time : 2 Years  
Result : negative

**Titanium dioxide:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Estradiol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Fertility: LOAEL: 0.5 mg/kg body weight  
Result: Effects on fertility

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Duration of Single Treatment: 90 d  
Fertility: LOAEL: 0.69 mg/kg body weight  
Result: Effects on fertility

Test Type: Two-generation study  
Species: Mouse  
Application Route: Oral  
Fertility: LOAEL: 0.1 mg/kg body weight  
Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse, female  
Application Route: Subcutaneous

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

Teratogenicity: LOAEL: 4 mg/kg body weight  
Symptoms: Malformations were observed.  
Result: positive, Teratogenic effects

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Subcutaneous  
Teratogenicity: LOAEL: 2.5 µg/kg body weight  
Symptoms: Reduced body weight  
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight  
Symptoms: Early Resorptions / resorption rate, Reduced number of viable fetuses, Reduced body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment : May damage fertility. May damage the unborn child.

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Result: negative, No teratogenic effects

Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.

**Talc:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

## Nomegestrol / Estradiol Formulation

Version 5.7      Revision Date: 16.10.2020      SDS Number: 17237-00016      Date of last issue: 23.03.2020  
Date of first issue: 30.09.2014

---

**Components:****Estradiol:**

Target Organs : Liver, Bone, Blood, Endocrine system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Estradiol:**

Species : Rat  
LOAEL :  $\geq 0.17$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Species : Mouse  
NOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 52 Weeks

Species : Rat  
NOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 52 Weeks

**Titanium dioxide:**

Species : Rat  
NOAEL : 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 yr

**Aspiration toxicity**

Not classified based on available information.

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

**Experience with human exposure****Components:****Estradiol:**

Inhalation	:	Symptoms: tingling, Nose bleeding
Skin contact	:	Symptoms: Skin irritation, Redness, pruritis
Ingestion	:	Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhoea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Ingestion	:	Symptoms: acne, amenorhea, Headache, Dizziness, Nausea, breast tenderness, changes in libido, insomnia, musculoskeletal pain, mood swings, muscle pain, muscle twitching
-----------	---	--

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish	:	LC50 ( <i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

**Estradiol:**

Toxicity to fish	:	LC50 ( <i>Oryzias latipes</i> (Japanese medaka)): 3.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): 2.7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 1.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 1.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC ( <i>Oryzias latipes</i> (Japanese medaka)): 0.000003 mg/l Exposure time: 160 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC ( <i>Daphnia magna</i> (Water flea)): 0.2 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1,000
Toxicity to microorganisms	:	EC50: > 100 mg/l

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

NOEC: 100 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.07 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.69 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): 0.0013 mg/l  
 Exposure time: 27 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.65 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211  
 Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (Natural microorganism): > 2.8 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

NOEC (Natural microorganism): 2.8 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209  
 Remarks: No toxicity at the limit of solubility

**Talc:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l  
 Exposure time: 24 h

**Titanium dioxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h



## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Estradiol:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

**Bioaccumulative potential****Components:****Estradiol:**

Partition coefficient: n-octanol/water : log Pow: 4.01

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 44

Partition coefficient: n-octanol/water : log Pow: 3.7

**Mobility in soil****Components:****Estradiol:**

Distribution among environmental compartments : log Koc: 3.81

**17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:**

Distribution among environmental compartments : log Koc: 3.35  
Method: OECD Test Guideline 106

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

---

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)  
 Class : 9  
 Packing group : III  
 Labels : 9

**IATA-DGR**

UN/ID No. : UN 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
 (Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 956  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture****Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**16. OTHER INFORMATION****Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agen-  
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health Act - First Schedule  
Permissible Exposure Limits of Toxic Substances

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

# SAFETY DATA SHEET



## Nomegestrol / Estradiol Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
5.7	16.10.2020	17237-00016	Date of first issue: 30.09.2014

---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN