

ORGANON

# **Rizatriptan Orally Disintegrating Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 2020/03/23 2020/10/10 809069-00010 Date of first issue: 2016/07/22 2.1

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name Rizatriptan Orally Disintegrating Formulation

Supplier's company name, address and phone number

Company name of supplier Organon & Co.

Address 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone 551-430-6000

E-mail address EHSSTEWARD@organon.com

Emergency telephone number : 215-631-6999

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical

## 2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Skin sensitisation : Category 1

repeated exposure (Oral)

Specific target organ toxicity - : Category 2 (Cardio-vascular system)

**GHS** label elements

Hazard pictograms



Signal word

Hazard statements H317 May cause an allergic skin reaction.

H373 May cause damage to organs (Cardio-vascular system)

through prolonged or repeated exposure if swallowed.

Precautionary statements Prevention:

P260 Do not breathe dust.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before



# **Rizatriptan Orally Disintegrating Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2020/03/23 2020/10/10 809069-00010 Date of first issue: 2016/07/22 2.1

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

lines of the emergency as-

sumed

Important symptoms and out: Dust contact with the eyes can lead to mechanical irritation. May form explosive dust-air mixture during processing, han-

dling or other means.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Cellulose	9004-34-6	>= 10 - < 20	
Peppermint oil	8006-90-4	>= 2.5 - < 10	
Starch	9005-25-8	>= 1 - < 10	8-98
Rizatriptan	145202-66-0	>= 1 - < 3	

## 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and delaved

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Dust contact with the eyes can lead to mechanical irritation. Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

#### 5. FIREFIGHTING MEASURES



ORGANON

# **Rizatriptan Orally Disintegrating Formulation**

SDS Number: Date of last issue: 2020/03/23

Date of first issue: 2016/07/22

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

809069-00010

Unsuitable extinguishing

media

Version

2.1

Specific hazards during fire-

**Revision Date:** 

2020/10/10

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

## Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.



## **Rizatriptan Orally Disintegrating Formulation**



Version Revision Date: SDS Number: Date of last issue: 2020/03/23 2.1 2020/10/10 809069-00010 Date of first issue: 2016/07/22

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact

Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Rizatriptan	145202-66-0	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to



# **Rizatriptan Orally Disintegrating Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2020/03/23 2020/10/10 809069-00010 Date of first issue: 2016/07/22 2.1

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Particulates type

Material Chemical-resistant gloves

Remarks Consider double gloving.

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state powder

Colour No data available

Odour No data available

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling point and boiling range

No data available

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Upper : No data available

flammability limit

Lower explosion limit / Lower : No data available



# **Rizatriptan Orally Disintegrating Formulation**



Version Revision Date: SDS Number: Date of last issue: 2020/03/23 2.1 2020/10/10 809069-00010 Date of first issue: 2016/07/22

flammability limit

Flash point : Not applicable

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Density and / or relative density

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

: No hazardous decomposition products are known.



# **Rizatriptan Orally Disintegrating Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/03/23

 2.1
 2020/10/10
 809069-00010
 Date of first issue: 2016/07/22

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of :

exposure

Inhalation
Skin contact
Ingestion
Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

**Components:** 

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Peppermint oil:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Rizatriptan:

Acute oral toxicity : LD50 (Rat): 2,227 mg/kg

LD50 (Mouse): 700 - 1,631 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Peppermint oil:

Species : Rabbit Result : Skin irritation

Remarks : Based on data from similar materials



# **Rizatriptan Orally Disintegrating Formulation**



Version Revision Date: SDS Number: Date of last issue: 2020/03/23 2.1 2020/10/10 809069-00010 Date of first issue: 2016/07/22

Rizatriptan:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Peppermint oil:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials

Starch:

Species : Rabbit

Result : No eye irritation

Rizatriptan:

Species : Bovine cornea

Remarks : Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

Peppermint oil:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitisation in humans

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Rizatriptan:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig



# **Rizatriptan Orally Disintegrating Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2020/03/23 2020/10/10 809069-00010 Date of first issue: 2016/07/22 2.1

Does not cause skin sensitisation. Assessment

Result negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Cellulose:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Starch:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Rizatriptan:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Alkaline elution assay

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Application Route: Oral

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Cellulose:

**Species** Rat **Application Route** Ingestion Exposure time 72 weeks



# **Rizatriptan Orally Disintegrating Formulation**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/03/23

 2.1
 2020/10/10
 809069-00010
 Date of first issue: 2016/07/22

Result : negative

Rizatriptan:

Species : Mouse
Application Route : Oral
Exposure time : 100 weeks

NOAEL : 125 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 106 weeks

NOAEL : 106 mg/kg body weight

Result : negative

Reproductive toxicity

Not classified based on available information.

**Components:** 

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Rizatriptan:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, female Application Route: Oral

Fertility: LOAEL: 100 mg/kg body weight

Symptoms: altered estrus cycles

Result: No effects on fertility and early embryonic develop-

ment were detected.

Test Type: Fertility/early embryonic development

Species: Rat, male Application Route: Oral

Fertility: NOAEL: 250 mg/kg body weight

Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: No teratogenic effects, Embryo-foetal toxicity



# **Rizatriptan Orally Disintegrating Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/03/23

 2.1
 2020/10/10
 809069-00010
 Date of first issue: 2016/07/22

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: No teratogenic effects, Embryo-foetal toxicity

Remarks: The effects were seen only at maternally toxic dos-

es.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

## STOT - single exposure

Not classified based on available information.

#### **Components:**

## Rizatriptan:

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.

## **Components:**

## Rizatriptan:

Target Organs : Cardio-vascular system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

## **Components:**

## Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

#### Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Rizatriptan:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 14 Weeks

Symptoms : Dilatation of the pupil, Increased pulse rate, Redness



# **Rizatriptan Orally Disintegrating Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2020/03/23 2020/10/10 809069-00010 Date of first issue: 2016/07/22 2.1

**Species** Dog

LOAEL 0.05 mg/kg **Application Route** Intravenous Exposure time 2 Weeks

Dilatation of the pupil, Increased pulse rate, Redness **Symptoms** 

**Species** Dog LOAEL 0.2 mg/kg Application Route Oral Exposure time 1 yr

**Symptoms** Dilatation of the pupil

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Rizatriptan:

Ingestion Target Organs: Cardio-vascular system

Symptoms: asthenia, Fatigue, Pain, Dizziness, Weakness,

**Drowsiness** 

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Components:

Cellulose:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Peppermint oil:

Toxicity to fish LL50 (Danio rerio (zebra fish)): > 10 - 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): > 10 - 100

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to microorganisms EC10: 51 mg/l

Exposure time: 3 h

Remarks: Based on data from similar materials



# **Rizatriptan Orally Disintegrating Formulation**

Version Revision Date: SDS Number: Date of last issue: 2020/03/23 2.1 2020/10/10 809069-00010 Date of first issue: 2016/07/22

Rizatriptan:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 48

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 9.6 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 110 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms

EC50: > 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

## Persistence and degradability

**Components:** 

Cellulose:

Biodegradability : Result: Readily biodegradable.

Peppermint oil:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Rizatriptan:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 13 d

Method: OECD Test Guideline 314



# **Rizatriptan Orally Disintegrating Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/03/23

 2.1
 2020/10/10
 809069-00010
 Date of first issue: 2016/07/22

## **Bioaccumulative potential**

**Components:** 

Peppermint oil:

Partition coefficient: n-

octanol/water

log Pow: > 4

Remarks: Based on data from similar materials

Rizatriptan:

Partition coefficient: n-

octanol/water

log Pow: -0.649

Mobility in soil

**Components:** 

Rizatriptan:

Distribution among environ-

mental compartments

log Koc: 3.83

Method: OECD Test Guideline 106

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues :

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

Refer to section 15 for specific national regulation.



# **Rizatriptan Orally Disintegrating Formulation**



Version 2.1

Revision Date: 2020/10/10

SDS Number: 809069-00010

Date of last issue: 2020/03/23 Date of first issue: 2016/07/22

#### 15. REGULATORY INFORMATION

## **Related Regulations**

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### **Industrial Safety and Health Law**

## **Harmful Substances Prohibited from Manufacture**

Not applicable

## **Harmful Substances Required Permission for Manufacture**

Not applicable

### **Substances Prevented From Impairment of Health**

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### **Substances Subject to be Notified Names**

Not applicable

### **Substances Subject to be Indicated Names**

Not applicable

## Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### Ordinance on Prevention of Lead Poisoning

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

## **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

#### Poisonous and Deleterious Substances Control Law

Not applicable

# Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable



## **Rizatriptan Orally Disintegrating Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2020/03/23 2020/10/10 809069-00010 Date of first issue: 2016/07/22 2.1

#### **High Pressure Gas Safety Act**

Not applicable

## **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Not regulated as a dangerous good

#### **Aviation Law**

Not regulated as a dangerous good

## Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

## **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

#### Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:

**AICS** not determined

**DSL** not determined

**IECSC** not determined

#### **16. OTHER INFORMATION**

#### **Further information**

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

**ACGIH** USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



# **Rizatriptan Orally Disintegrating Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/03/23

 2.1
 2020/10/10
 809069-00010
 Date of first issue: 2016/07/22

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN