

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Simvastatin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Pharmaceutical

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.
30 Hudson Street, 33rd floor
07302 Jersey City, New Jersey, U.S.A

Telephone : 551-430-6000

E-mail address of person responsible for the SDS : EHSSTEWARD@organon.com

1.4 Emergency telephone number

215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848

Skin sensitisation, Category 1

Specific target organ toxicity - repeated exposure, Category 2

Long-term (chronic) aquatic hazard, Category 3

H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated exposure.

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling T.R. SEA No 28848

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Precautionary statements :

Prevention:
P260 Do not breathe dust.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Hazardous components which must be listed on the label:
Simvastatin

2.3 Other hazards

Dust contact with the eyes can lead to mechanical irritation.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Simvastatin	79902-63-9	Skin Irrit.2; H315 Skin Sens.1; H317 STOT RE1; H372 Aquatic Chronic2; H411	>= 2,5 - < 10
Citric acid monohydrate	5949-29-1	Eye Irrit.2; H319	>= 1 - < 10
Titanium dioxide	13463-67-7 236-675-5	Carc.2; H351	>= 0,1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

when the potential for exposure exists (see section 8).

- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

- Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

- Hazardous combustion products : Carbon oxides

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.

6.2 Environmental precautions

- Environmental precautions : Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version 2.3 Revision Date: 13.09.2019 SDS Number: 2160989-00006 Date of last issue: 24.04.2019
Date of first issue: 09.11.2017

- Local/Total ventilation : Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Advice on safe handling : Use only with adequate ventilation.
Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Simvastatin	79902-63-9	TWA	25 µg/m ³ (OEB 3)	Internal
Further information	DSEN			
		Wipe limit	250 µg/100 cm ²	Internal

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version 2.3 Revision Date: 13.09.2019 SDS Number: 2160989-00006 Date of last issue: 24.04.2019
Date of first issue: 09.11.2017

Predicted No Effect Concentration (PNEC) :

Substance name	Environmental Compartment	Value
Citric acid monohydrate	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34,6 mg/kg dry weight (d.w.)
	Marine sediment	3,46 mg/kg dry weight (d.w.)
	Soil	33,1 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

- Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : powder
Colour : No data available
Odour : odourless

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	:	No data available
Particle size	:	No data available

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Simvastatin:

Acute oral toxicity : LD50 (Rat): 5.000 mg/kg
LD50 (Mouse): 3.800 mg/kg

Citric acid monohydrate:

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Simvastatin:

Species : Rabbit
Remarks : Moderate skin irritation

Citric acid monohydrate:

Species : Rabbit
Result : No skin irritation

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Simvastatin:

Species : Rabbit
Remarks : slight irritation

Citric acid monohydrate:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Respiratory sensitisation

Not classified based on available information.

Components:

Simvastatin:

Assessment : Probability or evidence of skin sensitisation in humans
Result : positive

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Simvastatin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Alkaline elution assay
Result: negative

Test Type: Chromosomal aberration
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Citric acid monohydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Simvastatin:

Species : Mouse
Application Route : Oral
Exposure time : < 92 weeks
Target Organs : Harderian gland
Tumor Type : Liver, Lungs
Remarks : The significance of these findings for humans is not certain.

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Tumor Type : Liver, Thyroid
Remarks : The significance of these findings for humans is not certain.

Titanium dioxide:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : positive
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Components:

Simvastatin:

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 25 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Embryo-foetal toxicity: NOAEL: 25 mg/kg body weight
Result: No teratogenic effects, No adverse effects

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Embryo-foetal toxicity: NOAEL: 10 mg/kg body weight
Result: No teratogenic effects, No adverse effects

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Embryo-foetal toxicity: LOAEL: 60 mg/kg body weight
Result: Teratogenic potential
Remarks: Based on data from similar materials

Citric acid monohydrate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Simvastatin:

Target Organs : Liver, muscle, optic nerve, Eye
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Simvastatin:

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 14 - 104 Weeks
Target Organs : Liver, Testis, Musculo-skeletal system, Eye

Species : Dog
LOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 14 - 104 Weeks
Target Organs : Liver, Testis, Eye

Species : Rabbit
NOAEL : 30 mg/kg
LOAEL : 50 mg/kg
Application Route : Oral
Target Organs : Liver, Kidney

Citric acid monohydrate:

Species : Rat
NOAEL : 4.000 mg/kg
LOAEL : 8.000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Titanium dioxide:

Species : Rat
NOAEL : 24.000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 10 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Simvastatin:

Skin contact : Remarks: May produce an allergic reaction.
Ingestion : Target Organs: Liver
Symptoms: upper respiratory tract infection, Headache, Abdominal pain, constipation, Nausea
Target Organs: Musculo-skeletal system

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

SECTION 12: Ecological information

12.1 Toxicity

Components:

Simvastatin:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,91 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 25 mg/l
Exposure time: 96 h
- NOEC (Pseudokirchneriella subcapitata (green algae)): 25 mg/l
Exposure time: 96 h
- Toxicity to microorganisms : EC50 : > 30 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
- NOEC : 21 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Citric acid monohydrate:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.535 mg/l
Exposure time: 24 h

Titanium dioxide:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

Simvastatin:

Biodegradability : Result: rapidly degradable

Stability in water : Hydrolysis: 50 %(3,2 d)

Citric acid monohydrate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Simvastatin:

Partition coefficient: n-octanol/water : log Pow: > 4,07

Citric acid monohydrate:

Partition coefficient: n-octanol/water : log Pow: -1,72

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, : Not applicable placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17)

Other regulations:

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I". Regulation on Classification, Labelling and Packaging of Substances and Mixtures. Dated 11 December 2013, Numbered 28848 (Bis) Ministry of Environment and Forestry. Regulation on Health and Safety Measures Of Working with Chemicals Substances Dated 12.08.13, numbered 28733 Ministry of Labour and Social Security.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16: Other information

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H351 : Suspected of causing cancer if inhaled.
H372 : Causes damage to organs through prolonged or repeated exposure.
H411 : Toxic to aquatic life with long lasting effects.

The Turkish SDS has been prepared according to the Regulation on Safety Data Sheets for Hazardous Substances and Mixtures No. 29204.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard
Carc. : Carcinogenicity
Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature;

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



ORGANON

Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.04.2019
2.3	13.09.2019	2160989-00006	Date of first issue: 09.11.2017

SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1	H317
STOT RE 2	H373
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TR / EN